


Product Datasheet model i-vo 9160 275



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	<ul style="list-style-type: none">• fashionable safety spectacles with adjustable side arms• reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape• soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit• the shape of the lenses ensures unrestricted peripheral vision
Technical details Frame Material Colour	Front piece TPU/TPE black/grey

Material	Side piece
Features	PA
Colour	5 position length adjustability black
Material	Temple
Features	PBT+PC/TPE
Colour	quattroflex temple black/grey
Manufacturer's ID code	Marking
Applicable EN norm	W
Low-energy impact	166
Resistance to high speed particles at extremes of temperat.	F (45 m/s) T
Lens	
Material	PC
Thickness	3 mm at PD
Coating	uvex supravision excellence
Colour	clear
UV protection	UV400
Filter	Marking
Manufacturer's ID code	2C-1,2 (DIN EN 170)
Optical class	W
Low-energy impact	1
Resistance to high speed particles at extremes of temperat.	F (45 m/s) T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	

Replacement lens	9160255
Miscellaneous	
Weight	33 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II