



FYRPRO®
PROTECTIVE CLOTHES FOR FIRE FIGHTERS

CE
EN 469:2005
09/686/EEC

FIREMAN GARMENTS



IST Co. Ltd.

www.ist.com.tr



FYRPRO®
PROTECTIVE CLOTHES FOR FIRE FIGHTERS

CE
EN 469:2005
09/686/EEC

IST

FYRPRO® 440



FYRPRO®
PROTECTIVE CLOTHES FOR FIRE FIGHTERS

IST

CE
EN 469:2005

FYRPRO® 440



İŞÇİ SAĞLIĞI TEÇHİZATI SAN. TİC. LTD. ŞTİ.

www.ist.com.tr

info@ist.com.tr



FYRPRO® 440

**FOR SAFER FIREFIGHTING:
“ THE BEST QUALITY
WITH THE MOST COMPETITIVE PRICES ”**

Layer System:

Outer Layer : NOMEX® OUTERSHELL TOUGH
(% 75 NOMEX® + % 23 KEVLAR® + % 2 P140)
Water - Oil Resistant

Moisture Barrier : FR Fabric + PU

Heat Barrier : % 100 Aramid felt

Inner Layer : Aramid/Viscose FR (50:50)



quick release zipper



wide collar and collar closure system



top level protective quilted inner layers



radio pocket with flap and aerial outlet



side pockets with flap and glove clip




handtop protective cuff and adjustable cuff strap



yellow-grey-yellow reflective strips



top level protective, water and oil repellent outer layer



**EN 469:2005
89/686/EEC**



Xf2

Xr2

Y2

Z2

EN469:2005

Contact us for further questions and special offers

FYRPRO® is a registered trademark of I.S.T. İşçi Sağlığı Teçhizatı San. Tic. Ltd. Şti.
NOMEX® and KEVLAR® are registered trademarks of DuPont.

I.S.T. LTD CO.

Ivedik Organize Sanayi Bolgesi 31.Cad 2269.Sok No: 42


M.Gokcek Bulvari 06374 Yenimahalle/Ankara/Turkiye

Tel. 0312 3841300 Fax. 0312 3417303 e-mail. info@ist.com.tr

FYRPRO® 440 FIRE FIGHTING SUITS

P/N : 13152344

FOUR LAYERS QUILTED SYSTEM




Outer Layer

Moisture Barrier

Heat Barrier

Inner Layer

EN 469:2005
XR2-XF2-Y2-Z2



**Marine Equipment Directive
M.E.D. Certified**

LAYER SYSTEM

LAYERS	FUNCTION	FYRPRO® 440
OUTER LAYER	Heat protective, water and oil repellent finish. Antistatic.	NOMEX® Outershell Tough (75% NOMEX®, 23% KEVLAR®, 2% P140)
MOISTURE BARRIER	Breathable moisture barrier providing penetration resistance against water and other liquids	Flame retardant (FR) Aramid Fabric + PU membrane
HEAT BARRIER	Provides thermal isolation	100% Aramid felt
INNER LAYER	Provides a high degree of comfort to the wearer	Aramid /Viscose (FR)

STANDARD DESIGN

- **SHOULDERS:** Reinforced with Aramid felt
- **POCKETS:** Jacket includes two covered pockets on each side with left chest pocket for radio and a microphone bracket
- **DOUBLE CLOSED FRONT:** Velcro fixing and safety zipper
- **WRIST BANDS:** Aramid knitting
- **ZIPPERS:** Metal teeth with quick release
- **COLLAR:** Wide collar with collar closure system
- **FRONT OPENING:** Closed with brass zipper which is covered by a Velcro sealed plate
- **ADJUSTABLE PROTECTIVE CUFF:** Velcro fire proofed and waterproof thumb ring design
- **SEWING THREAD:** High quality Nomex thread.
- **REFLECTIVE TRIMS:** 3M fire retardant 50 mm yellow-grey-yellow strip



OPTIONS

- Anti-wicking barrier at leg ends
- Reinforced elbows
- Reinforced knees with Aramid felt padding
- Pre-bent knees

Navy Blue or Gold Color options

M.E.D. Certified


NATO stock number (NSN)

TROUSER SUSPENDERS

ELASTIC TROUSER WAIST WITH INTERGRAL SUSPENDER

Two 4 cm wide elastic strips stitched into the waist band at the back of the trouser

Including two adjustable length 4 cm wide elastic strips with clips stitched into the waist at the front of the trouser.



SIZE CHART

	SIZE EURO	HEIGHT CM	CHEST CM	WAIST CM
SMALL	46 / 48	170 - 176	88 - 96	76 - 84
MEDIUM	50 / 52	176 - 182	96 - 104	84 - 92
LARGE	54 / 56	182 - 188	104 - 112	92 - 100
X LARGE	58 / 60	182 - 188	112 - 120	100 - 108
XX LARGE	62 / 64	182 - 188	120 - 128	108 - 116
XXX LARGE	66 / 68	188 - 194	128 - 132	116 - 124

NSN CODE: 8415-27-032-4389 (M)

NSN CODE: 8415-27-032-4392 (L)

NSN CODE: 8415-27-032-4395 (XL)