

Index

Sequential part number list

APOLLO

Part number	Product description	Page
26729-152	Transparent Hinged Cover	103
26729-179	Breakable Cover Seal	103
27249-005	Deckhead Adaptor	106, 114
29600-098	XP95 Galvanic Barrier	136
29600-100	Smoke Dispenser Head	165
29600-102	Detector Extract Tool	165
29600-103	Extension Pole, 1.13m	165
29600-104	Telescopic Pole, 1.26m to 4.5m	165
29600-131	Metal Deckhead Mounting Box (PG16)	106, 114
29600-139	Metal Deckhead Mounting Box (M20)	106, 114
29600-183	Battery Baton	165
29600-203	Flame Detector Bracket	69
29600-206	Flame Detector Weather Shield	69
29600-212	Cordless Heat Tester Kit	165
29600-213	Cordless Heat Detector Tester	165
29600-225	Aerosol Test Gas	165
29600-226	Flame Sensor Test Unit and Case	69, 164
29600-228	Flame Detector Weather Shield for Flameproof version	69
29600-229	Heat Detector Test Pole (240V)	165
29600-235	CO Test Gas	165
29600-239	DIN-Rail Interface Enclosure (4 units)	107
29600-240	DIN-Rail Interface Enclosure (10 units)	107
29600-241	Reflective Beam Detector Backbox	71
29600-318	Visual Indicator Enclosure	107
29600-320	Sonos TimeSaver Shallow Base	77
29600-321	Sonos TimeSaver Deep Base	77
29600-322	Sonos Sounder (Red)	77
29600-323	Sonos Sounder Visual Indicator (Red)	77
29600-378	Conventional Galvanic Barrier	140
29600-379	I.S. Conventional Sounder	140
29600-399	Blank XPander XPERT Card (Red)	57

Part number	Product description	Page
29600-400	6" Fire Bell	79
29600-413	Blank XPander XPERT Card (White)	57
29600-440	AV Gallvanic Barrier	140
29600-446	I.S. Conventional Sounder Visual Indicator	140
29600-449	Detector Duster	165
29600-458	Base Mounted Flame Detector Bracket	69
29600-459	Smoke/Heat Unit	165
29600-460	Smoke/Heat Kit	165
29600-464	3-Pack Replacement Smoke Capsule	165
29600-508	Explosion Proof Manual Call Point	139
29600-526	Extension Kit 100m	71, 72
29600-527	Universal Bracket (for use with detector head and prism mounting plates)	71, 72
29600-528	Surface Mounting Plate for prisms	71, 72
29600-529	Prism Mounting Plate (4 prisms 100m)	71, 72
29600-530	Prism Mounting Plate (1 prism 8-50m)	71, 72
29600-661	Conventional Open-Area Wall Sounder VAD – Red body with white flash	82
29600-662	Conventional Open-Area Wall Sounder VAD – Red body with red flash	82
29600-663	Conventional Category W IP66 Open-Area Sounder Visual Alarm Device – Red body with white flash	82
29600-664	Conventional Category W IP66 Open-Area Sounder Visual Alarm Device – Red body with red flash	82
29600-800	Sonos Pulse Wall VAD Deep Base Red body/White flash (W-3.1-11.3)	83
29600-801	Sonos Pulse Wall VAD Deep Base Red body/Red flash (W-2.4-7.5)	83

Part number	Product description	Page	Part number	Product description	Page
29600-802	Sonos Pulse Ceiling VAD Shallow Base White body/White flash (C-3-15)	82	45681-210UL	XP95A Mounting Base 4"	144, 152
29600-803	Sonos Pulse Ceiling VAD Shallow Base White body/Red flash (C-3-8.9)	82	45681-211	Isolator Base	23, 28, 127
29600-804	Sonos Pulse Wall Sounder VAD Shallow Base Red body/White flash (W-3.1-11.3)	83	45681-211MAR	Discovery Marine Isolator Base	113, 127
29600-805	Sonos Pulse Wall Sounder VAD Shallow Base Red body/Red flash (W-2.4-7.5)	83	45681-215	XP95 I.S. Mounting Base	135
29600-806	Sonos Pulse Wall Sounder VAD Deep Base Red body/White flash (W-3.1-11.3)	83	45681-217	Deckhead Mounting Box	22, 27, 37, 68, 69, 106, 114, 117
29600-807	Sonos Pulse Wall Sounder VAD Deep Base Red body/Red flash (W-2.4-7.5)	83	45681-218	Deckhead Mounting Box Accessory Kit	106, 114
29600-929	Conventional End-to-End Optical Beam Detector	72	45681-219	Intelligent Heater Base	22, 27
29650-001	Magnetic Wand	76, 80, 113, 126, 145,	45681-220USA	Series 65A Standard Base 6"	160
29650-069	Auto-Aligning Beam Detector 8-50m	72	45681-225APO	XP95A Mounting Base 6"	144, 152
29650-070	Additional Detector Head 8-50m	71, 72	45681-232USA	Series 65A Low Profile Base 6"	161
29650-081	Discovery ASD-1	61	45681-233	Backplate	105
29650-082	Discovery ASD-2	61	45681-238	Series 90 to XP95 Base Adaptor	107
31523-001	Replacement O'Ring	74	45681-242	Intelligent Low Power Relay Base	22, 27,
31523-857	O'Ring	106, 114	45681-242UL	XP95A Low Power Relay Base 4"	144, 152
38531-771	Blank XPERT 7 Card	23, 29	45681-244	AlarmSense Base	47
38531-822	Module Base	106	45681-245	Series 65 Standard Relay Base	42
38532-064	Blank XPERT 8 Card	13	45681-246	Series 65 Auxiliary Relay Base	42
44251-175	Pack of 10 Transparent Hinged Cover	98	45681-247	Series 65 End-of-Line Relay Base (12V)	43
44251-176	Pack of 10 Manual Call Point Reset Keys	98	45681-248	Series 65 End-of-Line Relay Base (24V)	43
44251-189	Single Transparent Hinged Cover	98	45681-250	E-Z Fit Base	144, 152
45681-200	Series 65 Standard Base	41	45681-251USA	Series 65A E-Z Fit Base 6"	161
45681-200USA	Series 65A Standard Base 4"	160	45681-255USA	Series 65A Standard Relay Base 4"	160
45681-201	Series 65 Diode Base	41	45681-256USA	Series 65A Auxiliary Relay Base 4"	160
45681-204	Conduit Box	105	45681-257USA	Series 65A 12V End-of-Line Relay Base 4"	161
45681-206	Series 65 Sav-Wire Base	42	45681-258USA	Series 65A 24V End-of-Line Relay Base 4"	161
45681-209	Intelligent Deep Base	22, 27	45681-276	Ancillary Base Sounder	78
45681-210	Intelligent Mounting Base	21, 27	45681-277	Integrated Base Sounder	78, 81
45681-210MAR	Discovery Marine Mounting Base	113	45681-278	Non-isolated Base Sounder	80
			45681-284	Isolating Base	22, 28
			45681-286	Marine Isolating Base	113
			45681-286MAR	Marine Isolating Base	126

Part number	Product description	Page	Part number	Product description	Page
45681-290	Integrated Base Sounder Slow Whoop	78	45681-600	6" Mounting Plate	106
45681-291	Non-isolated Base Sounder Slow Whoop	80	45681-700	Discovery Sounder VAD Base with Isolator	85
45681-292	Base Cap (White)	78, 80	45681-702	Discovery Sounder Base with Isolator	80
45681-293	Base Cap (Red)	78, 80	45681-705	XP95 Sounder VAD Base with Isolator	85
45681-294	Base Cap (White)	47	45681-706	XP95 Sounder VAD Base Slow Whoop with Isolator	85
45681-300	Integrated Base Sounder DIN Tone	78	45681-707	XP95 Sounder VAD Base DIN Tone with Isolator	85
45681-309	Detector Ceiling Tile Mounting Box	106	45681-709	XP95 VAD Base with Isolator	85
45681-310	Sounder Ceiling Tile Mounting Box	106	45682-127	Pre-Addressed XPERT 7 Cards (Addresses 1-126)	23, 29
45681-311	Sounder Ceiling Plate	105	53541-170	Extension Tubes for Duct widths: 300-750mm	61
45681-321UL	XP95A Isolating Base	145, 153	53541-171	Extension Tubes for Duct widths: 750-1500mm	61
45681-330	Sounder Visual Indicator Base	80	53541-172	Extension Tubes for Duct widths: 1500-3000mm	61
45681-331	Non-isolated Sounder Visual Indicator Base	80	53546-021	Series 65 Duct Smoke Detector	61
45681-332	Sounder Visual Indicator Base Slow Whoop	80	53546-022	Intelligent Duct Smoke Detector	61
45681-333	Loop Powered Visual Indicator Base	78	53546-023	Orbis Duct Detector	61
45681-335	Non-isolated Loop Powered Visual Indicator Base with Standard Flash	80	53832-020	Conventional Test Set	164
45681-361	Intelligent Mounting Base (Black)	27	53832-070	MiniDisc Remote Indicator	23, 29, 37, 43, 49
45681-370	Series 65 Base Cover	105	55000-001	Intelligent Open-Area Sounder (Red)	74
45681-380	XP95 Base Cover	105	55000-002	Intelligent Open-Area Sounder (White)	74
45681-393	Discovery Sounder Visual Indicator Base	80	55000-005	Intelligent Open-Area Sounder Visual Indicator (Red)	74
45681-393SIL	Discovery Sounder Visual Indicator Base	126	55000-006	Intelligent Open-Area Sounder Visual Indicator (White)	74
45681-394MAR	Discovery Marine Sounder Visual Indicator Base	113, 126	55000-009	Intelligent Open-Area Visual Indicator (Red)	74
45681-508	Series 65 Relay Base (12V)	43	55000-010	Intelligent Open-Area Visual Indicator (White)	74
45681-509	AlarmSense Sounder Visual Indicator Base	47	55000-017	AlarmSense Open-Area Sounder Visual Indicator	48
45681-510	AlarmSense Sounder Base	47	55000-018	AlarmSense Open-Area Sounder	48
45681-519	Waterproof Base Cover	22, 27, 37	55000-019	IR ³ Flame Detector	66
45681-524	Discovery UL Sounder Visual Indicator Base (red LEDs)	145	55000-020	Intelligent IR ³ Flame Detector	63
45681-525	XP95A Sounder Visual Indicator Base (yellow LEDs)	153	55000-021	Intelligent Flameproof IR ³ Flame Detector	65
45681-526	XP95A Sounder Visual Indicator Base (red LEDs)	153	55000-022	Intelligent Base Mounted UV Flame Detector	64
45681-527	Discovery UL Sounder Visual Indicator Base (yellow LEDs)	145			

Part number	Product description	Page	Part number	Product description	Page
55000-023	Intelligent Base Mounted UV Dual IR Flame Detector	64	55000-135	Series 65 Heat Detector CS with flashing LED and magnetic test switch	40
55000-024	Intelligent Base Mounted Triple IR Flame Detector	64	55000-136	Series 65 Heat Detector CS with flashing LED	40
55000-025	Conventional Base Mounted UV Flame Detector	67	55000-137	Series 65 Heat Detector CS standard	40
55000-026MAR	Marine Series 65 Base Mounted UV Flame Detector	121	55000-138	Series 65A 135°F with flashing LED and magnetic test	159
55000-027MAR	Marine Intelligent Base Mounted UV Flame Detector	117	55000-139	Series 65A 135°F with flashing LED	159
55000-028MAR	Marine Intelligent Base Mounted UV IR ² Flame Detector	117	55000-140	Series 65A 135°F	159
55000-029MAR	Marine Intelligent Base Mounted IR ³ Flame Detector	117	55000-141	Series 65A 170°F with flashing LED and magnetic test	159
55000-034MAR	Stainless Steel Intelligent IR ³ Flame Detector	63	55000-142	Series 65A 170°F with flashing LED	159
55000-034	Stainless Steel Intelligent IR ³ Flame Detector	117, 138	55000-143	Series 65A 170°F	159
55000-041	XP95A Open-Area Sounder (Red)	153	55000-144	Series 65A 200°F with flashing LED and magnetic test	159
55000-042	XP95A Open-Area Sounder (White)	153	55000-145	Series 65A 200°F with flashing LED	159
55000-060	IR ² Flame Detector	66	55000-146	Series 65A 200°F	159
55000-061	Flameproof (Exd) IR ² Flame Detector	68	55000-181MAR	Marine DIN-Rail Sounder Controller (8 Amperes)	114
55000-062	Flameproof (Exd) IR ³ Flame Detector	68	55000-182	DIN-Rail Sounder Controller (5 Amperes)	92
55000-063	I.S. IR ³ Flame Detector	67, 138	55000-190	AlarmSense Heat Detector A1R	46
55000-064	UV/IR ² Flame Detector	66	55000-193	AlarmSense Heat Detector CS	46
55000-065	Flameproof (Exd) UV/IR ² Flame Detector	68	55000-196	AlarmSense A1R Heat Detector with Sounder Base	46
55000-120	Series 65 Heat Detector A1R with flashing LED and magnetic test switch	40	55000-197	AlarmSense CS Heat Detector with Sounder Base	46
55000-121	Series 65 Heat Detector A1R with flashing LED	40	55000-198	AlarmSense A1R Heat Detector with Sounder Visual Indicator Base	47
55000-122	Series 65 Heat Detector A1R standard	40, 41	55000-199	AlarmSense CS Heat Detector with Sounder Visual Indicator Base	47
55000-125	Series 65 Heat Detector BR with flashing LED and magnetic test switch	40	55000-215	Series 65 Ionisation Smoke Detector with flashing LED and magnetic test switch	40
55000-126	Series 65 Heat Detector BR with flashing LED	40	55000-216	Series 65 Ionisation Smoke Detector with flashing LED	40
55000-130	Series 65 Heat Detector CR with flashing LED and magnetic test switch	40	55000-217	Series 65 Ionisation Smoke Detector	40
55000-131	Series 65 Heat Detector CR with flashing LED	40	55000-225	Series 65A Ionisation Smoke Detector with flashing LED and magnetic test	159
55000-132	Series 65 Heat Detector CR standard	40			

Part number	Product description	Page	Part number	Product description	Page
55000-226	Series 65A Ionisation Smoke Detector with flashing LED	159	55000-327	Series 65A Photoelectric Detector	159
55000-227	Series 65A Ionisation Smoke Detector	159	55000-328	Series 65A Photoelectric Detector - high sensitivity	159
55000-268	Intelligent Reflective Beam Detector 5-50m	71	55000-390	AlarmSense Optical Smoke Detector	46
55000-273	Intelligent Reflective Beam Detector 50-100m	71	55000-391	AlarmSense Integrating Optical Smoke Detector	46
55000-274	Multi-Tone Weatherproof Open-Area Sounder (Red)	75	55000-392	AlarmSense Optical Smoke Detector with Sounder Base	46
55000-275	Multi-Tone Weatherproof Open-Area Sounder (White)	75	55000-393	AlarmSense Integrating Optical Smoke Detector with Sounder Base	46
55000-278	Multi-Tone Open-Area Sounder (Red)	75	55000-394	AlarmSense Optical Smoke Detector with Sounder Visual Indicator Base	47
55000-279	Multi-Tone Open-Area Sounder (White)	75	55000-395	AlarmSense Integrating Optical Smoke Detector with Sounder Visual Indicator Base	47
55000-280	Intelligent IR ² Flame Detector	63	55000-400	XP95 Heat Detector A2S	26
55000-291	Non-isolated Multi-Tone Open-Area Sounder Visual Indicator (Red)	80	55000-401	XP95 Heat Detector CS	26
55000-292	Non-isolated Multi-Tone Open-Area Sounder Visual Indicator (White)	80	55000-420	XP95 Heat Detector A2S (VdS)	26
55000-293	Multi-Tone Open-Area Sounder Visual Indicator (Red)	75	55000-440	XP95 I.S. Heat Detector	134
55000-294	Multi-Tone Open-Area Sounder Visual Indicator (White)	75	55000-440SIL	XP95 I.S. Heat Detector	125
55000-295	Intelligent Flameproof IR ² Flame Detector	65	55000-450	XP95A Heat Detector	151
55000-296	Non-isolated Weatherproof Multi-Tone Open-Area Sounder Visual Indicator (Red)	80	55000-500	XP95 Ionisation Smoke Detector	26
55000-298	Weatherproof Multi-Tone Open-Area Sounder Visual Indicator with Isolator (Red)	76	55000-520	XP95 Ionisation Smoke Detector (VdS)	26
55000-299	Weatherproof Multi-Tone Open-Area Sounder Visual Indicator with Isolator (White)	76	55000-540	XP95 I.S. Ionisation Smoke Detector	134
55000-308FRA	Series 65 Optical Smoke Detector (French market)	40	55000-540SIL	XP95 I.S. Ionisation Smoke Detector	125
55000-315	Series 65 Optical Smoke Detector with flashing LED and magnetic test switch	40	55000-550	XP95A Ionisation Smoke Detector	151
55000-316	Series 65 Optical Smoke Detector with flashing LED	40	55000-555	XP95A Ionisation Smoke Detector (ULC)	151
55000-317	Series 65 Optical Smoke Detector	40	55000-600	XP95 Optical Smoke Detector	26
55000-325	Series 65A Photoelectric Detector with flashing LED and magnetic test	159	55000-620	XP95 Optical Smoke Detector (VdS)	26
55000-326	Series 65A Photoelectric Detector with flashing LED	159	55000-640	XP95 I.S. Optical Smoke Detector	134
			55000-640SIL	XP95 I.S. Optical Smoke Detector	125
			55000-650	XP95A Photoelectric Smoke Detector	151
			55000-660	XP95 Optical Smoke Detector (Black)	26

Part number	Product description	Page	Part number	Product description	Page
55000-720	Isolator (uses 45681-211 Isolator Base)	23, 28	55000-856	XP95 Protocol Translator (dual channel)	128
55000-721MAR	Discovery Marine Isolator	113, 127	55000-859	XP95A 120V AC Input/Output Module	149, 157
55000-740	Loop Powered Ceiling VAD 15m (Red)	83	55000-863	XP95A Relay Output Module	148, 156
55000-741	Loop Powered Wall VAD 7m (Red)	84	55000-877	Loop-Powered Visual Indicator (Red)	79
55000-742	Loop Powered Ceiling VAD 8.5m (Red)	83	55000-878	Loop Powered Visual Indicator (clear lens/red flash)	79
55000-743	Loop Powered Ceiling VAD 15m (White)	83	55000-879	Loop Powered Visual Indicator (amber)	79
55000-744	Loop Powered Wall VAD 7m (White)	84	55000-885	XP95 Multisensor Detector	26
55000-745	Loop Powered Ceiling VAD 8.5m (White)	83	55000-886	XP95A Multisensor Detector	151
55000-750	XP95A Isolator	146, 154	55000-960	XP95 I.S. Manual Call Point MEDC Style Break-glass (Red)	102, 135
55000-760	Mini Switch Monitor	91	55000-961	XP95 I.S. Manual Call Point MEDC Style Break-glass with flap (Red)	102, 135
55000-765	Mini Monitor Module	149, 157	55000-962	XP95 I.S. Manual Call Point MEDC Style Break-glass (Yellow)	102, 135
55000-770MAR	Marine DIN-Rail Dual Isolator	114, 128	55000-963	XP95 I.S. Manual Call Point MEDC Style Break-glass with flap (Yellow)	135
55000-773MAR	Marine DIN-Rail Zone Monitor	128	55000-964	XP95 I.S. Manual Call Point MEDC Style Break-glass (Blue)	102, 135
55000-774MAR	Marine DIN-Rail Input/Output Unit	115	55000-965	XP95 I.S. Manual Call Point MEDC Style Break-glass with flap (Blue)	135
55000-775MAR	Marine Mini Switch Monitor	115, 127	55000-966	XP95 I.S. Manual Call Point MEDC Style Break-glass (Black/yellow stripes)	135
55000-790	XP95A Dual Priority Switch Monitor Module	147, 155	55000-967	XP95 I.S. Manual Call Point MEDC Style Break-glass with flap (Black/yellow stripes)	135
55000-797	DIN-Rail Mains Input/Output Unit	23, 33, 92	55100-001	Conventional Manual Call Point without LED	102
55000-802	DIN-Rail Dual Isolator	93	55100-002	Conventional Call Point without LED (Non-standard) (Yellow)	102
55000-805	XP95A Switch Monitor Module	147, 155	55100-003	Conventional Waterproof Manual Call Point without LED	102
55000-806	XP95A Priority Switch Monitor Module	147, 155	55100-004	Conventional Waterproof Call Point without LED (Non-standard) (Yellow)	102
55000-812	DIN-Rail Zone Monitor with Isolator	92	55100-021MAR	Conventional Marine Manual Call Point	103, 121
55000-820	XP95A Switch Monitor Input/Output Module	148, 156	55100-022MAR	Conventional Marine Waterproof Manual Call Point	103, 121
55000-825	XP95A Sounder Control Module	148, 156	55100-031	Conventional I.S. Manual Call Point	103, 139
55000-830	XP95A Mini Priority Switch Monitor Module	146, 154			
55000-831	XP95A Mini Switch Monitor Module	146, 154			
55000-835	AlarmSense Alarm Relay	48			
55000-845	Zone Monitor	89			
55000-847SIL	Input/Output Unit	127			
55000-852	Sounder Control Unit	89			
55000-855	XP95 Protocol Translator (single channel)	128, 136			

Part number	Product description	Page
55100-032	Conventional I.S. Manual Call Point (Non-Standard) (Yellow)	139
55100-033	Conventional I.S. Waterproof Manual Call Point	103, 139
55100-034	Conventional I.S. Waterproof Manual Call Point (Non-Standard) (Yellow)	139
55100-894	AlarmSense Manual Call Point	49
55100-905	XP95 Manual Call Point	101
55100-908	XP95 Manual Call Point with Isolator	101
55100-940	XP95 I.S. Manual Call Point	101
55100-942	XP95 IS Manual Call Point (Non-Standard) (Yellow)	101
55200-940	Apollo XP95 I.S. Manual Call Point	97, 135
55200-940SIL	Apollo XP95 I.S. Manual Call Point	129
55400-894	AlarmSense Manual Call Point	49
56000-005	Dual Action Addressable Manual Pull Station	149, 157
56000-006	Backbox	149, 157
58000-005	Discovery Open-Area Sounder Visual Indicator (Red)	76
58000-007	Discovery Open-Area Sounder Visual Indicator (White)	76
58000-010	Discovery Open-Area Voice Sounder (Red)	76
58000-011	Discovery UL Open-Area Sounder Visual Indicator (red)	145
58000-012	Discovery UL Open-Area Sounder Visual Indicator (white)	145
58000-020	Discovery Open-Area Voice Sounder (White)	76
58000-030	Discovery Open-Area Voice Sounder Visual Indicator (Red)	76
58000-040	Discovery Open-Area Voice Sounder Visual Indicator (White)	76
58000-300	Discovery Carbon Monoxide Detector	21
58000-305	Discovery CO/Heat Multisensor Detector	21
58000-400	Discovery Heat Detector	20
58000-400MAR	Discovery Marine Heat Detector	112
58000-400SIL	Discovery Heat Detector	124
58000-450	Discovery UL Heat Detector	143
58000-500	Discovery Ionisation Smoke Detector	21

Part number	Product description	Page
58000-500MAR	Discovery Marine Ionisation Smoke Detector	112
58000-550	Discovery UL Ionization Smoke Detector	143
58000-600	Discovery Optical Smoke Detector	20
58000-600MAR	Discovery Marine Optical Smoke Detector	112
58000-600SIL	Discovery Optical Smoke Detector	124
58000-650	Discovery UL Photoelectric Smoke Detector	143
58000-700	Discovery Multisensor Detector	20
58000-700MAR	Discovery Marine Multisensor Detector	112
58000-700SIL	Discovery Multisensor Detector	124
58000-750	Discovery UL Multisensor Detector	143
58100-908	Discovery Manual Call Point with Isolator	100
58100-908SIL	Discovery Manual Call Point with Isolator	129
58100-910	Discovery Manual Call Point	100
58100-910SIL	Discovery Manual Call Point	129
58100-926	Discovery Manual Call Point (Non-Standard) (White)	100
58100-927	Discovery Manual Call Point (Non-Standard) (Yellow)	100
58100-928	Discovery Manual Call Point (Non-Standard) (Blue)	100
58100-950	Waterproof Manual Call Point	102
58100-951	Waterproof Manual Call Point with Isolator	102
58100-951SIL	Waterproof Manual Call Point with Isolator	129
58100-953	Waterproof Manual Call Point with Isolator (yellow)	102
58100-970MAR	Discovery Marine Manual Call Point	100, 116
58100-971MAR	Discovery Marine Manual Call Point with Isolator	100, 116, 129
58100-975MAR	Discovery Marine Waterproof Manual Call Point	101, 116
58100-976MAR	Discovery Marine Waterproof Manual Call Point with Isolator	101, 116, 129
58200-950	Apollo Waterproof Manual Call Point	97

Part number	Product description	Page	Part number	Product description	Page
58200-951	Apollo Waterproof Manual Call Point with Isolator	97	ORB-HT-41003-MAR	Orbis Marine Heat Detector BR standard	120
58200-975MAR	Apollo Discovery Marine Waterproof Manual Call Point	97, 116	ORB-HT-41004-MAR	Orbis Marine Heat Detector BS standard	120
58200-976MAR	Apollo Discovery Marine Waterproof Manual Call Point with Isolator	97, 116	ORB-HT-41005-MAR	Orbis Marine Heat Detector CR standard	120
FL5000-200APO	Soteria Dimension mounting box (non-isolated)	16	ORB-HT-41006-MAR	Orbis Marine Heat Detector CS standard	120
FL5100-600APO	Soteria Dimension Optical Smoke Detector (non-isolated)	16	ORB-HT-41013-MAR	Orbis Marine Heat Detector A1R with flashing LED	120
FL6100-600APO	Soteria Dimension Specialist Optical Detector	16	ORB-HT-41014-MAR	Orbis Marine Heat Detector A2S with flashing LED	120
ORB-BA-10008-APO	Series 65 to Orbis Base Adapter	107	ORB-HT-41015-MAR	Orbis Marine Heat Detector BR with flashing LED	120
ORB-BA-50008-APO	Orbis I.S. Adaptor	139	ORB-HT-41016-MAR	Orbis Marine Heat Detector BS with flashing LED	120
ORB-DB-00003-APO	TimeSaver Diode Base	35	ORB-HT-41017-MAR	Orbis Marine Heat Detector CR with flashing LED	120
ORB-HB-00020-APO	Orbis Heater Base	37	ORB-HT-41018-MAR	Orbis Marine Heat Detector CS with flashing LED	120
ORB-HT-11001-APO	Orbis Heat Detector A1R standard	34	ORB-HT-51145-APO	Orbis I.S. Heat Detector A1R standard	138
ORB-HT-11002-APO	Orbis Heat Detector A2S standard	34	ORB-HT-51146-APO	Orbis I.S. Heat Detector A1R with flashing LED	138
ORB-HT-11003-APO	Orbis Heat Detector BR standard	34	ORB-HT-51147-APO	Orbis I.S. Heat Detector A2S standard	138
ORB-HT-11004-APO	Orbis Heat Detector BS standard	34	ORB-HT-51148-APO	Orbis I.S. Heat Detector A2S with flashing LED	138
ORB-HT-11005-APO	Orbis Heat Detector CR standard	34	ORB-HT-51149-APO	Orbis I.S. Heat Detector BR standard	138
ORB-HT-11006-APO	Orbis Heat Detector CS standard	34	ORB-HT-51150-APO	Orbis I.S. Heat Detector BR with flashing LED	138
ORB-HT-11013-APO	Orbis Heat Detector A1R with flashing LED	34	ORB-HT-51151-APO	Orbis I.S. Heat Detector BS standard	138
ORB-HT-11014-APO	Orbis Heat Detector A2S with flashing LED	34	ORB-HT-51152-APO	Orbis I.S. Heat Detector BS with flashing LED	138
ORB-HT-11015-APO	Orbis Heat Detector BR with flashing LED	34	ORB-HT-51153-APO	Orbis I.S. Heat Detector CR standard	138
ORB-HT-11016-APO	Orbis Heat Detector BS with flashing LED	34	ORB-HT-51154-APO	Orbis I.S. Heat Detector CR with flashing LED	138
ORB-HT-11017-APO	Orbis Heat Detector CR with flashing LED	34	ORB-HT-51155-APO	Orbis I.S. Heat Detector CS standard	138
ORB-HT-11018-APO	Orbis Heat Detector CS with flashing LED	34	ORB-HT-51156-APO	Orbis I.S. Heat Detector CS with flashing LED	138
ORB-HT-11166-APO	Orbis Heat Detector A1S standard	34	ORB HT 51157 APO	Orbis I.S. Heat Detector CS standard	138
ORB-HT-11167-APO	Orbis Heat Detector A1S with flashing LED	34	ORB HT 51158 APO	Orbis I.S. Heat Detector CS with flashing LED	138
ORB-HT-41001-MAR	Orbis Marine Heat Detector A1R standard	120	ORB-MB-00001-APO	TimeSaver Base with continuity switch	35
ORB-HT-41002-MAR	Orbis Marine Heat Detector A2S standard	120			

Part number	Product description	Page
ORB-MB-00001-MAR	Orbis Marine TimeSaver Base	121
ORB-MB-00002-APO	TimeSaver Base LX without continuity switch	35
ORB-MB-00012-APO	Orbis LX Base	35
ORB-MB-00019-APO	TimeSaver Deep Base	36
ORB-MB-50018-APO	Orbis I.S. Timesaver Base	139
ORB-OH-13001-APO	Orbis Multisensor Detector	34
ORB-OH-13003-APO	Orbis Multisensor Detector with flashing LED	34
ORB-OH-43001-MAR	Orbis Marine Multisensor Smoke Detector	120
ORB-OH-43003-MAR	Orbis Marine Multisensor Smoke Detector with flashing LED	120
ORB-OH-53027-APO	Orbis I.S. Multisensor Detector	138
ORB-OH-53028-APO	Orbis I.S. Multisensor Detector with flashing LED	138
ORB-OP-12001-APO	Orbis Optical Smoke Detector	34
ORB-OP-12003-APO	Orbis Optical Smoke Detector with flashing LED	34
ORB-OP-42001-MAR	Orbis Marine Optical Smoke Detector	120
ORB-OP-42003-MAR	Orbis Marine Optical Smoke Detector with flashing LED	120
ORB-OP-52027-APO	Orbis I.S. Optical Smoke Detector	138
ORB-OP-52028-APO	Orbis I.S. Optical Smoke Detector with flashing LED	138
ORB-RB-10004-APO	TimeSaver Relay Base	36
ORB-RB-40004-MAR	Orbis Relay Base	121
ORB-SW-10005-APO	Sav-Wire Base	36
SA4700-100	Intelligent Switch Monitor	89
SA4700-102	Intelligent Twin Input/Output Unit	88
SA4700-103	Intelligent Mains Switching Input/Output Unit	88
SA4700-104	Intelligent Twin Input/Output Unit	88
SA4700-300-APO	Intelligent DIN-Rail Switch Monitor	91
SA4700-302	Intelligent DIN-Rail Input/Output Unit	91
SA5000-200	XPART 8 Intelligent Mounting Base	13
SA5000-400	SOTERIA® Heat Detector (Non-isolated)	12
SA5000-600	SOTERIA® Optical Smoke Detector (Non-isolated)	12
SA5000-700	SOTERIA® Optical/Heat Multisensor Detector (Non-isolated)	12

Part number	Product description	Page
SA5100-400	SOTERIA® Heat Detector (Isolated)	12
SA5100-600	SOTERIA® Optical Smoke Detector (Isolated)	12
SA5100-700	SOTERIA® Optical/Heat Multisensor Detector (Isolated)	12
SA5900-011	Dual Switch Manual Call Point	97
SA5900-903	Intelligent Manual Call Point (Non-Standard) (White)	96
SA5900-904	Intelligent Manual Call Point (Non-Standard) (Yellow)	96
SA5900-905	Intelligent Manual Call Point (Non-Standard) (Blue)	96
SA5900-906	Intelligent Manual Call Point (Non-Standard) (Green)	96
SA5900-907	Intelligent Manual Call Point (Non-Standard) (Orange)	96
SA5900-908	Intelligent Manual Call Point	96
SA5900-928MAR	Intelligent Marine Manual Call Point	96, 116
SA6700-100	Intelligent Twin Switch Monitor	89
SA7100-100	Intelligent Auto-Aligning Beam Detector 8-50m	71
SA7800-870APO	Apollo Loop Test Set	164
SL-2000-P	SL-2000 Photoelectric Conventional Duct Smoke Detector	162
XPA-CB-11170-APO	XPander Heat Detector A1R and Mounting Base (Rate-of-Rise 57°C)	54
XPA-CB-11171-APO	XPander Heat Detector and Mounting Base (Static 90°C)	54
XPA-CB-12034-APO	XPander Optical Smoke Detector and Mounting Base	54
XPA-CB-14001-APO	XPander Sounder and Sounder Base (Red)	56
XPA-CB-14002-APO	XPander Sounder and Sounder Base (white)	56
XPA-CB-14003-APO	XPander Sounder Visual Indicator (Red) and Sounder Base (Red)	56
XPA-CB-14004-APO	XPander Sounder Visual Indicator (Amber) and Sounder Base (White)	56

Part number	Product description	Page	Part number	Product description	Page
XPA-CB-14005-APO	XPander Sounder Visual Indicator (White) and Sounder Base (White)	56			
XPA-CB-14016-APO	XPander Combined Sounder and Optical Smoke Detector	55			
XPA-CB-14017-APO	XPander Combined Sounder and Heat Detector A1R	55			
XPA-CB-14018-APO	XPander Combined Sounder and Heat Detector CS	55			
XPA-CB-14020-APO	XPander Combined Sounder Visual Indicator (Red) and Optical Smoke Detector	55			
XPA-CB-14021-APO	XPander Combined Sounder Visual Indicator (Red) and Heat Detector A1R	55			
XPA-CB-14022-APO	XPander Combined Sounder Visual Indicator (Red) and Heat Detector CS	55			
XPA-CB-14024-APO	XPander Combined Sounder Visual Indicator (White) and Optical Smoke Detector	55			
XPA-CB-14025-APO	XPander Combined Sounder Visual Indicator (White) and Heat Detector (Class A1R)	55			
XPA-CB-14026-APO	XPander Combined Sounder Visual Indicator (White) and Heat Detector (Class CS)	55			
XPA-IN-14011-APO	XPander Input/Output Single Unit	56			
XPA-IN-14012-APO	XPander Input/Output Dual Unit	56			
XPA-IN-14050-APO	XPander Diversity Loop Interface Unit	54			
XPA-IN-14102-APO	XPander Remote Indicator Module	57			
XPA-MC-14006-APO	XPander Manual Call Point	57			
XPA-TE-14075-APO	XPander Diversity Survey Kit	57			
XPA-WB-14036-APO	XPander Combined Sounder and Detector Base	55			
XPA-WB-14037-APO	XPander Combined Sounder Visual Indicator (Red) and Detector Base	55			
XPA-WB-14038-APO	XPander Combined Sounder Visual Indicator (White) and Detector Base	55			