



**TRADITION AND
INNOVATION SINCE 1954**

ALWAYS A STRONG PARTNER

 KESSEBÖHMER

12.10.2023



INNOVATIVE SOLUTIONS – ACROSS THE GENERATIONS

DESIGN, QUALITY, COMFORT

—  KESSEBÖHMER —



FOR GENERATIONS, THE NAME KESSEBÖHMER HAS STOOD FOR INNOVATIVE SOLUTIONS – A STRONG BLEND OF DESIGN, FUNCTION AND QUALITY.

Today Kesseböhmer remains a successful owner-managed company group.

Our core competence is in metal processing. We work with wire, sheet metal and tubing. Products are finished in our in-house electroplating and powder-coating facilities. Our strong customer orientation has helped us to build and maintain our position as the leading supplier of functional fittings for kitchen units.

Our well-designed products help end-users to keep storage space tidy and check all the contents at a glance. They help to make best use of space and make kitchen work more efficient. These benefits are strong selling points for kitchens. In addition, kitchen manufacturers and kitchen fitters profit from the ultra-easy assembly and adjustment of our pull-outs

and other fittings. More and more of our products use snap-on connections, so that they can be assembled without tools. The result is time savings and quality gains.

From the initial idea to final shipment, every step of the process is in-house – including developing and engineering production machinery and tooling. This is why we're so good at turning innovative ideas into products – quickly and successfully.

Fascinating functionality. Impressive design. Quality that sets standards.



DESIGN AND TECHNOLOGY VARIANTS

CONTENTS

 KESSEBÖHMER

Metal baskets, ARENA variants

From classic to contemporary –
our versatile tray variants



ARENA plus Anti-slip coating

Welcome to your
quiet kitchen

SoftSTOPP, SoftSTOPPplus, SoftSTOPPpro

For gentle braking and
silent closing




eTouch

Multifunctional, innovative,
intuitive and retrofittable

Synchromatic

The new standard for reliable
functionality day in, day out



ClickFixx

For quick and easy assembly

Quality

We are absolutely committed to
supplying high quality products. We
want you to enjoy using them
throughout their long service lives.







FROM CLASSIC TO CONTEMPORARY

OUR VERSATILE TRAY VARIANTS

 KESSEBÖHMER

PEOPLE CHOOSING A NEW KITCHEN SET A HIGH PRIORITY ON ATTRACTIVE DESIGN – ALSO FOR THE INTERIOR FITTINGS – AS AN IMPORTANT PURCHASE CRITERION. This means that function and optics should blend in a homogenous whole, the interior fittings must harmonize with the overall kitchen design.

Our design variants ARENA classic, ARENA style and ARENA pure, metal trays/baskets are used in all our larder pull-outs, and in corner and base units. All ARENA variants combine optimal functionality and attractive design with maximum space utilization – thanks to the railing being attached to the outer edge of the tray.

METAL BASKETS

ROBUST, HIGH-VISIBILITY STORAGE

 KESSEBÖHMER



KESSEBÖHMER METAL BASKETS STILL COUNT AMONG THE TRUE DESIGN CLASSICS. THEY HAVE TWO BIG ADVANTAGES – THEY’RE ROBUST, AND BASKET CONTENTS ARE CLEARLY VISIBLE. In-house electroplating or powder coating gives the metal baskets a surface finish that communicates incomparable Kesseböhmer processing quality.

ARENA classic

CLASSIC DESIGN FOR CONTEMPORARY KITCHENS

 KESSEBÖHMER



**THE FORMS AND MATERIALS OF ARENA CLASSIC TRAYS
ADD VALUE TO EVERY KITCHEN FROM THE INSIDE OUT.**

The elegant railing is bonded seamlessly with the wood bottom panel and enhances both round and rectangular trays. The railing is attached at the outer edge of the tray so that the entire tray is available for storage and no space is wasted.


ARENA style

FINE DESIGN AND PERFECT WORKMANSHIP

 KESSEBÖHMER



reddot design award




THIS CONTEMPORARY DESIGN FEATURES A STREAMLINED RAILING MADE OF METAL BANDS AROUND THE BOTTOM PANEL. The clear, straight lines harmonize especially well with contemporary kitchens and add value from the inside out. International recognition, for example the red dot design award, underline the outstanding design.

ARENA pure

INDIVIDUALITY WITH CONCEPT

 KESSEBÖHMER



THE NAME ARENA PURE SAYS IT ALL: the puristic, self-contained design of the new tray in the ARENA family is the perfect accompaniment to linear and contemporary yet homely kitchen architecture and the trend towards minimalistic frame designs.

The railing height corresponds to that in the ARENA-style tray to create the perfect frame for the storage items. The powder-coated aluminium railing promises effortlessness alongside Kesseböhmer's consistently high standards for load-bearing capacity thanks to the tried-and-tested ARENA adhesive technology between the wooden base and metal railing.

ARENA plus anti-slip coating

WELCOME TO YOUR
QUIET KITCHEN

— KESSEBÖHMER —



KESSEBÖHMER'S SPECIAL ARENAPLUS COATING prevents pots and pans, crockery and groceries slipping and sliding when a pull-out is opened or a carousel turned.

ARENAplus







SoftSTOPP, SoftSTOPPplus & SoftSTOPPpro

FOR GENTLE BRAKING AND SILENT CLOSING

—  KESSEBÖHMER —

SOFTSTOPP

SOFTSTOPPLUS

SOFTSTOPPRO

**SoftSTOPP, SoftSTOPplus & SoftSTOPpro
IS THE BEST COMBINATION AS A HIGH-
PERFORMANCE DAMPING SYSTEM FOR
CABINETS DESIGNED TO TAKE HIGH LOADS.**

The SoftSTOPP range harmonizes movement sequences.


SoftSTOPP delivers damped closing.

SoftSTOPplus delivers damped closing plus self-closing.

SoftSTOPpro delivers damped opening.







eTouch

ELECTRONIC MOTION SUPPORT INTUITIVE AND RETROFITTABLE

—  KESSEBÖHMER —

eTouch OPENS UP CUPBOARDS – AND NEW POTENTIAL.

IT'S NEVER BEEN SO EASY AND ELEGANT TO OPEN STORAGE UNITS!

Gentle pressure anywhere on the front panel – use your hand or even your elbow or knee – starts the fully automatic opening sequence. In any storage unit – from tall cabinet to wall unit eTouch operates smoothly with the proven Kesseböhmer pull-out and lifter technology. That's why it's also quick and straightforward to retrofit.

Depending on the fitting, the cabinets can not only be opened but also closed!

In addition to big gains in convenience and user-friendliness, eTouch offers new potential for kitchen planners. No-handle cupboards that open automatically and effortlessly are right in line with the trend for streamlined kitchen designs and smooth runs of kitchen fronts. But above all, eTouch makes kitchen work far easier day in, day out.



Synchromatic

THE NEW STANDARD FOR RELIABLE FUNCTIONALITY DAY IN,
DAY OUT

— KESSEBÖHMER —

THIS INNOVATIVE SYNCHRONIZATION SYSTEM makes sure that the runner segments always automatically line up in "zero" position – regardless of how often and how far the pull-out is opened. This guarantees perfect closing every time.





Your benefits in brief:

- More reliable operation and ease-of-use in the kitchen



ClickFixx for DISPENSA



ClickFixx for CONVOY



ClickFixx for MagicCorner



ClickFixx for LeMans II



ClickFixx for REVO 90°




ClickFixx for FREElift



ClickFixx for DISPENSA junior III



ClickFixx for No.15



ClickFixx

QUICK AND EASY ASSEMBLY

 KESSEBÖHMER

IT'S SIMPLY FASTER! The new ClickFixx system for all storage units cuts assembly time and guarantees a high fitting standard. Both the front panel and the support frame connector are clipped on in a fast, toolless process! And then all it takes is a screwdriver for gap adjustment.



QUALITY
WE ARE ABSOLUTELY COMMITTED
TO SUPPLYING HIGH QUALITY PRODUCTS.

We want you to enjoy using them throughout their long service lives. This is why we subject them to exhaustive quality, endurance and safety tests. We achieve high and lasting quality through strict quality management with continuous monitoring and testing. The effective forces, tight manufacturing tolerances and movement distances are all sensor checked; the spring forces generated in the fittings are monitored to ensure that the high-precision movement sequences and dimensional accuracy in the adjustment range are maintained within tight tolerances. Only then are we satisfied and sure that our products will deliver what we have promised.

Our manufacturing processes are certified to demonstrate that we can meet product specifications. We set a high priority on durable, high quality materials and on high precision processing during our manufacturing processes. Samples from each batch are subjected to endurance tests. In addition, we use continuous camera-based process monitoring and maintain high occupational safety standards for our employees.

Our R&D engineers use the most advanced technical design aids and develop products that will be manufactured using the latest process technologies. The highest level of user-friendliness and convenience is a very high priority from the start. It's an ongoing challenge for us to combine outstanding engineering with elegant, aesthetically pleasing design. And we're naturally delighted if this symbiosis wins us awards.





STORAGE FITTINGS FOR TALL CABINETS

CONTENTS



CONVOY Centro

Tall cabinet pull-out
for 30-cm to 45-cm cabinets




CONVOY Lavido

Tall cabinet pull-out
for 45-cm to 60-cm cabinets

CONVOY Premio

Tall cabinet pull-out
for 60-cm cabinets



DISPENSA 90°

Tall cabinet pull-out
for 15-cm to 60-cm cabinets

TANDEM I

Intelligent pull-out technology
for 45-cm to 60-cm tall cabinets



TANDEM side

Modular door shelf
for maximum flexibility

TANDEM II

Modular food storage cabinet
for 45-60 cm units



YouBoxx FOR TANDEM SIDE AND TANDEM II

Optimal internal organisation

TANDEM solo

Affordable storage with
basic functionality



TANDEM diagonal

The practical final touch
for a row of tall cabinets

TurnMotion III

All-round, effortless access
for storage space



K-LINE side

Solutions for the utility room



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/01e>





MIXED DOUBLE

REFRIGERATOR PAIRED WITH CENTRAL STORAGE

— KESSEBÖHMER —

THE KESSEBÖHMER CONVOY PULL-OUT HAS THE SPACE TO STORE ALL A HOUSEHOLD'S GROCERIES IN ONE CENTRAL UNIT WITH A VERY SMALL FOOT-PRINT. And with only one hand movement, all foods are completely conveyed out of the cupboard – for the best overview from two or even three sides and faster access to the stored foods. This simplifies kitchen work, saves time and effort, helps you plan your food storage and have everything within easy reach. Together, fridge and CONVOY create a food storage centre for your home. It's available **24 hours a day – 7 days a week.**







Tray height is steplessly adjustable – no tools required.

THERE ARE MANY REASONS FOR CHOOSING CONVOY – HERE ARE SOME OF THE MAIN ONES:

- 1 Top runner concealed by the tray. The redesigned runner connections mean more choice with fewer variants.
- 2 Straightforward loading and unloading from the front and side.
- 3 Easy, stepless height adjustment for the trays – no tools required.
- 4 All the household groceries can be stored in just one unit.
- 5 Quiet – damping is standard. The automatic closing mechanism has been optimized for CONVOY. The silent storage unit!
- 6 Improved smooth action. A new runner system ensures CONVOY glides even more softly out of the cabinet.





Precision adjustment

FAST AND ACCURATE



ATTENTION TO DETAIL IS A FEATURE OF THE NEW CONVOY – FOR EXAMPLE, QUICK AND EASY FINE ADJUSTMENT. THE SETTING SCREWS ARE UNOBTRUSIVE, BUT EASILY ACCESSIBLE.

The only tool required is a PZ2 screwdriver.

- Simple, self-explanatory fine adjustment
- The only tool required is a PZ2 screwdriver
- Direct adjustment – no tighten/release mechanism
- Toolless connection for frame and runner systems
- Toolless front panel attachment and disassembly
- Easy system disassembly with push-button mechanism

Synchronization with a toothed rack guarantees 100% reliability



The wide runner achieves an even smoother action.

Adjust in all planes

- 1 Height adjustment
- 2 3 Torsion adjustment top/bottom
- 4 5 Lateral adjustment top/bottom
- 6 Front tilt





CONVOY Centro

FOOD STORAGE SYSTEM WITH DOUBLE DAMPING

 KESSEBÖHMER



Technical Support


Short-URL:
<https://kbgo.to/supe>




Product Information

Short-URL:
<https://kbgo.to/cvce>







Accessory box



Tray



**Minimalist design and cantilevered "floating" trays
- with the new CONVOY support post**

STANDARD WITH:



Item no.

002269 7930

CONVOY Centro pull-out fitting

with integrated damping for closing and opening (SoftSTOPPpro). Runner with forced synchronisation for 100% reliable function (Synchromatic).

1 set consists of: bottom runner with premounted cover and top runner guide

Pull-out travel: 470 mm

Clear inside depth: ≥ 500 mm

Permissible load on the pull-out fitting:

System weight + front panel + contents = max. 130 kg

(depends on cabinet design)

Colour code:

Grey 7930

Standard with



Support post CONVOY Centro

incl. front fixture **A** and front panel fixture **B** with connecting strap

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846

Clear inside height (mm)

1.800-1.899

1.900-1.999

2.000-2.099

2.100-2.199

002248 0102

002248 9966

002248 9846

002249 0102

002249 9966

002249 9846

002250 0102

002250 9966


002250 9846

002251 0102

002251 9966

002251 9846

Standard with



Tray set CONVOY Centro

Set of 5 – consisting of:

1 tray with integrated top runner

4 trays, height adjustable

5 accessory boxes

2 front panel connectors

*For 450 mm incl. **reinforcing brackets**

to stabilize the carcass across the bottom.

For cabinet width:

300 mm

400 mm

450 mm*

280601 9846

280200 0005

280602 9846

280201 0005

280603 9846

280202 0005

Additional items required for a complete installation (order separately):

1 pull-out fitting

1 support post height as calculated

Standard with

ARENAplus

Anti-slip coating



Replacement tray CONVOY Centro

Colour code:

Anthracite 9846

Chrome 0005

For cabinet width:

300 mm

400 mm

450 mm*

280604 9846

280607 0005

280605 9846

280608 0005

280606 9846

280609 0005




Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.

Opening gap
ca. 44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch for CONVOY Centro

Electrically assisted:
ca. 44 mm opening gap
Suitable for all cabinet widths
- can be retrofitted!

Set (consisting of drive, radio button, adapter for wireless pushbutton, power supply unit, mounting material)

Colour code:
Grey 7001


Identical to eTouch+ set for DISPENSA VVS-x,
TANDEM side, TANDEM II, CONVOY Centro

Item no.
With EU-DIN plug **002440 7001**
With GB/UK plug **002441 7001**
With US/JP plug **002442 7001**
With AUS plug **002443 7001**



Assembly front sensor


Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 universal screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)
Motor	
Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, ≥ 1,5 A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7001)
Product requirements	CONVOY Centro with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	3 universal screws 4 x 16
Motor position	CONVOY Centro: beside the runner on the right
Electrically assisted	Opening gap ca. 44 mm
Power supply unit	
Primary secondary	100-240 V; 0,8 A 50/60 Hz 24 Volt





Install in predrilled cup hole so that front sensor is perfectly integrated into the carcass.

Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch for CONVOY Centro

Electrically assisted:
full opening and closing
Suitable for all cabinet widths
- can be retrofitted!

Set (consisting of front sensor, motor and adapter for front sensor assembly)

Colour code:
Grey 7930

With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

Item no.
002353 7930
002354 7930
002355 7930
002356 7930




Assembly front sensor

Assembly (without adapter)	Predrill cuphole / insert (assembly aid supplied)
Assembly (with adapter)	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<1 Watt
Dimensions	388 x 48 x 100 mm (BxDxH)
Weight	1.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Centro with SoftSTOPPro and SoftSTOPPlus
Assembly materials (supplied)	3 wood screws 4.5 x 100
Motor position	Beside and to right of the runner
Electrically assisted	Full opening and closing







CONVOY Lavidò

UNCOMPLICATED OPENNESS

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/cvle>



CONVOY Lavido

FULL ACCESS FROM THREE SIDES




KESSEBÖHMER

GREAT FLEXIBILITY AND STRIKING LOOKS. CONVOY Lavido HIGHLIGHTS THE WIDE SCOPE OF THE WHOLE CONVOY SYSTEM. The Lavido fitting moves independently of the front panel, so that it can be combined easily with different cabinet concepts – behind sliding doors, for example.

This attractive fitting for tall storage units is the ideal solution for contemporary kitchens, and also for wider use, for example, in dining rooms or offices. A number of intelligent details make it a premium product in terms of technology too.







Minimalist design and
cantilevered "floating" trays
- with the new
CONVOY support post.

STANDARD WITH:



CONVOY Lavido pull-out fitting

with premounted cover, integrated damping for closing and opening (SoftSTOPPpro). Runner with forced synchronisation for 100% reliable function (Synchronomatic).

Pull-out travel: 470 mm

Clear inside depth: ≥ 500 mm

Permissible load on the pull-out fitting:

System weight + contents = max. 130 kg

(depends on cabinet design)

Colour code:

White 9010

Grey 7930

Anthracite 9846

Item no.

002373 9010

002373 7930

002373 9846

Standard with



CONVOY Lavido support post

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846

Clear inside height (mm)

1.800-1.899

002368 0102

002368 9966

002368 9846

1.900-1.999

002369 0102

002369 9966

002369 9846

2.000-2.099

002370 0102

002370 9966

002370 9846

Standard with



2.100-2.199

002371 0102

002371 9966

002371 9846

CONVOY Lavido tray set

Set of 5 – consisting of:

1 tray with integrated top runner

4 trays, height adjustable

5 accessory boxes

1 reinforcing bracket

1 fixing brace

1 handle

For cabinet width:

450 mm

280610 9846

280437 0005

500 mm

280611 9846

280438 0005

600 mm

280590 9846

280439 0005

Additional items required for a complete installation (order separately):

1 pull-out fitting

1 support post height as calculated

Standard with

ARENAplus

Anti-slip coating

Replacement tray CONVOY Lavido

Colour code:

Anthracite 9846

Chrome 0005

For cabinet width:

450 mm

280612 9846

280452 0005

500 mm

280613 9846

280453 0005


600 mm

280614 9846

280454 0005







eTouch for CONVOY Lavido

Suitable for all CONVOY Lavido cabinet widths – can be retrofitted!
Set (consisting of handle and motor)


Colour code:
Grey 7930

With EU-DIN plug	002400 7930
With GB/UK plug	002401 7930
With US/JP plug	002402 7930
With AUS plug	002403 7930

Item no.



Assembly	Glue in place
Power supply	Battery CR 2032 3V (supplied)
Motor	
Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<1 Watt
Dimensions	388 x 48 x 100 mm (L x B X H)
Weight	1.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Lavido with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	3 wood screws 4.5 x 100
Motor position	Beside and to right of the runner
Electrically assisted	Full opening and closing







CONVOY Premio

EFFORTLESS OVERVIEW, ABSOLUTELY SMOOTH ACTION

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/cvpe>





CONVOY Premio

EFFORTLESS OVERVIEW AND ACCESS

KESSEBÖHMER




THE CONVOY Premio „FLOATS“ ALL THE CONTENTS RIGHT OUT OF THE CABINET. Opening the door – at an angle of up to 135° – initiates a fluid movement sequence, SoftSTOPpro slows the opening movement and then completes it under precision control. With damped self-closing, the fitting glides softly and silently back into the unit.

Full-extension means a totally unobstructed view – from three sides – of all the contents. The sophisticated engineering that underlies this perfect opening and closing is unobtrusive.




reddot design award





272073 7035
272073 7500
272073 9966




push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



272075 7035
272075 7500
272075 9966

PTO housing for screw fixing

Grey	7035
Anthracite	7500
White	9966

CONVOY Premio pull-out fitting

With premounted cover, with integrated damping for closing and opening (SoftSTOPPro).
Runner with forced synchronisation for 100% reliable function (Synchromatic).

Pull-out travel: 470 mm

Clear inside depth: ≥ 500 mm

Permissible load on the pull-out fitting:

System weight + front panel + contents = max. 130 kg
(depends on cabinet design)

Colour code:

White	9010
Grey	7930
Anthracite	9846

Item no.

002410 9010

002410 7930

002410 9846

Standard with



CONVOY Premio support post

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

Clear inside
height (mm)

1.800-1.899

002368 0102

002368 9966

002368 9846

1.900-1.999

002369 0102

002369 9966

002369 9846

2.000-2.099

002370 0102

002370 9966

002370 9846

Standard with



2.100-2.199

002371 0102

002371 9966

002371 9846

CONVOY Premio tray set

Set of 5 – consisting of:

1 tray with integrated top runner and control lever

4 trays, height-adjustable

5 accessory boxes

1 support bracket

1 fixing brace

2 front panel connectors

1 control lever bottom

For cabinet
width:

600 mm

Door catch
right

280591 9846

280508 0005

left

280592 9846

280509 0005

Additional items required for a complete installation (order separately):

1 pull-out fitting

1 support post height as calculated

Standard with

ARENA^{plus}
Anti-slip coating

Replacement tray CONVOY Premio

Colour code:

Anthracite	9846
Chrome	0005

For cabinet
width:

600 mm

280620 9846

280621 0005






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.

Opening gap
ca. 44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch for CONVOY Premio

Electrically assisted:
ca. 44 mm opening gap
Suitable for all cabinet widths
– can be retrofitted!

Set (consisting of drive, radio button, adapter for wireless pushbutton, power supply unit, mounting material)

Colour code:
Grey 7001

Identical to eTouch+ set for DISPENSA VVS-x,
TANDEM side, TANDEM II, CONVOY Centro



With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

Item no.
002440 7001
002441 7001
002442 7001
002443 7001



Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 universal screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)
Motor	
Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, ≥ 1,5 A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7001)
Product requirements	CONVOY Premio with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	3 universal screws 4 x 16
Motor position	CONVOY Premio: opposite hinge side
Electrically assisted	Opening gap ca. 44 mm
Power supply unit	
Primary secondary	100-240 V; 0,8 A 50/60 Hz 24 Volt






Install in predrilled cup hole so that front sensor is perfectly integrated into the carcass.



Install using adapter to take the sensor. Ideal for fronts with grip recesses



Item no.

eTouch für CONVOY Premio

Electrically assisted: full opening and closing for all cabinet widths - can be retrofitted! Set (consisting of motor, front sensor and adapter for front sensor assembly).

Identical to set for DISPENSA

With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

084246 7930
084247 7930
084248 7930
084249 7930

Colour code:

Grey 7930




Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid supplied)
With adapter	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<4 Watt
Dimensions	333 x 68 x 77 mm (BxDxH)
Weight	1.6 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Premio with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	4 wood screws 4.5 x 75, assembly aid
Motor position	CONVOY Premio: hinge side
Electrically assisted	Opening



ARENA select for CONVOY

DEFINE YOUR OWN STYLE

FOR MORE INFORMATION ON WOOD/METAL COMBINATIONS,
see Chapter 7: Accessoires.





DISPENSA 90°

THE MOVING STORAGE UNIT

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/dpse>



DISPENSA 90°

ORGANIZATION, A CLEAR OVERVIEW AND FAST ACCESS

— KESSEBÖHMER —

THE HEIGHT-ADJUSTABLE TRAYS ARE HOOKED ON INDIVIDUALLY, MAKING THE DISPENSA 90° AN EXTREMELY FLEXIBLE STORAGE SOLUTION. IT GIVES USERS A LOT OF STORAGE SPACE ON A VERY SMALL FOOTPRINT.

The whole width and depth of the cabinet are used for storage. A DISPENSA stands for ample space, good organization and a clear overview. You can see clearly what's on the shelves, even on the top shelves, and reach in from both sides!

STANDARD WITH:



ARENA^{plus}
Anti-slip coating

OPTIONAL WITH:



See-through sides
for a clear view at all levels

Payload up to 100 kg

Low-profile bottom runner





The frame is positioned on the front at the top.

And pushed in at the bottom – click!


The frame is clicked into position on the runner – click – and the whole fitting is pushed into the cabinet. Done!

A couple of clicks

THE INSTALLATION IS FINISHED

— KESSEBÖHMER —






Adjustment is quick and easy

WITHOUT SPECIAL TOOLS



A STANDARD PZ2 SCREWDRIVER AND TWO SETTING SCREWS ON THE FRAME TOP AND BOTTOM SIMPLIFY ADJUSTMENT. Turning the screws has an immediately visible effect. This makes adjustment quicker and easier – and also much more precise. And all it takes is a screwdriver!





Item no.

074222 9006
074222 9966
074222 9846

Standard with



Damping



Suitable for SoftSTOPPro
damped opening (see page 1:35)

DISPENSA Vx partial pull-out fitting
for tall pull-out with central runner


Payload: max. 100 kg
Particularly suitable for narrow cabinets

Only supplied plastic-coated!

Colour code:
Silver grey 9006
Ice white 9966
Anthracite 9846

DISPENSA Vx partial pull-out fitting

Frame height = clear inside height	-55 mm
S = system height (bottom runner):	43 mm
B = Clear inside width:	≥ 112 mm
T = Clear inside depth:	≥ 500 mm
L = Pull-out travel:	370 mm
Payload:	≤ 100 kg



084235 9006
084235 9966
084235 9846

Standard with



Damping



DISPENSA VVSx full-extension pull-out

With extra-low runner;
for tall pull-out with central runner
Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:
Silver grey 9006
Ice white 9966
Anthracite 9846



094235 9006
094235 9966
094235 9846

Standard with



Damping



Damping

DISPENSA VVSx full-extension pull-out


With extra-low runner;
for tall pull-out with central runner
Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:
Silver grey 9006
Ice white 9966
Anthracite 9846

DISPENSA VVSx low-profile, full-extension pull-out

Frame height = clear inside height	-55 mm
S = system height (bottom runner):	35 mm
B = Clear inside width:	ab 212 mm
T = Clear inside depth:	≥ 500 mm
L = Pull-out travel:	470 mm
Payload:	≤ 100 kg



Support frame DISPENSA-x
Height-adjustable

Only supplied plastic-coated!

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846



Dimensions (mm)	Item no.
Clear inside height 900-1300	054379 0102
	054379 9966
	054379 9846
1200-1600	054381 0102
	054381 9966
	054381 9846
1600-2000	054382 0102
	054382 9966
	054382 9846
1800-2200	054384 0102
	054384 9966
	054384 9846
1900-2300	054383 0102
	054383 9966
	054383 9846



Front bracket DISPENSA-x
Set (= 2 pcs)

Only supplied plastic-coated!

Width	PU	Silver	Ice white	Anthracite
150 mm	1 set	235156 0102	235156 9966	235156 9846
300 mm	1 set	232216 0102	232216 9966	232216 9846
400 mm	1 set	232217 0102	232217 9966	232217 9846
450 mm	1 set	232218 0102	232218 9966	232218 9846
500 mm	1 set	232390 0102	232390 9966	232390 9846
600 mm	1 set	232391 0102	232391 9966	232391 9846



Front stabilizer

Install in any position

Only supplied plastic-coated!

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

BxDxH	Item no.
160 x 28 x 20	004350 0102
	004350 9966
	004350 9846



Front panel connecting strap

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

BxDxH	Item no.
20 x 3 x 110	000214 0102
	000214 9966
	000214 9846



DISPENSA Vx SoftSTOPPpro

Damped opening

Option for DISPENSA Vx
partial pull-out fitting

Colour code:

Grey	7001
------	------

004244 7001



DISPENSA VVSx SoftSTOPPpro

Damped opening

Option for DISPENSA VVSx
full-extension fitting with Synchronatic

Colour code:


Black	9005
-------	------

004243 9005



Hook-on tray DISPENSA

	Railing		ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style
	Base panel colour		Anthracite	Silver	Silver	Anthracite	Chrome
		Anthracite		Ice white	Grey	Anthracite	Ice white
							
ARENAplus							
Anti-slip coating							
Cabinet width	PU						
150 mm	1 piece		236618 9846	236621 0102	236624 0102	260176 9846	260179 0005
150 mm	2 pieces		236619 9846	236622 0102	236625 0102	260177 9846	260180 0005
150 mm	3 pieces		236620 9846	236623 0102	236626 0102	260178 9846	260181 0005
300 mm	1 piece		236463 9846	236478 0102	236493 0102	260118 9846	231432 0005
300 mm	2 pieces		236464 9846	236479 0102	236494 0102	260119 9846	260133 0005
300 mm	3 pieces		236465 9846	236480 0102	236495 0102	260120 9846	260134 0005
400 mm	1 piece		236466 9846	236481 0102	236496 0102	260121 9846	231433 0005
400 mm	2 pieces		236467 9846	236482 0102	236497 0102	260122 9846	260135 0005
400 mm	3 pieces		236468 9846	236483 0102	236498 0102	260123 9846	260136 0005
450 mm	1 piece		236469 9846	236484 0102	236499 0102	260124 9846	260137 0005
450 mm	2 pieces		236470 9846	236485 0102	236500 0102	260125 9846	260138 0005
450 mm	3 pieces		236471 9846	236486 0102	236501 0102	260126 9846	260139 0005
500 mm	1 piece		-	-	-	260127 9846	260140 0005
500 mm	2 pieces		-	-	-	260128 9846	260141 0005
500 mm	3 pieces		-	-	-	260129 9846	260142 0005
600 mm	1 piece		-	-	-	260130 9846	260143 0005
600 mm	2 pieces		-	-	-	260131 9846	260144 0005
600 mm	3 pieces		-	-	-	260132 9846	260145 0005

	Railing		K-Line	K-Line	Metal basket	Metal basket
	Base panel colour		Anthracite	Silver	Chrome	Silver
		Anthracite		Anthracite	-	-
						
Cabinet width	PU					
300 mm	1 piece		002166 9846	002166 0102	217781 0005	217781 0102
300 mm	2 pieces		002163 9846	002163 0102	001966 0005	001966 0102
300 mm	3 pieces		002164 9846	002164 0102	235019 0005	235019 0102
400 mm	1 piece		002167 9846	002167 0102	231573 0005	231573 0102
400 mm	2 pieces		002168 9846	002168 0102	001967 0005	001967 0102
400 mm	3 pieces		002169 9846	002169 0102	235020 0005	235020 0102
450 mm	1 piece		-	-	235021 0005	235021 0102
450 mm	2 pieces		-	-	001938 0005	001938 0102
450 mm	3 pieces		-	-	235022 0005	235022 0102
500 mm	1 piece		-	-	235023 0005	235023 0102
500 mm	2 pieces		-	-	001939 0005	001939 0102
500 mm	3 pieces		-	-	235024 0005	235024 0102
600 mm	1 piece		-	-	235025 0005	235025 0102
600 mm	2 pieces		-	-	001980 0005	001980 0102
600 mm	3 pieces		-	-	235026 0005	265026 0102

ARENA classic Chrome Ice white	ARENA classic Chrome Grey	ARENA classic Silver Ice white	ARENA classic Silver Grey	Railing	Base panel colour
					
				Cabinet width	PU
260182 0005	260185 0005	260182 0102	260185 0102	150 mm	1 piece
260183 0005	260186 0005	260183 0102	260186 0102	150 mm	2 pieces
260184 0005	260187 0005	260184 0102	260187 0102	150 mm	3 pieces
260146 0005	260161 0005	260146 0102	260161 0102	300 mm	1 piece
260147 0005	260162 0005	260147 0102	260162 0102	300 mm	2 pieces
260148 0005	260163 0005	260148 0102	260163 0102	300 mm	3 pieces
260149 0005	260164 0005	260149 0102	260164 0102	400 mm	1 piece
260150 0005	260165 0005	260150 0102	260165 0102	400 mm	2 pieces
260151 0005	260166 0005	260151 0102	260166 0102	400 mm	3 pieces
260152 0005	260167 0005	260152 0102	260167 0102	450 mm	1 piece
260153 0005	260168 0005	260153 0102	260168 0102	450 mm	2 pieces
260154 0005	260169 0005	260154 0102	260169 0102	450 mm	3 pieces
260155 0005	260170 0005	260155 0102	260170 0102	500 mm	1 piece
260156 0005	260171 0005	260156 0102	260171 0102	500 mm	2 pieces
260157 0005	260172 0005	260157 0102	260172 0102	500 mm	3 pieces
260158 0005	260173 0005	260158 0102	260173 0102	600 mm	1 piece
260159 0005	260174 0005	260159 0102	260174 0102	600 mm	2 pieces
260160 0005	260175 0005	260160 0102	260175 0102	600 mm	3 pieces

DISPENSA YouBoxx-Set 1

consisting of:

2 boxes (1.0 litres)

1 box (2.1 litres)

2 boxes (2.0 litres)

1 knife holder

2 lids

2 traverse rails

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846

BxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

005273 0102

005273 9966

005273 9846



DISPENSA YouBoxx-Set 3

consisting of:

2 boxes (1.0 litres)

2 boxes (2.1 litres)

2 lids

1 dividers, large

2 traverse rails

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846

BxDxH

115 x 150 x 95

115 x 300 x 95

005275 0102

005275 9966

005275 9846



Spice rack

For up to 12 spice jars

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846

BxDxH

465 x 85 x 33,5

Space:

462 x 79

235227 0102

235227 9966

235227 9846






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.

Opening gap
ca. 44



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch for DISPENSA VVS-x

Electrically assisted:
ca. 44 mm opening gap
Suitable for all cabinet widths
- can be retrofitted!

Set (consisting of drive, radio button, adapter for wireless pushbutton, power supply unit, mounting material)

Colour code:
Grey 7001

Identical to eTouch+ set for TANDEM side,
TANDEM II, CONVOY Premio, CONVOY Centro

With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

Item no.
002440 7001
002441 7001
002442 7001
002443 7001



Assembly front sensor


Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 universal screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, $\geq 1,5$ A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7001)
Product requirements	DISPENSA VVS-x with SoftSTOPPro and SoftSTOPPlus
Assembly materials (supplied)	3 universal screws 4 x 16
Motor position	DISPENSA VVS-x: beside the runner on the right
Electrically assisted	Opening gap ca. 44 mm

Power supply unit

Primary secondary	100-240 V; 0,8 A 50/60 Hz 24 Volt
---------------------	-------------------------------------






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



Item no.

eTouch for DISPENSA

Suitable for cabinet widths from 300 mm – can be retrofitted! Set (consisting of motor, front sensor and adapter for front sensor assembly)

Identical to set for CONVOY Premio

- With EU-DIN plug **084246 7930**
- With GB/UK plug **084247 7930**
- With US/JP plug **084248 7930**
- With AUS plug **084249 7930**

Colour code:
Grey 7930




Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid supplied)
With adapter	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<4 Watt
Dimensions	333 x 68 x 77 mm (BxDxH)
Weight	1.6 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Premio with SoftSTOPPro and SoftSTOPplus
Assembly materials (supplied)	4 wood screws 4.5 x 75, assembly aid
Motor position	DISPENSA: beside the runner on the right
Electrically assisted	Opening







TANDEM I

TWO SHELVES BEHIND ONE DOOR

 KESSEBÖHMER



TANDEM I

MORE STORAGE SPACE, BETTER ORGANIZED,
CLEARER OVERVIEW

 KESSEBÖHMER

TANDEM OFFERS COMPLETELY NEW POTENTIAL FOR FOOD STORAGE – JUST OPENING THE DOOR IS AN INSPIRATION. In a clever piece of engineering, the back shelf element moves automatically towards the user as the door is pulled open. Kitchen users can check contents at a glance and easily reach what they want. The shelf element on the door contributes to optimal use of the available space!

Double the gain by installing two TANDEMs in one kitchen unit: as a TANDEM Depot, in 90-, 100- and 120-cm units.

STANDARD WITH:



ARENA^{plus}
Anti-slip coating


**Baskets can be fitted
at different levels**

Simplified assembly

**Generous storage space
in the door shelf**

Smooth, silent opening and closing





TANDEM I

Cabinet width	450 mm	500 mm	600 mm
CW = Clear inside width:	≥ 412 mm	≥ 462 mm	≥ 562 mm
CD = Clear inside depth:	≥ 500 mm	≥ 500 mm	≥ 500 mm
CH = Clear inside height:			from 800 mm
	from 1.100 mm	from 1.100 mm	from 1.100 mm
	6-levels: from 1.700 mm	from 1.700 mm	from 1.700 mm
Max. opening angle:	110°	110°	110°
Max. load with 6 shelves:	Rear element: 50 kg Door element: 20 kg	Rear element: 50 kg Door element: 20 kg	Rear element: 60 kg Door element: 25 kg

Complete set TANDEM I consisting of fittings and trays

	Railing
	Base panel colour
	Frame

ARENA style

Anthracite
Anthracite
Anthracite

ARENA style

Chrome
Ice white
Ice white

ARENA style

Chrome
Ice white
Silver

ARENA classic

Chrome
Ice white
Silver

ARENA^{plus}

Anti-slip coating

Cabinet width	Cabinet height	PU
450 mm	1100 mm	1 Set
450 mm	1700 mm	1 Set
500 mm	1100 mm	1 Set
500 mm	1700 mm	1 Set
600 mm	800 mm	1 Set
600 mm	1100 mm	1 Set
600 mm	1700 mm	1 Set



260245 9846
260246 9846
260247 9846
260248 9846
260249 9846
260250 9846
260251 9846

260212 0005
260213 0005
260214 0005
260215 0005
260219 0005
260216 0005
260217 0005

260233 0005
260234 0005
260235 0005
260236 0005
260252 0005
260237 0005
260238 0005

260253 0005
260254 0005
260255 0005
260256 0005
260257 0005
260258 0005
260259 0005

TANDEM coffee

SMALL TANDEM – BIG BENEFITS

KESSEBÖHMER

IN TALL UNITS WITH A COFFEE MACHINE, STEAMER, OVEN OR MICROWAVE INTEGRATED AT AN ERGONOMIC HEIGHT, A TANDEM UNIT FITTED UNDERNEATH IS THE IDEAL PAIRING. By splitting up the storage space, it makes for clearer organisation and fast access. Underneath a coffee machine, for example, you could store mugs, coffee, sugar – all in clear view and easy reach. It's the ideal system for themed kitchen units and fits into the standard niche for a built-in refrigerator.




push-to-open (PTO) Typ III

TANDEM side

drill-in ejector

● 26-48 N

Grey	7035
Anthracite	7500
White	9966



Item no.

272074 7035
272074 7500
272074 9966



ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket		
Chrome	Silver	Silver	Chrome	Silver	Railing	
Grey	Ice white	Grey			Base panel colour	
Silver	Silver	Silver	Silver	Silver	Frame	
					ARENA^{plus} <i>Anti-slip coating</i>	
260227 0005	260253 0102	260227 0102	260200 0005	260200 0102	450 mm	1100 mm
260228 0005	260254 0102	260228 0102	260201 0005	260201 0102	450 mm	1700 mm
260229 0005	260255 0102	260229 0102	260202 0005	260202 0102	500 mm	1100 mm
260230 0005	260256 0102	260230 0102	260203 0005	260203 0102	500 mm	1700 mm
232738 0005	260257 0102	232738 0102			600 mm	800 mm
260231 0005	260258 0102	260231 0102	260204 0005	260204 0102	600 mm	1100 mm
260232 0005	260259 0102	260232 0102	260205 0005	260205 0102	600 mm	1700 mm

TANDEM side

MODULAR STORAGE FITTING FOR TOTAL FLEXIBILITY

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/tdse>

Makes good use of the successful
YouBoxx system

Perfectly organized storage with the
thoughtful range of box sizes and
clever dividers

Door shelf with height-
adjustable trays

STANDARD WITH:

ARENAplus

Anti-slip coating



TANDEM side

100% MODULAR


THE NEW TANDEM SIDE DOOR SHELF IS A KEY ELEMENT IN A NEW BUILDING BLOCK SYSTEM THAT CREATES ULTRA-FLEXIBLE STORAGE FITTINGS. A wide choice of modules and different Kesseböhmer products can be combined to create custom storage fittings from standard components. The resulting fittings will exactly match customer requirements – both in value and in functionality.

Part of the appeal of the new door shelf is the fact that it continues to use existing building blocks and products. It can be fitted on its own, paired with the existing TANDEM pull-out shelf, and/or upgraded with the customer's choice of YouBoxx sets. Trays and YouBoxxes can be hooked on to the TANDEM frame at user-selected heights.



TANDEM side door shelf set

consisting of fittings and trays



	ARENA pure	ARENA pure	ARENA pure	ARENA style
Railing	Anthracite	Silver	Silver	Anthracite
Base panel colour	Anthracite	Ice white	Grey	Anthracite
Frame	Anthracite	Silver	Silver	Anthracite

ARENA^{plus}

Anti-slip coating

Cabinet width	Cabinet height	Number shelves				
450 mm	600 mm	2	003600 9846	003612 0102	003624 0102	003636 9846
	800 mm	3	003601 9846	003613 0102	003625 0102	003637 9846
	1100 mm	4	003602 9846	003614 0102	003626 0102	003638 9846
	1700 mm	5	003603 9846	003615 0102	003627 0102	003639 9846
500 mm	600 mm	2	003604 9846	003616 0102	003628 0102	003640 9846
	800 mm	3	003605 9846	003617 0102	003629 0102	003641 9846
	1100 mm	4	003606 9846	003618 0102	003630 0102	003642 9846
	1700 mm	5	003607 9846	003619 0102	003631 0102	003643 9846
600 mm	600 mm	2	003608 9846	003620 0102	003632 0102	003644 9846
	800 mm	3	003609 9846	003621 0102	003633 0102	003645 9846
	1100 mm	4	003610 9846	003622 0102	003634 0102	003646 9846
	1700 mm	5	003611 9846	003623 0102	003635 0102	003647 9846

450 mm	1	237070 9846	237073 0102	237076 0102	237079 9846
500 mm	1	237071 9846	237074 0102	237077 0102	237080 9846
600 mm	1	237072 9846	237075 0102	237078 0102	237081 9846


push-to-open (PTO) Typ I

TANDEM side

drill-in ejector

● 17-23 N

Grey	7035
Anthracite	7500
White	9966



Item no.

- 272072 7035**
- 272072 7500**
- 272072 9966**



TANDEM side

Cabinet width	450 mm	500 mm	600 mm
For clear inside heights:	from 600 mm, 800 mm, 1100 mm, 1700 mm		
Max. system weight:	25 kg	25 kg	25 kg
Reduced depth of cabinet shelves:	for trays: inside cabinet depth -175 mm for YouBoxxes: inside cabinet depth -135 mm		

ARENA style Chrome	ARENA style Chrome	ARENA classic Chrome	ARENA classic Chrome	ARENA classic Silver	ARENA classic Silver	Metal basket Chrome	Metal basket Silver
Ice white	Ice white	Ice white	Grey	Ice white	Grey	Silver	Silver
Ice white	Silver	Silver	Silver	Silver	Silver		
003648 0005	003660 0005	003672 0005	003684 0005	003672 0102	003684 0102	003696 0005	003696 0102
003649 0005	003661 0005	003673 0005	003685 0005	003673 0102	003685 0102	003697 0005	003697 0102
003650 0005	003662 0005	003674 0005	003686 0005	003674 0102	003686 0102	003698 0005	003698 0102
003651 0005	003663 0005	003675 0005	003687 0005	003675 0102	003687 0102	003699 0005	003699 0102
003652 0005	003664 0005	003676 0005	003688 0005	003676 0102	003688 0102	003700 0005	003700 0102
003653 0005	003665 0005	003677 0005	003689 0005	003677 0102	003689 0102	003701 0005	003701 0102
003654 0005	003666 0005	003678 0005	003690 0005	003678 0102	003690 0102	003702 0005	003702 0102
003655 0005	003667 0005	003679 0005	003691 0005	003679 0102	003691 0102	003703 0005	003703 0102
003656 0005	003668 0005	003680 0005	003692 0005	003680 0102	003692 0102	003704 0005	003704 0102
003657 0005	003669 0005	003681 0005	003693 0005	003681 0102	003693 0102	003705 0005	003705 0102
003658 0005	003670 0005	003682 0005	003694 0005	003682 0102	003694 0102	003706 0005	003706 0102
003659 0005	003671 0005	003683 0005	003695 0005	003683 0102	003695 0102	003707 0005	003707 0102
237082 0005	237082 0005	237085 0005	237088 0005	237085 0102	237088 0102	237127 0005	237127 0102
237083 0005	237083 0005	237086 0005	237089 0005	237086 0102	237089 0102	237128 0005	237128 0102
237084 0005	237084 0005	237087 0005	237090 0005	237087 0102	237090 0102	237129 0005	237129 0102




Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.



Opening gap
ca. 44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch for TANDEM side

Electrically assisted:
ca. 44 mm opening gap
Suitable for all cabinet widths
- can be retrofitted!

Set (consisting of drive, radio button, adapter for wireless pushbutton, power supply unit, mounting material)

Colour code:
Grey 7001

Identical to eTouch+ set for DISPENSA VVS-x,
TANDEM II, CONVOY Centro, CONVOY Premio


With EU-DIN plug **002440 7001**
With GB/UK plug **002441 7001**
With US/JP plug **002442 7001**
With AUS plug **002443 7001**

Item no.



Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 universal screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)
Motor	
Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, $\geq 1,5$ A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7001)
Product requirements	TANDEM side with SoftSTOPPro and SoftSTOPPlus
Assembly materials (supplied)	3 universal screws 4 x 16
Motor position	TANDEM side: opposite hinge side
Electrically assisted	Opening gap ca. 44 mm
Power supply unit	
Primary secondary	100-240 V; 0,8 A 50/60 Hz 24 Volt



TANDEM II

THE PANTRY IN THE REFRIGERATOR PRINCIPLE

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/td2e>

TANDEM

VARIANTS



THE PERFECT TANDEM SOLUTION FOR EACH DIFFERENT STORAGE UNIT.

One option is a TANDEM side shelf on the door combined with conventional shelves in the cabinet. Another is the comfort of a classic TANDEM. Either option can be upgraded with one or more of the flexible YouBoxx sets for optimal storage organization. There's a Kesseböhmer TANDEM solution for every level of value and functionality.



TANDEM side



TANDEM II



TANDEM II with YouBoxx



TANDEM II

IDEAL COMBINED WITH A TANDEM PULL-OUT SHELF



COMBINING THE NEW TANDEM SIDE DOOR SHELF WITH THE EXISTING TANDEM PULL-OUT SHELF IS AN IDEAL SOLUTION. It creates a complete, modular TANDEM storage solution.

The totally modular system makes it possible for end-users to create a solution that exactly suits their requirements and lifestyle. All the trays are fully height adjustable.




TANDEM II

Cabinet width	450 mm	500 mm	600 mm
Clear inside width:	≥ 412 mm	≥ 462 mm	≥ 562 mm
Clear inside depth:	≥ 500 mm	≥ 500 mm	≥ 500 mm
Clear inside height:	from 1.100 mm	from 1.100 mm	from 800 mm
	from 1.700 mm	from 1.700 mm	from 1.700 mm
Opening angle:	110°	110°	110°
max. load with 6 shelves:	Rear element: 60 kg	Rear element: 60 kg	Rear element: 60 kg
	Door element: 25 kg	Door element: 25 kg	Door element: 25 kg

TANDEM II pull-out shelf set


consisting of fittings and trays



	ARENA pure	ARENA pure	ARENA pure	ARENA style
Railing	Anthracite	Silver	Silver	Anthracite
Base panel colour	Anthracite	Ice white	Grey	Anthracite
Frame	Anthracite	Silver	Silver	Anthracite

ARENA^{plus} Anti-slip coating

Cabinet width	Cabinet height	Number shelves
450 mm	1100 mm	4
	1700 mm	5
500 mm	1100 mm	4
	1700 mm	5
600 mm	800 mm	3
	1100 mm	4
	1700 mm	5




			003520 9846	003527 0102	003534 0102	003541 9846
			003521 9846	003528 0102	003535 0102	003542 9846
			003522 9846	003529 0102	003536 0102	003543 9846
			003523 9846	003530 0102	003537 0102	003544 9846
			003524 9846	003531 0102	003538 0102	003545 9846
			003525 9846	003532 0102	003539 0102	003546 9846
			003526 9846	003533 0102	003540 0102	003547 9846

450 mm	1	237046 9846	237049 0102	237052 0102	237055 9846
500 mm	1	237047 9846	237050 0102	237053 0102	237056 9846
600 mm	1	237048 9846	237051 0102	237054 0102	237057 9846

TANDEM side door shelf set


consisting of fittings and trays



	ARENA pure	ARENA pure	ARENA pure	ARENA style
Railing	Anthracite	Silver	Silver	Anthracite
Base panel colour	Anthracite	Ice white	Grey	Anthracite
Frame	Anthracite	Silver	Silver	Anthracite

ARENA^{plus} Anti-slip coating

Cabinet width	Cabinet height	Number shelves
450 mm	1100 mm	4
	1700 mm	5
500 mm	1100 mm	4
	1700 mm	5
600 mm	800 mm	3
	1100 mm	4
	1700 mm	5



			003602 9846	003614 0102	003626 0102	003638 9846
			003603 9846	003615 0102	003627 0102	003639 9846
			003606 9846	003618 0102	003630 0102	003642 9846
			003607 9846	003619 0102	003631 0102	003643 9846
			003609 9846	003621 0102	003633 0102	003645 9846
			003610 9846	003622 0102	003634 0102	003646 9846
			003611 9846	003623 0102	003635 0102	003647 9846

TANDEM II extra trays

450 mm	1	237070 9846	237073 0102	237076 0102	237079 9846
500 mm	1	237071 9846	237074 0102	237077 0102	237080 9846
600 mm	1	237072 9846	237075 0102	237078 0102	237081 9846

push-to-open (PTO) Typ III

TANDEM

drill-in ejector


● 26-48 N

Grey	7035
Anthracite	7500
White	9966




272074 7035

272074 7500

272074 9966








ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket
Chrome	Chrome	Chrome	Chrome	Silver	Silver	Chrome	Silver
Ice white	Ice white	Ice white	Grey	Ice white	Grey		
Ice white	Silver	Silver	Silver	Silver	Silver	Silver	Silver



003548 0005	003555 0005	003562 0005	003569 0005	003562 0102	003569 0102	003576 0005	003576 0102
003549 0005	003556 0005	003563 0005	003570 0005	003563 0102	003570 0102	003577 0005	003577 0102
003550 0005	003557 0005	003564 0005	003571 0005	003564 0102	003571 0102	003578 0005	003578 0102
003551 0005	003558 0005	003565 0005	003572 0005	003565 0102	003572 0102	003579 0005	003579 0102
003552 0005	003559 0005	003566 0005	003573 0005	003566 0102	003573 0102	003580 0005	003580 0102
003553 0005	003560 0005	003567 0005	003574 0005	003567 0102	003574 0102	003581 0005	003581 0102
003554 0005	003561 0005	003568 0005	003575 0005	003568 0102	003575 0102	003582 0005	003582 0102

237058 0005	237058 0005	237061 0005	237064 0005	237061 0102	237064 0102	237067 0005	237067 0102
237059 0005	237059 0005	237062 0005	237065 0005	237062 0102	237065 0102	237068 0005	237068 0102
237060 0005	237060 0005	237063 0005	237066 0005	237063 0102	237066 0102	237069 0005	237069 0102

ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket
Chrome	Chrome	Chrome	Chrome	Silver	Silver	Chrome	Silver
Ice white	Ice white	Ice white	Grey	Ice white	Grey		
Ice white	Silver	Silver	Silver	Silver	Silver	Silver	Silver



003650 0005	003662 0005	003674 0005	003686 0005	003674 0102	003686 0102	003698 0005	003698 0102
003651 0005	003663 0005	003675 0005	003687 0005	003675 0102	003687 0102	003699 0005	003699 0102
003654 0005	003666 0005	003678 0005	003690 0005	003678 0102	003690 0102	003702 0005	003702 0102
003655 0005	003667 0005	003679 0005	003691 0005	003679 0102	003691 0102	003703 0005	003703 0102
003657 0005	003669 0005	003681 0005	003693 0005	003681 0102	003693 0102	003705 0005	003705 0102
003658 0005	003670 0005	003682 0005	003694 0005	003682 0102	003694 0102	003706 0005	003706 0102
003659 0005	003671 0005	003683 0005	003695 0005	003683 0102	003695 0102	003707 0005	003707 0102

237082 0005	237082 0005	237085 0005	237088 0005	237085 0102	237088 0102	237127 0005	237127 0102
237083 0005	237083 0005	237086 0005	237089 0005	237086 0102	237089 0102	237128 0005	237128 0102
237084 0005	237084 0005	237087 0005	237090 0005	237087 0102	237090 0102	237129 0005	237129 0102




Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.

Opening gap
ca. 44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch for TANDEM II

Electrically assisted:
ca. 44 mm opening gap
Suitable for all cabinet widths
- can be retrofitted!

Set (consisting of drive, radio button, adapter for wireless pushbutton, power supply unit, mounting material)

Colour code:
Grey 7001

Identical to eTouch+ set for DISPENSA VVS-x,
TANDEM side, CONVOY Centro, CONVOY Premio


With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

Item no.
002440 7001
002441 7001
002442 7001
002443 7001



Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 universal screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)
Motor	
Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, ≥ 1,5 A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	120 kg
Housing colour	Grey (7001)
Product requirements	TANDEM II with SoftSTOPPro and SoftSTOPplus
Assembly materials (supplied)	3 universal screws 4 x 16
Motor position	TANDEM II: opposite hinge side
Electrically assisted	Opening gap ca. 44 mm
Power supply unit	
Primary secondary	100-240 V; 0,8 A 50/60 Hz 24 Volt



YouBoxx-SETS

WITH TANDEM SIDE



THE YOUBOXX SYSTEM MAKES IT EASY TO CREATE THE TOTALLY CUSTOMIZED STORAGE SOLUTION YOU'LL LOVE TO USE.

For a start, there's a choice of 15 YouBoxx sets for the TANDEM side door shelf – ready for any cabinet width, function or value level. Each end-user can now configure their own customized organization system.

They can choose – and change – the vertical positions of YouBoxxes and trays to suit the height of the contents. The YouBoxx support rail is simply hooked onto the frame.

It's so easy to set up and change this storage solution with its huge choice of trays and different-sized boxes. Being organized has suddenly become fun.



1.0-L-box

Dimensions (L x B x H):
112 x 147 x 95 mm



2.0-L-box

Dimensions (L x B x H):
112 x 147 x 195 mm



2.1-L-box

Dimensions (L x B x H):
112 x 294 x 95 mm



3.2-L-box

Dimensions (L x B x H):
112 x 441 x 95 mm




A CHOICE OF COLOURS

INSIDE YOUR STORAGE UNIT



For a silver or white TANDEM side door shelf with a silver or white finish, Kesseböhmer offers YouBoxx sets with white boxes and a silver- or white-coated carrier rail. For an anthracite coloured door shelf, users might choose anthracite-coloured boxes with an anthracite coloured rail.



	For cabinet width:	Item no.
TANDEM side YouBoxx set 1		
consisting of:	450 mm	261109 0102
1 box (2.1 L)		261109 9966
1 divider		261109 9846
1 support rail		

Farbnummer:
 Silber 0102 (support rail Silber/YouBoxx white)
 Ice white 9966 (support rail white/YouBoxx white)
 Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



TANDEM side YouBoxx set 2		
consisting of:	500 mm	261110 0102
1 box (2.1 L)		261110 9966
1 divider		261110 9846
1 support rail		

Colour code:
 Silber 0102 (support rail Silber/YouBoxx white)
 Ice white 9966 (support rail white/YouBoxx white)
 Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



TANDEM side YouBoxx set 3		
consisting of:	600 mm	261111 0102
1 box (3.2 L)		261111 9966
2 divider		261111 9846
1 support rail		

Colour code:
 Silber 0102 (support rail Silber/YouBoxx white)
 Ice white 9966 (support rail white/YouBoxx white)
 Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



TANDEM side YouBoxx set 4		
consisting of:	450 mm	261112 0102
2 boxes (1.0 L)		261112 9966
2 lids		261112 9846
1 support rail		

Colour code:
 Silber 0102 (support rail Silber/YouBoxx white)
 Ice white 9966 (support rail white/YouBoxx white)
 Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



TANDEM side YouBoxx set 5		
consisting of:	500 mm	261113 0102
2 box (1.0 L)		261113 9966
2 lids		261113 9846
1 support rail		

Colour code:
 Silber 0102 (support rail Silber/YouBoxx white)
 Ice white 9966 (support rail white/YouBoxx white)
 Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)





Item no. For cabinet width:

261114 0102 600 mm
261114 9966
261114 9846

TANDEM side YouBoxx set 6

consisting of:
3 boxes (1.0 L)
3 lids
1 support rail

Colour code:
Silver 0102 (support rail Silver/YouBoxx white)
Ice white 9966 (support rail white/YouBoxx white)
Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



261115 0102 600 mm
261115 9966
261115 9846

TANDEM side YouBoxx set 7

consisting of:
1 box (2.1 L)
1 box (1.0 L)
1 lid
1 divider
1 support rail

Colour code:
Silver 0102 (support rail Silver/YouBoxx white)
Ice white 9966 (support rail white/YouBoxx white)
Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



261116 0102 450 mm
261116 9966
261116 9846

TANDEM side YouBoxx set 8

consisting of:
3 hooks
1 support rail

Colour code:
Silver 0102 (support rail Silver/YouBoxx white)
Ice white 9966 (support rail white/YouBoxx white)
Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



261117 0102 500 mm
261117 9966
261117 9846

TANDEM side YouBoxx set 9

consisting of:
3 hooks
1 support rail

Colour code:
Silver 0102 (support rail Silver/YouBoxx white)
Ice white 9966 (support rail white/YouBoxx white)
Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)



261118 0102 600 mm
261118 9966
261118 9846

TANDEM side YouBoxx set 10

consisting of:
4 hooks
1 support rail

Colour code:
Silver 0102 (support rail Silver/YouBoxx white)
Ice white 9966 (support rail white/YouBoxx white)
Anthracite 9846 (support rail Anthracite/YouBoxx Anthracite)

	For cabinet width:	Item no.
TANDEM side YouBoxx set 11		
consisting of:	600 mm	261119 0102
1 box (2.1 L)		261119 9966
1 box (2.0 L)		261119 9846
1 lid		
1 divider		
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/YouBoxx white)	
Ice white	9966 (support rail white/YouBoxx white)	
Anthracite	9846 (support rail Anthracite/YouBoxx Anthracite)	



TANDEM side YouBoxx set 12		
consisting of:	600 mm	261120 0102
1 box (2.0 L)		261120 9966
2 boxes (1.0 L)		261120 9846
3 lids		
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/YouBoxx white)	
Ice white	9966 (support rail white/YouBoxx white)	
Anthracite	9846 (support rail Anthracite/YouBoxx Anthracite)	



TANDEM side YouBoxx set 13		
consisting of:	450 mm	261121 0102
2 boxes (2.0 L)		261121 9966
2 lids		261121 9846
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/YouBoxx white)	
Ice white	9966 (support rail white/YouBoxx white)	
Anthracite	9846 (support rail Anthracite/YouBoxx Anthracite)	



TANDEM side YouBoxx set 14		
consisting of:	500 mm	261122 0102
2 boxes (2.0 L)		261122 9966
2 lids		261122 9846
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/YouBoxx white)	
Ice white	9966 (support rail white/YouBoxx white)	
Anthracite	9846 (support rail Anthracite/YouBoxx Anthracite)	



TANDEM side YouBoxx set 15		
consisting of:	600 mm	235493 0102
1 box (2.0 L)		235493 9966
1 box (2.1 L)		235493 9846
3 lids		
1 divider		
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/YouBoxx white)	
Ice white	9966 (support rail white/YouBoxx white)	
Anthracite	9846 (support rail Anthracite/YouBoxx Anthracite)	



TANDEM solo

PERFECT AND FLEXIBLE
STORAGE SOLUTIONS

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/tdoe>





Mounted on cabinet side panel
for an easy fit in any
cabinet height –
also good for tall cabinets

Height-adjustable baskets

STANDARD WITH:

ARENA^{plus}
Anti-slip coating

SOFTSTOPPRO

As the door opens, the fitting
glides automatically forward
towards the user

New exclusive
opening damping

Hook-on tray TANDEM solo

Railing		ARENA pure	ARENA pure	ARENA pure	ARENA style
Base panel colour		Anthracite	Silver	Silver	Anthracite
		Anthracite	Ice white	Grey	Anthracite
ARENA^{plus}					
Anti-slip coating					
Cabinet width	PU				
450 mm	2 pieces	236355 9846	236361 0102	236367 0102	235533 9846
450 mm	3 pieces	236356 9846	236362 0102	236368 0102	235534 9846
500 mm	2 pieces	236357 9846	236363 0102	236369 0102	235536 9846
500 mm	3 pieces	236358 9846	236364 0102	236370 0102	235537 9846
600 mm	2 pieces	236359 9846	236365 0102	236371 0102	235539 9846
600 mm	3 pieces	236360 9846	236366 0102	236372 0102	235540 9846
750 mm	2 pieces	239427 9846	-	-	-

TANDEM solo fitting set

Cabinet width	450 mm	500 mm	600 mm
Clear inside width:	≥ 412-4180	≥ 462-468	≥ 562-568
Clear inside depth:	≥ 495	≥ 495	≥ 495
Opening angle:	110°	110°	110°
Pull-out travel:	290	330	330
max. payload:	80 kg	80 kg	80 kg

Fitting-Set TANDEM solo

consisting of:

- 1 frame
- 1 top brace for 16-19 mm side panel thickness
- 1 set door connectors
- 1 set control lever
- 1 bottom runner
- 1 carcass profile bottom
- 1 SoftSTOPpro pull-out damper

Clear inside height (mm)	Frame height	For cabinet width	Item no. Ice white	Item no. Silver	Item no. Anthracite
≥1300	1136	450	013460 9966	013460 0102	013460 9846
≥1400	1236		013461 9966	013461 0102	013461 9846
≥1700	1536		013462 9966	013462 0102	013462 9846
≥1800	1636		013463 9966	013463 0102	013463 9846
≥1300	1136	500	013467 9966	013467 0102	013467 9846
≥1400	1236		013468 9966	013468 0102	013468 9846
≥1700	1536		013469 9966	013469 0102	013469 9846
≥1800	1636		013470 9966	013470 0102	013470 9846
≥1300	1136	600	013474 9966	013474 0102	013474 9846
≥1400	1236		013475 9966	013475 0102	013475 9846
≥1700	1536		013476 9966	013476 0102	013476 9846
≥1800	1636		013477 9966	013477 0102	013477 9846
≥1800	1636	750	-	-	239287 9846




push-to-open (PTO) Typ II

drill-in ejector

● 22-34 N

Can also be used with PTO housing (272075 7035)



272073 7035
272073 7500
272073 9966




PTO housing

for screw fixing

Grey 7035
Anthracite 7500
White 9966

272075 7035
272075 7500
272075 9966



ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic	Railing
Chrome	Chrome	Chrome	Silver	Silver	Base panel colour
Ice white	Ice white	Grey	Ice white	Grey	
235052 0005	235061 0005	235069 0005	235061 0102	235069 0102	450 mm
235053 0005	235062 0005	235070 0005	235062 0102	235070 0102	450 mm
235055 0005	235064 0005	235071 0005	235064 0102	235071 0102	500 mm
235056 0005	235065 0005	235072 0005	235065 0102	235072 0102	500 mm
235058 0005	235067 0005	235073 0005	235067 0102	235073 0102	600 mm
235059 0005	235068 0005	235074 0005	235068 0102	235074 0102	600 mm
-	-	-	-	-	750 mm





TANDEM diagonal – the practical final touch for a row of tall cabinets.



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/tdde>

Individual planning solution thanks to **bevelled front panel.**

No adjustment of fittings necessary

Access from three sides

Height-adjustable trays

Stable fixing of trays

Fittings with low overall height




TANDEM diagonal is a planning solution that gives you even more opportunities to create individual designs for tall cabinets.

Especially suitable for small kitchens!




Hook-on tray for TANDEM diagonal

			ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style
Railing			Anthracite	Silver	Silver	Anthracite	Chrome
Base panel colour			Anthracite	Ice white	Grey	Anthracite	Ice white
ARENA^{plus}							
Anti-slip coating							
Cabinet width	Door catch	PU					
300 mm	left	2 pieces	238153 9846	238157 0102	238161 0102	237135 9846	237139 0005
		3 pieces	238154 9846	238158 0102	238162 0102	237136 9846	237140 0005
	right	2 pieces	238155 9846	238159 0102	238163 0102	237137 9846	237141 0005
		3 pieces	238156 9846	238160 0102	238164 0102	237138 9846	237142 0005

TANDEM diagonal

X° =	51°-53°	53°-60°
T = Clear inside depth:	≥ 515 mm	≥ 505 mm
B = Clear inside width:	262-268 mm	262-268 mm
Payload:	≤ 60 kg	≤ 60 kg
System weight:	≤ 72 kg	≤ 72 kg




TANDEM diagonal fitting set

consisting of:

- 1 TANDEM diagonal pull-out frame
 - 1 carcass rail, top
 - 1 carcass rail, bottom
 - 1 set of door connectors
 - 1 guide plate for pull-out frame
 - 1 set of door followers
- For cabinet width
300 mm

Cabinet width	Door catch	Clear inside height	Opening angle	Anthracite	Silver
300 mm	left	≥ 1160 mm	51-55°	003800 9846	003800 0102
		≥ 1760 mm		003801 9846	003801 0102
		≥ 1160 mm	56-60°	003802 9846	003802 0102
		≥ 1760 mm		003803 9846	003803 0102
300 mm	right	≥ 1160 mm	51-55°	003804 9846	003804 0102
		≥ 1760 mm		003805 9846	003805 0102
		≥ 1160 mm	56-60°	003806 9846	003806 0102
		≥ 1760 mm		003807 9846	003807 0102



ARENA classic	ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket	Railing Base panel colour
Chrome Ice white	Chrome Grey	Silver Ice white	Silver Grey	Chrome	Silver	
						Cabinet width 300 mm
237143 0005	237147 0005	237143 0102	237147 0102	237621 0005	237621 0102	
237144 0005	237148 0005	237144 0102	237148 0102	238165 0005	238165 0102	
237145 0005	237149 0005	237145 0102	237149 0102	237622 0005	237622 0102	
237146 0005	237150 0005	237146 0102	237150 0102	238166 0005	238166 0102	



Technical Support

Short-URL:
<https://kbgo.to/stm3e>



Product Information

Short-URL:
<https://kbgo.to/tm3e>



TurnMotion III

ALLEVERYTHING VISIBLE IN THE LARDER

KESSEBÖHMER

EVERYONE KNOWS THE PROBLEM: ONCE SOMETHING HAS LANDED ON A SHELF IN THE BACK OF A TALL CUPBOARD, IT IS ALMOST IMPOSSIBLE TO REACH IT WITHOUT A LADDER AND TEDIOUS REARRANGING. TurnMotion III continues the successful series of the rotating shelf: the rotating movement gives you a complete overview of the cupboard contents at all times – which is particularly useful for cupboard heights that are above the ergonomically accessible work area. Even the furthest corner of the cupboard is easily accessible thanks to the rotary movement.

The system is robust and load – bearing: Thanks to the special shape of the movement, TurnMotion III is very easy to operate, even with a possible load of up to 20 kg.

TurnMotion III has been optimised for quick and safe installation. Retrofitting in all 60 cm tall cabinets, especially in the appliance tall cabinet above an electrical appliance, is possible at any time: TurnMotion III can be mounted on the fixed cabinet base or shelf in existing kitchens without any problems.

TurnMotion III shelf

Set of storage cupboard swivel fitting, consisting of:
1 shelf
incl. fixing material and insert mat

Colour code:

Anthracite 9846
Ice white 9966

Dimensions (mm)

Clear installation height
≥68 mm

Clear cabinet depth*
≥495 mm

Clear cabinet width
≥562 mm

*Maximum setback of fitted shelf from carcass edge 19 mm

Item no.

239428 9846

239428 9966







K-LINE side

SOLUTIONS FOR THE UTILITY ROOM



Length
002146 0102 560 mm
002146 9846

002144 0102 1073 mm
002144 9846

Rail-Set
consisting of:
2 rails
4 cover caps

Colour number:
Silver 0102
Anthracite 9846



002148 0102 350 x 110 x 65
002148 9846

Tray

Colour number:
Silver 0102
Anthracite 9846



002149 0102 350 x 110 x 65
002149 9846 350 x 110 x 20

**Tray
with Railing**

Colour number:
Silver 0102
Anthracite 9846



002150 0102 350 x 45 x 60
002150 9846

Support strip with 4 hooks
consisting of:
4 hooks
1 Support strip

Colour number:
Silver 0102
Anthracite 9846

Hook Rail with 5 hooks

350 x 32 x 50

002156 0102**002156 9846**

Colour number:

Silver 0102

Anthracite 9846

**Paper Roll Tray**

350 x 120 x 65

002154 0102**002154 9846**

Colour number:

Silver 0102

Anthracite 9846

**Roll Tray ROLLINERO
with tear-off edge**

350 x 145 x 70

002155 0102**002155 9846**

Colour number:

Silver 0102

Anthracite 9846

**Carrying Box
for cleaning products**

442 x 160 x 315

002151 0102**002151 9846**

consisting of:

1 Carrying Box

1 Support strip

Colour number:

Silver 0102

Anthracite 9846

**Support strip with box**

350 x 138 x 95

002152 0102**002152 9846**

consisting of:

1 Box (294 mm)

1 Support strip

Colour number:

Silver 0102

Anthracite 9846

**Support Strip with two Boxes**

440 x 116 x 95

002153 0102**002153 9846**

consisting of:

2 Boxes (147 mm)

2 Lids

1 Support strip

Colour number:

Silver 0102

Anthracite 9846



K-Line accessories



Item no. **Dimensions**

002157 0102 Length **Hook Rail side mounted**
002157 9846 350 mm **with 5 hooks**

Colour number:
 Silver 0102
 Anthracite 9846



002158 0102 Length **Hook Rail top mounted**
002158 9846 350 mm **with 5 hooks**

Colour number:
 Silver 0102
 Anthracite 9846



002159 0102 **Holder for vacuum cleaner hose**
002159 9846 **or recycling collection bag**

150 x 70 x 63

Colour number:
 Silver 0102
 Anthracite 9846




002160 0102 **Utensil Box**
002160 9846 255 x 140 x 300

Colour number:
 Silver 0102
 Anthracite 9846

K-Line accessories

	Dimensions	Item no.
Shelf-Set for beverage crates		
600 mm		
consisting of:	557 x 355 x 95	238361 0102
1 Tray		238361 9846
2 Support metal plates		
2 Safety pins		
Colour number:		
Silver	0102	
Anthracite	9846	



Laundrytray-Set		
consisting of:		
2 Laundry trays		238362 0102
1 Accessory bag	470 x 85	238362 9846
Colour number:		
Silver	0102	
Anthracite	9846	



Support for ironing board or ladder		
consisting of:		
1 Support	135 x 315 x 20	238363 0102
1 Accessory bag		238363 9846
Colour number:		
Silver	0102	
Anthracite	9846	





BASE UNIT FITTINGS

CONTENTS



No. 15

Multifunctional





NO.15 3D-X K-LINE

Turns the gap into space

DISPENSA junior III

Third generation of a
successful fitting





DISPENSA junior slim

A master of small recesses

COMFORT II

Easy action –
extra convenience



K-LINE base

The narrow pull-out

TANDEM diagonal junior

Elegantly angled



PORTERO

With practical lift-out basket

cleaningAGENT

Cleaning has never been so easy



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/02e>

12.10.2023



No.15

**MAKES GREAT USE
OF NARROW GAPS**

KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/n15e>

PUSH-TO-OPEN FOR NO. 15

 KESSEBÖHMER

push-to-open from Kesseböhmer is the handleless option of mechanical opening for the **No. 15 3D-X**.



Dimensions (mm)

Item no.

push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N


272073 7035

272073 7500

272073 9966

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



PTO housing

for screw fixing

Grey	7035
Anthracite	7500
White	9966


W x D x H

15 x 107 x 18


272075 7035

272075 7500

272075 9966



Top front connection for towel rail and baking tray pull-out



Side adjustment

Front connector

No.15

ULTRA-SLIM PULL-OUT WITH ClickFixx, NOW WITH 3D FRONT ADJUSTMENT

 KESSEBÖHMER

TWO INTERFACE OPTIONS FOR THE 3D-X NO.15 PULL-OUT MAKE FOR EASY INTEGRATION IN ANY PRODUCTION

PROCESS: the fitting can now either be clipped onto the runner without tools and connected using a front panel connector!

3D front adjustment makes adjustment ultra-simple.

PRODUCT FEATURES

- ClickFixx: clip-on connection for fitting and runner and fitting and front panel
- Toolless 3D front adjustment
- Can be installed with or without front panel
- SoftSTOPPlus with self-closing



Front panel connector

Toolless 3D front adjustment

Height and depth are adjusted on the bottom front connector. The top front connector with its 'floating' bearing automatically keeps the connectors parallel when bottom connector height is changed.



Top front connector for 2-tray pull-out

Bottom front connector for 2-tray fitting and for towel rail and baking tray pull-out

Side adjustment


Tilt adjustment

Height adjustment





Fig.: Dimensions in mm



No.15 3D-X, 90° front panel angle

2 trays

B = Clear inside width:	≥ 112 mm
T = Clear inside depth:	≥ 481 mm
H = Clear inside height:	≥ 542 mm
h = Hole distance:	380 mm



Item no. Dimensions (mm)

For 90° base unit
Door mounted
right

**No.15 3D-X style,
2 trays**

Complete;
incl. incl. textured metal trays
and full-extension runners

233461 0005
233461 9846

Maximum load:
12 kg

Colour code:
Chrome 0005
Anthracite 9846

Standard with



damping



For 90° base unit
Door mounted
right

**No.15 3D-X classic,
2 trays**

Complete;
incl. incl. textured metal trays
and full-extension runners

233460 0005
233460 0102

Maximum load:
12 kg

Colour code:
Chrome 0005
Silver 0102

Standard with



damping



260601 0005
260601 9846

Divider style (Fig. left)
for No.15


Colour code:
Chrome 0005
Anthracite 9846

260600 0005
260600 0102

Divider classic (Fig. right)
for No.15

Colour code:
Chrome 0005
Silver 0102

Fig.: Dimensions in mm



B = Clear inside width:	≥ 112 mm
T = Clear inside depth:	≥ 481 mm
H = Clear inside height:	≥ 592 mm
h = Hole distance:	380 mm



No.15 3D-X baking tray and tray pull-out style complete; incl. full-extension runners

Colour code:
 Chrome 0005
 Anthracite 9846

Standard with

 damping



Dimensions (mm)

Item no.

For 90° base unit
 Door mounted right

Maximum load:
 12 kg

233469 0005
 233469 9846



No.15 3D-X baking tray and tray pull-out classic complete; incl. full-extension runners

Colour code:
 Chrome 0005
 Silver 0102

Standard with

 damping



For 90° base unit
 Door mounted right


Maximum load:
 12 kg

233468 0005
 233468 0102





Fig.: Dimensions in mm



B = Clear inside width:	≥ 112 mm
T = Clear inside depth:	≥ 481 mm
H = Clear inside height:	≥ 592 mm
h = Hole distance:	380 mm



Item no. Dimensions (mm)

For 90° base unit
Door mounted
right

No.15 3D-X towel holder pull-out style
complete; incl. full-extension runners

Colour code:
Chrome 0005
Anthracite 9846

Maximum load:
12 kg

233465 0005
233465 9846

Standard with



damping



For 90° base unit
Door mounted
right

No.15 3D-X towel holder pull-out classic
complete; incl. full-extension runners

Colour code:
Chrome 0005
Silver 0102

Maximum load:
12 kg

233464 0005
233464 0102

Standard with



damping





NO.15 3D-X K-LINE

URNS THE GAP INTO SPACE




Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/15e>



Cabinet internal depth:	CD	≥ 489 mm
Cabinet internal height:	CH	≥ 525 mm
Payload:		12 kg

No.15 3D-X K-Line

consisting of:

- 2 Trays
- 1 Connector assembly
- 1 Rail Set
- 2 Front connectors
- 2 Inlay mats



Standard with



damping



Cabinet width	Inner cabinet width (CW)	PU
150 mm	≥ 112	1 Piece

002140 0102

002140 9846

K-Line-Divider

applicable from ≥150 cabinet width

PU
100 Pieces **002165 7500**

Colour number:

Anthracite 7500



push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N

272073 7035

272073 7500

272073 9966

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



PTO housing


for screw fixing

Grey	7035
Anthracite	7500
White	9966

272075 7035

272075 7500

272075 9966





DISPENSA junior III

THIRD GENERATION OF A SUCCESSFUL FITTING

KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/dj3e>



STANDARD WITH:



ARENA^{plus}
Anti-slip coating



Easy access from both sides

Cabinet widths
300-600 mm

Easy height adjustment

Same choice of standard trays
as for tall DISPENSAs

Mounted on the bottom panel



DISPENSA junior III

THE LARDER UNIT UNDER THE WORKTOP

 KESSEBÖHMER

ALL THE TRAY STYLES DEVELOPED FOR THE TALL DISPENSA PULL-OUTS ALSO FIT A DISPENSA JUNIOR III MAKING IT EASY TO CREATE A HARMONIOUS LOOK BEHIND THE FRONTS IN A KITCHEN: THE DISPENSA FAMILY.

Keeping the same look and the same functionality – ARE-NA variants, easy height change, access from both sides – extends all the benefits of a tall larder pull-out to the base unit version as well.



DISPENSA junior III with symmetrical tray distribution

Suggested configuration:

- 1 fitting set
- 2 DISPENSA trays



Item no. **Dimensions (mm)**

- 005262 0102**
- 005262 9966**
- 005262 9846**

Cabinet width:
300

DISPENSA junior III

Fitting set
consisting of:
1 fitting
2 runners
1 set front connectors

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846



Standard with



damping



- 005265 0102**
- 005265 9966**
- 005265 9846**

Cabinet width:
400

DISPENSA junior III

Fitting set
consisting of:
1 fitting
2 runners
1 set front connectors

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846



Standard with



damping



- 005268 0102**
- 005268 9966**
- 005268 9846**

Cabinet width:
450

DISPENSA junior III

Fitting set
consisting of:
1 fitting
2 runners
1 set front connectors

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846




Standard with



damping

Fig.: Dimensions in mm



LB = Clear inside width:	≥ Cabinet width B-40 mm
LT = Clear inside depth:	≥ 480 mm
LH = Clear inside height:	≥ 615 mm

DISPENZA junior III

Fitting set

consisting of:

1 fitting

2 runners

1 set front connectors

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846



Dimensions (mm)

Item no.

Cabinet width:

500

005271 0102

005271 9966

005271 9846



DISPENZA junior III

Fitting set

consisting of:

1 fitting

2 runners

1 set front connectors

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846



Cabinet width:

600

005272 0102

005272 9966

005272 9846



push-to-open (PTO) Typ III

Drill-in ejector

● 26-48 N

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



272074 7035

272074 7500

272074 9966



PTO-Gehäuse

zum Aufschrauben

Grey	7035
Anthracite	7500
White	9966


W x D x H

15 x 107 x 18














272075 7035

272075 7500

272075 9966













Hook-on tray DISPENSA

		Railing	ARENA pure Anthracite	ARENA pure Silver	ARENA pure Silver	ARENA style Anthracite	ARENA style Chrome
		Base panel colour	Anthracite	Ice white	Grey	Anthracite	Ice white
							
							
							
							
							
							
							
							
							
							
							
							

ARENAplus

Anti-slip coating

Cabinet width	PU
300 mm	1 piece
300 mm	2 pieces
400 mm	1 piece
400 mm	2 pieces
450 mm	1 piece
450 mm	2 pieces
500 mm	1 piece
500 mm	2 pieces
600 mm	1 piece
600 mm	2 pieces

		Railing	K-Line Anthracite	K-Line Silver	Metal basket Chrome	Metal basket Silver
		Base panel colour	Anthracite	Anthracite	Chrome	Silver
						
						
						
						
						
						
						
						

Cabinet width	PU
300 mm	1 piece
300 mm	2 pieces
400 mm	1 piece
400 mm	2 pieces
450 mm	1 piece
450 mm	2 pieces
500 mm	1 piece
500 mm	2 pieces
600 mm	1 piece
600 mm	2 pieces

ARENA classic Chrome Ice white	ARENA classic Chrome Grey	ARENA classic Silver Ice white	ARENA classic Silver Grey	Railing Base panel colour	Cabinet width	PU
						
260146 0005	260161 0005	260146 0102	260161 0102		300 mm	1 piece
260147 0005	260162 0005	260147 0102	260162 0102		300 mm	2 pieces
260149 0005	260164 0005	260149 0102	260164 0102		400 mm	1 piece
260150 0005	260165 0005	260150 0102	260165 0102		400 mm	2 pieces
260152 0005	260167 0005	260152 0102	260167 0102		450 mm	1 piece
260153 0005	260168 0005	260153 0102	260168 0102		450 mm	2 pieces
260155 0005	260170 0005	260155 0102	260170 0102		500 mm	1 piece
260156 0005	260171 0005	260156 0102	260171 0102		500 mm	2 pieces
260158 0005	260173 0005	260158 0102	260173 0102		600 mm	1 piece
260159 0005	260174 0005	260159 0102	260174 0102		600 mm	2 pieces



1.1-l dish



1.0-l box



2.0-l box



2.1-l box



3.2-l box



YouBoxx

VERSATILE
AND VARIABLE

 KESSEBÖHMER

THE YouBoxx SYSTEM MAKES IT EASY TO ORGANIZE THE SPACE INSIDE A KITCHEN CABINET TO EXACTLY SUIT THE USER'S WISHES. TO START WITH, THERE ARE FIVE SETS THAT ARE ALL COMPATIBLE AND CAN BE MIXED AND MATCHED AS REQUIRED. EACH USER CAN CONFIGURE THEIR OWN CUSTOMIZED ORGANIZATION SYSTEM.

Compatible cabinets: YouBoxx was developed to provide extra storage options for the whole DISPENSA family. The traverse rail, onto which the YouBoxxes are clipped is simply hooked into the DISPENSA frame. Turning the traverse rail by 180° halves the grid distance (from 10 cm to 5 cm) for even more efficient use of storage space..

A CHOICE OF COLOURS

INSIDE YOUR STORAGE UNIT



For a silver or white DISPENSA junior III door shelf with a silver or white finish, Kesseböhmer offers YouBoxx sets with white boxes and a silver- or white-coated carrier rail. For an anthracite coloured fitting, users might choose anthracite-coloured boxes with an anthracite coloured rail.





Item no. Dimensions (mm)

005273 9966

005273 0102

005273 9846

BxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

YouBoxx Set 1

consisting of:

2 boxes (1.0 l)

1 box (2.1 l)

2 boxes (2.0 l)

1 slotted knife block

2 lids

2 transverse rails

Colour code: (Support rail/YouBoxx)

Silver 0102 (Silver/White)

Ice white 9966 (White/White)

Anthracite 9846 (Anthracite/Anthracite)



005274 0005

005274 0102

005274 9846

BxDxH

115 x 450 x 95

115 x 450 x 35

YouBoxx Set 2

consisting of:

1 box (3.2 l)

1 dish (1.1 l) with bottle rack

3 dividers, small

3 dividers, large

2 holders

Colour code: (Railing/YouBoxx)

Chrome 0005 (Chrome/White)

Silver 0102 (Silver/White)

Anthracite 9846 (Anthracite/Anthracite)

Only for DISPENSA junior III



005275 9966

005275 0102

005275 9846

BxDxH

115 x 150 x 95

115 x 300 x 95

YouBoxx Set 3

consisting of:

2 boxes (1.0 l)

2 boxes (2.1 l)

2 lids

1 divider, large

2 traverse rails

Colour code: (Support rail/YouBoxx)

Silver 0102 (Silver/White)

Ice white 9966 (White/White)

Anthracite 9846 (Anthracite/Anthracite)



005276 9856

005276 7500

BxDxH

115 x 450 x 95

YouBoxx Set 4

consisting of:

2 boxes (3,2 L)

3 dividers, large

2 holders

Only for DISPENSA junior III

Colour code: (Holders/YouBoxx)

Porcelain white 9856 (Silver/White)

Anthracite 7500 (Anthracite/Anthracite)



005277 9966

005277 0102

005277 9846

BxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

YouBoxx Set 5

consisting of:

2 boxes (1.0 l)

1 box (2.1 l)

2 boxes (2.0 l)

1 slotted knife block

2 lids

3 transverse rails

3 hooks (to hold chopping boards)

Colour code: (Support rail/YouBoxx)

Silver 0102 (Silver/White)

Ice white 9966 (White/White)

Anthracite 9846 (Anthracite/Anthracite)

Spice rack

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846

Dimensions (mm)

Item no.

BxD xH
465 x 85 x 33,5

235227 0102
235227 9966

Space:
462 x 79

235227 9846







DISPENSA JUNIOR SLIM

MASTER OF SMALL RECESSES

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/djse>

DISPENSA JUNIOR SLIM

SMALL. STRONG. CLEVER.

 KESSEBÖHMER

- **DISPENSA junior slim 20 cm**
 - Optimum use of width thanks to placement of technology underneath the fitting and on the top of the carcass.





ARENA-Design

right down to the narrowest unit

DISPENSA junior slim 40 cm

Freedom to plan thanks to access from both sides



DISPENSA junior slim 30 cm

Excellent running properties thanks to frame guides used

The Junior slim in the Dispensa range is a master of small recesses.

Starting from a width of just 15 cm, this modern base unit pull-out provides a perfect view of the stored goods and access from either side. The outstanding stability comes from the centrally guided fitting. Even in the smallest units, individuality is a priority.

Which is why the Dispensa junior slim comes with lots of planning freedom with all the ARENA tray variations. The „everything at your fingertips“ effect is rounded off intelligently by the modular YouboXx fittings. This is orderliness without searching.



Item no. **Dimensions (mm)**

	Cabinet width:	DISPENSA junior slim
	200-400*	Fitting set consisting of:
	Clear inside width	1 support frame
	(LB): 160-370	1 adapter plate
	Clear inside height	1 aluminium profile
005450 0102	(LH): 640-728	1 top connector
005450 9966		1 set of runners
005450 9846		1 set of front panel brackets
		1 set of assembly materials
005455 0102	695-783	(excluding screws for carcass)
005455 9966		Colour code:
005455 9846		Silver 0102
		Ice white 9966
		Anthracite 9846

*For 150 mm unit width (110 mm inside clear width) use front panel bracket set product code 005454



	Cabinet width:	Front panel bracket set for frame front
	300	DISPENSA junior slim
	Clear inside width	consisting of:
	(LB): ≥ 260	1 top front panel bracket
		1 bottom front panel bracket
	Cabinet width:	(PU: set of 5)
	400	Colour code:
005452 0102	Clear inside width	Silver 0102
005452 9966	(LB): ≥ 360	Ice white 9966
005452 9846		Anthracite 9846



	Cabinet width:	Front panel bracket set for 150 mm cabinet
	150	width - DISPENSA junior slim
	Clear inside width	consisting of:
	(LB): 110-160	1 top front panel bracket
		1 bottom front panel bracket
		(PU: set of 5)
		Colour code:
005454 0102		Silver 0102
005454 9966		Ice white 9966
005454 9846		Anthracite 9846



Dimensions (mm)

Item no.


push-to-open (PTO) Typ III

Drill-in ejector

● 26-48 N

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



272074 7035
272074 7500
272074 9966



PTO-Gehäuse
zum Aufschrauben

Grey	7035
Anthracite	7500
White	9966

W x D x H
15 x 107 x 18

272075 7035
272075 7500
272075 9966




DISPENSA hook-on trays

		ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style
Railing		Anthracite	Silver	Silver	Anthracite	Chrome
Panel decor		Anthracite	Ice white	Grey	Anthracite	Ice white
						
		236618 9846	236621 0102	236624 0102	260176 9846	260179 0005
		236619 9846	236622 0102	236625 0102	260177 9846	260180 0005
		-	-	-	260193 9846	260196 0005
		-	-	-	260194 9846	260197 0005
		236463 9846	236478 0102	236493 0102	260118 9846	231432 0005
		236464 9846	236479 0102	236494 0102	260119 9846	260133 0005
		236466 9846	236481 0102	236496 0102	260121 9846	231433 0005
		236467 9846	236482 0102	236497 0102	260122 9846	260135 0005

ARENA plus

Anti-slip coating

Cabinet width	PU
150 mm	1 piece
150 mm	2 pieces
200 mm	1 piece
200 mm	2 pieces
300 mm	1 piece
300 mm	2 pieces
400 mm	1 piece
400 mm	2 pieces

		K-Line	K-Line	Metal basket	Metal basket
Railing		Anthracite	Silver	Chrome	Silver
Base panel colour		Anthracite	Anthracite		
					
		002166 9846	002166 0102	217781 0005	217781 0102
		002163 9846	002163 0102	001966 0005	001966 0102
		002167 9846	002167 0102	231573 0005	231573 0102
		002168 9846	002168 0102	001967 0005	001967 0102


Cabinet width	PU
300 mm	1 piece
300 mm	2 pieces
400 mm	1 piece
400 mm	2 pieces



235227 0102 W x D x H
465 x 85 x 33,5
235227 9966
235227 9846 Shelf space:
462 x 79

Spice rack
(Can be used in units with clear inside width minimum 260 mm)

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846

ARENA classic	ARENA classic	ARENA classic	ARENA classic	Railing	
Chrome	Chrome	Silver	Silver		
Ice white	Grey	Ice white	Grey	Panel decor	
				Cabinet width	PU
260182 0005	260185 0005	260182 0102	260185 0102	150 mm	1 piece
260183 0005	260186 0005	260183 0102	260186 0102	150 mm	2 pieces
235420 0005	260190 0005	235420 0102	260190 0102	200 mm	1 piece
260188 0005	260191 0005	260188 0102	260191 0102	200 mm	2 pieces
260146 0005	260161 0005	260146 0102	260161 0102	300 mm	1 piece
260147 0005	260162 0005	260147 0102	260162 0102	300 mm	2 pieces
260149 0005	260164 0005	260149 0102	260164 0102	400 mm	1 piece
260150 0005	260165 0005	260150 0102	260165 0102	400 mm	2 pieces

	Dimensions (mm)	Item no.
YouBoxx Set 1		005273 0102
(Can be used in units with clear inside width minimum 260 mm)		005273 9966
consisting of:	WxDxH	005273 9846
2 boxes (1.0 L)	115 x 150 x 95	
1 box (2.1 L)	115 x 300 x 95	
2 boxes (2.0 L)	115 x 150 x 195	
1 knife compartment		
2 lids		
2 support rails		
Colour code:		
Silver	0102 (silver support rail/white YouBoxx)	
Ice white	9966 (white support rail/white YouBoxx)	
Anthrazit	9846 (Anthracite support rail/Anthracite YouBoxx)	



YouBoxx Set 3		005275 0102
(Can be used in units with clear inside width minimum 260 mm)		005275 9966
consisting of:	WxDxH	005275 9846
2 boxes (1.0 L)	115 x 150 x 95	
2 boxes (2.1 L)	115 x 300 x 95	
2 lids		
1 divider, large		
2 support rails		
Colour code:		
Silver	0102 (silver support rail/white YouBoxx)	
Ice white	9966 (white support rail/white YouBoxx)	
Anthrazit	9846 (Anthracite support rail/Anthracite YouBoxx)	



YouBoxx Set 5		005277 9966
(Can be used in units with clear inside width minimum 260 mm)		005277 0102
consisting of:	WxDxH	005277 9846
2 boxes (1.0 L)	115 x 150 x 95	
1 box (2.1 L)	115 x 300 x 95	
2 boxes (2.0 L)	115 x 150 x 195	
1 divider for knives		
2 lids		
3 support rails		
3 hooks (to hold chopping boards)		
Colour code:		
Silver	0102 (silver support rail/white YouBoxx)	
Ice white	9966 (white support rail/white YouBoxx)	
Anthrazit	9846 (Anthracite support rail/Anthracite YouBoxx)	







COMFORT II

CHECK THE CONTENTS AT A GLANCE

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/cf2e>



STANDARD WITH:



3D Adjust



ARENA^{plus}
Anti-slip coating

Even smoother action!

COMFORT II runner technology meets all current expectations for easy, effortless action.

COMFORT II

SMOOTH ACTION, AMPLE SPACE,
A PLEASURE TO USE

 KESSEBÖHMER

IN YOUR KITCHEN, THE OPTIONS OFFERED BY THE UNDER-COUNTER COMFORT II FITTING INCLUDE HEIGHT-ADJUSTABLE TRAYS. Different inserts are available to store bottles, bread, coffee and tea efficiently. Eminently practical is the optional spice rack for the 90° pull-out! Can be integrated optimally into any production line – fitting and runner snap together. No tools required!

PRODUCT FEATURES

- ClickFixx: Snap-on connections (fitting to runner)
- 3D front panel adjustment
- Smooth and comfortable movement
- SoftSTOPplus damped closing

3D front panel adjustment

Spice rack for 90°
pull-out (optional)

Almost 100% of
storage space pulls out

Height adjustable

Runner action meets
latest technical standards

Uses proven
trays and baskets





Item no. Dimensions (mm)

Cabinet left
(posted on the right)
Clear inside height Frame height

260752 0102	≥526	502
260752 9966		
260752 9846		
260754 0102	≥590	566
260754 9966		
260754 9846		
260756 0102	≥654	630
260756 9966		
260756 9846		
260750 0102	≥686	662
260750 9966		
260750 9846		

COMFORT II

Incl. GRASS Nova Pro full-extension runner and front connectors
Payload: 20 kg

Supplied only with plastic-coated finish!

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846

Standard with



damping






Cabinet right
(posted on the left)
Clear inside height Frame height

260753 0102	≥526	502
260753 9966		
260753 9846		
260755 0102	≥590	566
260755 9966		
260755 9846		
260757 0102	≥654	630
260757 9966		
260757 9846		
260751 0102	≥686	662
260751 9966		
260751 9846		

Hook-on trays COMFORT II

			ARENA pure	ARENA pure	ARENA pure	ARENA style
Railing			Anthracite	Silver	Silver	Anthracite
Base panel colour			Anthracite	Ice white	Grey	Anthracite
ARENA^{plus}						
<i>Anti-slip coating</i>						
Cabinet width	Tray width	PU				
200 mm	110 mm	2 pieces	260867 9846	260877 0102	260887 0102	260746 9846
200 mm	110 mm	3 pieces	260868 9846	260878 0102	260888 0102	260747 9846
250 mm	160 mm	2 pieces	260869 9846	260879 0102	260889 0102	260748 9846
250 mm	160 mm	3 pieces	260870 9846	260880 0102	260890 0102	260749 9846
300 mm	210 mm	2 pieces	260871 9846	260881 0102	260891 0102	260784 9846
300 mm	210 mm	3 pieces	260872 9846	260882 0102	260892 0102	260785 9846
350 mm	260 mm	2 pieces	260873 9846	260883 0102	260893 0102	260788 9846
350 mm	260 mm	3 pieces	260874 9846	260884 0102	260894 0102	260789 9846
400 mm	295 mm	2 pieces	260875 9846	260885 0102	260895 0102	-
400 mm	295 mm	3 pieces	260876 9846	260886 0102	260896 0102	-
400 mm	320 mm	2 pieces				260790 9846
		3 pieces				260791 9846

Fig.: Dimensions in mm



COMFORT II with 90° front angle

T = Clear inside depth:	≥ 496 mm
B = Clear inside width:	tray width + 35 mm

push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



Dimensions (mm) **Item no.**

272073 7035
272073 7500
272073 9966




PTO housing

for screw fixing

Grey	7035
Anthracite	7500
White	9966

W x D x H
15 x 107 x 18

272075 7035
272075 7500
272075 9966



ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket
Chrome	Chrome	Chrome	Silver	Silver	Chrome	Silver
Ice white	Ice white	Grey	Ice white	Grey		
260758 0005	260767 0005	260776 0005	260767 0102	260776 0102	235027 0005	235027 0102
260759 0005	260768 0005	260777 0005	260768 0102	260777 0102	235028 0005	235028 0102
260760 0005	260769 0005	260778 0005	260769 0102	260778 0102	235029 0005	235029 0102
260761 0005	260770 0005	260779 0005	260770 0102	260779 0102	235030 0005	235030 0102
260792 0005	260796 0005	260810 0005	260796 0102	260810 0102	233399 0005	233399 0102
260793 0005	260797 0005	260811 0005	260797 0102	260811 0102	235031 0005	235031 0102
260794 0005	260798 0005	260812 0005	260798 0102	260812 0102	235157 0005	235157 0102
260795 0005	260799 0005	260813 0005	260799 0102	260813 0102	235158 0005	235158 0102
-	260773 0005	260782 0005	260773 0102	260782 0102	-	-
-	260774 0005	260783 0005	260774 0102	260783 0102	-	-
260764 0005	-	-	-	-	235032 0005	235032 0102
260765 0005	-	-	-	-	235033 0005	235033 0102

Item no. Dimensions (mm)

015277 0102 BxDxH
479 x 133 x 76

015277 9966

015277 9846 Space:
476 x 103

Spice rack

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846





K-LINE base

THE NARROW PULL-OUT

 KESSEBÖHMER




Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/klbse>



Cabinet internal depth: **CD** ≥ 477 mm
 Cabinet internal height: **CH** ≥ 523 mm
 Payload: 28 kg

K-Line base

consisting of:

2 Trays

2 Connector assemblies

1 Rail Set


2 Front connectors

2 Inlay mat




Cabinet width (W)	Inner cabinet width (CW)	PU
200 mm	162-168	1 Piece
300 mm	262-268	1 Piece
400 mm	362-368	1 Piece

Silver




002141 0102
002142 0102
002143 0102

Anthracite



002141 9846
002142 9846
002143 9846



Cabinet internal depth: **CD** ≥ 477 mm
 Cabinet internal height: **CH** ≥ 715 mm
 Payload: 28 kg

K-Line base extra shelf

consisting of:

1 Tray


2 Adapters above

2 Attachment adapters

1 Inlay mat

Cabinet width (W)	PU
200-400 mm	1 Piece

Silver




002170 0102

Anthracite



002170 9846



Cabinet internal depth:	CD	≥ 477 mm
Cabinet internal height:	CH	≥ 523 mm
Payload:		28 kg

K-Line base baguette and bottle pullout

consisting of:



2 Trays

2 Connector assemblies



2 Front connectors

1 Rail Set


2 Inlay mats

1 Bread bag


6 Dividers

Cabinet width (W)	Inner cabinet width (CW)	PU
300 mm	262-268	1 Piece
400 mm	362-368	1 Piece

Silver



Anthracite



002171 0102

002171 9846

002172 0102

002172 9846

K-Line-Divider

applicable from ≥150 cabinet width

PU
100 Pieces

002165 7500

Colour number:

Anthracite 7500



push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N


272073 7035

272073 7500

272073 9966

Can also be used with PTO housing
(272075 7035)

Grey	7035
Anthracite	7500
White	9966



PTO housing


for screw fixing


Grey	7035
Anthracite	7500
White	9966

272075 7035

272075 7500

272075 9966





Cabinet internal depth:	CD	≥ 477 mm
Cabinet internal height:	CH	≥ 523 mm
Payload:		28 kg


K-Line base baguette and bottle pullout

- consisting of:
- 2 trays
 - 2 connecting assemblies
 - 1 set of rails
 - 2 front connectors
 - 2 insert mats
 - 1 K-Line box 147 x 107 x 195
 - 1 K-Line knife holder
 - 1 K-Line Box 294 x 107 x 95
 - 6 compartment dividers




Cabinet width (W)	Inner cabinet width (CW)	PU
300 mm	262-268	1 Piece
400 mm	362-368	1 Piece

Silver



Anthracite



002173 0102

002173 9846

002174 0102

002174 9846

K-Line-Divider

applicable from ≥150 cabinet inner width

PU

100 Pieces

002165 7500

Colour number:

Anthracite 7500



push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N

272073 7035

272073 7500

272073 9966


Can also be used with PTO housing

(272075 7035)

Grey 7035

Anthracite 7500

White 9966



PTO housing

for screw fixing

272075 7035


272075 7500

272075 9966

Grey 7035

Anthracite 7500

White 9966





TANDEM diagonal junior –
elegantly angled.



Technical Support

Short-URL:
<https://kbgo.to/supe>

The perfect start to a **small** kitchen.

It's often hard to place an additional unit at the entrance of a small kitchen because it would block access.

Installing a diagonal unit is an ideal solution here..



One fitting for all angles

Fitting can be installed on the left or right

Height-adjustable top tray

Access from three sides

Identical trays for larder and base units

No adjustment of fittings necessary




Part of the family.

The TANDEM diagonal junior is the matching base unit version that complements the successful TANDEM diagonal larder unit concept. The same trays and designs are used for consistency with the larder unit.


When you are designing a kitchen with diagonal units this means you can still use the high-quality Kesseböhmer design.

TANDEM diagonal hook-on trays

Railing	ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style	
Base panel colour	Anthracite	Silver	Silver	Anthracite	Chrome	
	Anthracite	Ice white	Grey	Anthracite	Ice white	
ARENA^{plus}						
Anti-slip coating						
Door catch	PU					
left	2 pieces	238153 9846	238157 0102	238161 0102	237135 9846	237139 0005
right	2 pieces	238155 9846	238159 0102	238163 0102	237137 9846	237141 0005

TANDEM diagonal junior

X° =	51°	52°	53°	54°	55°	56°	57°	58°	59°	60°
T = clear depth of unit	≥ 500	498	496	494	492	490	488	486	484	482 mm
B = clear width of unit	262-268 mm									
H = clear height of unit	≥ 600 mm									
Tray load capacity:	≤ 10 kg									
Load capacity:	≤ 20 kg									
System weight:	≤ 22 kg									



TANDEM diagonal junior fitting set

bestehend aus:

consisting of:

- 1 pull-out frame
- 1 runner, top
- 1 set of runners, bottom
- 1 follower
- 1 door connector
- 1 control lever
- 1 bag of accessories

Anthracite	Silver
003850 9846	003850 0102



(Subject to technical modifications.)

ARENA classic Chrome Ice white	ARENA classic Chrome Grey	ARENA classic Silver Ice white	ARENA classic Silver Grey	Metal basket Chrome	Metal basket Silver	Railing Base panel colour
237143 0005	237147 0005	237143 0102	237147 0102	237621 0005	237621 0102	Cabinet width
237145 0005	237149 0005	237145 0102	237149 0102	237622 0005	237622 0102	300 mm





PORTERO

WITH THE PRACTICAL LIFT-OUT BASKET

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/prte>



PORTERO

TOP MARKS FOR PRACTICALITY

— KESSEBÖHMER —

ALL YOUR CLEANING MATERIALS IN ONE PULL-OUT. THE TOP BASKET SWIVELS ASIDE FOR OPTIMAL ACCESS.

Special feature: the integrated 'service station' that can be lifted out and taken along as you clean. There's a choice of three sizes. The removable plastic trays are dishwasher safe.



**Top swivel basket for
extra storage space**

Simply mounted on the bottom panel

**Acid-resistant, plastic trays
provide a firm footing for bottles
and catch spills**

Adaptable system carrier

STANDARD WITH:






For easy access to the cleaning agents in the lower basket ...



... the top basket can be swivelled left or right.



Top marks for practicality: removable basket with handle.



Item no. Dimensions (mm)

005151 0005 BxDxH
005151 9846 160 x 468 x 395

PORTERO cleaning materials pull-out single

consisting of:
 1 system frame
 1 slot-in basket with carry handle
 4 dividers

Colour code:
 Chrome 0005
 Anthracite 9846



005153 0005 BxDxH
005153 9846 276 x 468 x 510

PORTERO cleaning materials pull-out double top

consisting of:
 1 system frame
 1 slot-in basket with carry handle
 1 slot-in basket without carry handle
 1 swivel basket
 8 dividers

Colour code:
 Chrome 0005
 Anthracite 9846



cleaningAGENT

CLEANING HAS NEVER BEEN SO EASY

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/clae>



cleaningAGENT

A PRACTICAL SOLUTION, EASY TO USE
AND EASY TO CLEAN

 KESSEBÖHMER

TOTALLY PRACTICAL, EXTREMELY COMPACT AND MANUFACTURED TO THE HIGHEST STANDARDS. For all its compact design, cleaningAGENT has a lot of practical features and ample space for all your cleaning stuff. The top layer compartments organize sponges, brushes and other implements. Top marks for practicality: the basket with the ergonomic easy-grip handle.

STANDARD WITH:



All plastic elements removable
and washable (dishwasher proof)

Resistant to all commonly available house-
hold cleaning materials

Dividers to hold contents
safely in place

Carry basket with
non-slip rubber feet

Mounted on bottom panel –
right or left (can be retrofitted)



cleaningAGENT

consists of:

- 1 system frame
- 1 hook-on basket with easy-grip handle
- 2 large containers
- 1 small container
- 6 dividers

Colour code:

Grey/Silver	025232 0102
Anthracite/ Anthracite	233962 9846
Anthracite/ Silver	233962 0102

Dimensions (mm)

Clear installation
dimensions

BxDxH

298 x 480 x 480

Item no.

025232 0102

233962 9846

233962 0102





CORNER UNIT FITTINGS

CONTENTS



LeMans II

For 90, 100 and 120 cm
corner base units
and highboards



3·15




MagicCorner

For 90 and 100 cm
corner base units

REVO 90°

Custom solutions for 80 and 90 cm
corner base units



3·19

3·23



Three-quarter carousel

Custom solutions for 80 and 90 cm
corner base units

Semicircular carousel

Custom solutions for 90 cm corner
base units



3·27



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/03e>

12.10.2023

LeMans II



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/lm2e>

LeMans II

OPTIMAL FUNCTIONALITY FOR
FASCINATING EASE OF USE

 KESSEBÖHMER

LeMans offers up to

70%

more storage area
than a base unit with pull-out
drawers next to the blind corner!



reddot design award



PLUS X AWARD™



German
Design Award

WHY USING THE CORNER IS ALWAYS BETTER THAN LEAVING A BLIND CORNER

In addition, the clever design of the trays is an ideal fit for pots and pans, so that the actual, usable space increases by up to 70 %.

Customer demo: put as many pots and pans into a drawer/LeMans tray as will fit comfortably side-by-side (do not stack). Note: contents can even extend beyond the railing of a LeMans adding to space savings and flexibility. Use of the available space is clearly better and more efficient in a LeMans.

Compare a LeMans tray with a drawer



Example

1x saucepan Ø 25 cm
 1x pan Ø 25 cm
 2x saucepan Ø 15 cm
 2x pans Ø 15 cm

1x saucepan Ø 25 cm
 1x pan Ø 25 cm

Use of available space
 Benefit

1,688 cm²
 170 %

981 cm²
 100 %

→ Up to 70 % more storage space in a LeMans





UP TO 50KG LOAD CA- PACITY

LeMans is an extremely robust storage system with a load capacity of up to 25kg per tray. Damped self-closing means whisper-quiet closing even fully loaded. The patented 4-arm articulation system swings the trays out of the cabinet in a smooth and fluid movement. Users select tray heights to suit their needs and cut out wasted space. With optimal access at all times, LeMans makes perfect use of corner space!

25kg =  





LeMans II

CONTINUING A LONG TRADITION



THE LE MANS RACETRACK AND THE LeMans INTELLIGENT CORNER UNIT SOLUTION FROM KESSEBÖHMER ARE BOTH INSTANTLY RECOGNIZABLE FOR THEIR SHAPE AND FUNCTIONALITY. ON THE RACETRACK AND IN THE KITCHEN, EFFICIENCY, INNOVATION AND EMOTION ARE IN THE FOREGROUND.

LeMans II is the second generation of a successful product – with new, improved features and innovations. Kesseböhmer’s intelligent corner unit system is once again setting standards with new engineering quality and fascinating movement sequences!

PRODUCT FEATURES

- Door opening angle of just 85° allows trays to swing completely out
- Max. payload per tray is 25 kg
- Height-adjustable trays
- ClickFixx system for fast, errorfree, toolless assembly
- Damped self-closing (option)
- 70 % more storage area than a base unit with pull-out drawers next to the blind corner!

The trays move smoothly and almost effortlessly out of the unit ...




... so that users have a clear view of all the contents and optimal access.




LeMans II scores high on efficiency and benefits.




Fig.: Dimensions in mm




Example: swings out to the right
(left cabinet – 40 cm door)



Example: swings out to the right
(left cabinet – 45 cm door)



Example: swings out to the right
(left cabinet – 50 cm door)




Example: swings out to the right
(left cabinet – 60 cm door)

Hook-on tray LeMans II

PU 1 set (= 2 trays and fixings) without axle; max. load: 25 kg/tray

			ARENA pure Anthracite	ARENA pure Silver
Railing			Anthracite	Ice white
Base panel colour			Anthracite	Ice white
ARENAplus Anti-slip coating			SOFTSTOPPLUS	
Door width	swing out	SoftSTOPP plus		
400 mm	right	-	2603909846	2603800102
	left	-	2603919846	2603810102
450 mm	right	-	2603929846	2603820102
	left	-	2603939846	2603830102
500 mm	right	-	2603949846	2603840102
	left	-	2603959846	2603850102
600 mm	right	-	2603969846	2603860102
	left	-	2603979846	2603870102
Door width	swing out	SoftSTOPP plus		
400 mm	right	2 pieces	2604909846	2604800102
	left	2 pieces	2604919846	2604810102
450 mm	right	2 pieces	2604929846	2604820102
	left	2 pieces	2604939846	2604830102
500 mm	right	2 pieces	2604949846	2604840102
	left	2 pieces	2604959846	2604850102
600 mm	right	2 pieces	2604969846	2604860102
	left	2 pieces	2604979846	2604870102



	Door width			
mm	400	450	500	600
A	≥764	≥800	≥910	≥960
B	≥500	≥500	≥500	≥500
C	361-368	411-418	461-468	561-568
D	16-19	16-19	16-19	16-19
E	≥60	≥60	≥60	≥60
F	≤400	≤450	≤500	≤600
G	≤65	≤65	≤65	≤65
H	600-900	600-900	600-900	600-900
J	≤25	≤25	≤25	≤25
K	≤70	≤70	≤70	≤70

ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Silver	Anthracite	Chrome	Chrome	Chrome	Silver	Silver
Grey	Anthracite	Ice white	Ice white	Grey	Ice white	Grey
						

2603700102	235008 9846	235083 0005	235010 0005	047918 0005	235010 0102	047918 0102
2603710102	235009 9846	235084 0005	235011 0005	047919 0005	235011 0102	047919 0102
2603720102	234621 9846	233045 0005	235012 0005	047920 0005	235012 0102	047920 0102
2603730102	234622 9846	233046 0005	235013 0005	047921 0005	235013 0102	047921 0102
2603740102	234623 9846	233047 0005	235014 0005	047922 0005	235014 0102	047922 0102
2603750102	234624 9846	233048 0005	235015 0005	047923 0005	235015 0102	047923 0102
2603760102	234625 9846	233049 0005	235016 0005	047924 0005	235016 0102	047924 0102
2603770102	234626 9846	233050 0005	235017 0005	047925 0005	235017 0102	047925 0102

2604700102	260360 9846	260320 0005	260350 0005	260340 0005	260350 0102	260340 0102
2604710102	260361 9846	260321 0005	260351 0005	260341 0005	260351 0102	260341 0102
2604720102	260362 9846	260322 0005	260352 0005	260342 0005	260352 0102	260342 0102
2604730102	260363 9846	260323 0005	260353 0005	260343 0005	260353 0102	260343 0102
2604740102	260364 9846	260324 0005	260354 0005	260344 0005	260354 0102	260344 0102
2604750102	260365 9846	260325 0005	260355 0005	260345 0005	260355 0102	260345 0102
2604760102	260366 9846	260326 0005	260356 0005	260346 0005	260356 0102	260346 0102
2604770102	260367 9846	260327 0005	260357 0005	260347 0005	260357 0102	260347 0102

Axle, height-adjustable

with 2 premounted bearing sleeves

1 cabinet-side M profile

1 top connector

1 axle bearing bottom

For clear

inside height	Ice white	Silver	Anthracite
600-750 mm	007944 9966	007944 0102	007944 9846
650-800 mm	007958 9966	007958 0102	007958 9846
720-900 mm	007945 9966	007945 0102	007945 9846



SoftSTOPPplus damping (set of 2)

	White	Grey	Anthracite
right swing out	234641 9010	234641 7930	234641 7500
left swing out	234642 9010	234642 7930	234642 7500



LeMans II

FOR EFFECTIVE USE OF SPACE
IN A CORNER
HIGHBOARD, LOOK AT
A LeMans SOLUTION

 KESSEBÖHMER




LeMans II




10:40

Miele


Fig.: Dimensions in mm




Example: swings out to the right
(left cabinet - 40 cm door)



Example: swings out to the right
(left cabinet - 45 cm door)



Example: swings out to the right
(left cabinet - 50 cm door)




Example: swings out to the right
(left cabinet - 60 cm door)

Hook-on tray LeMans II

PU 1 set (= 2 trays and fixings) without axle; max. load: 25 kg/tray

2 sets required per axle/cabinet!

			ARENA pure	ARENA pure
			Anthracite	Silver
Railing			Anthracite	Ice white
Base panel colour			Anthracite	Ice white
				
ARENAplus			SOFTSTOPPLUS	
<i>Anti-slip coating</i>				
Door width	swing out	SoftSTOPP plus		
400 mm	right	-	2603909846	2603800102
	left	-	2603919846	2603810102
450 mm	right	-	2603929846	2603820102
	left	-	2603939846	2603830102
500 mm	right	-	2603949846	2603840102
	left	-	2603959846	2603850102
600 mm	right	-	2603969846	2603860102
	left	-	2603979846	2603870102
Door width	swing out	SoftSTOPP plus		
400 mm	right	2 pieces	2604909846	2604800102
	left	2 pieces	2604919846	2604810102
450 mm	right	2 pieces	2604929846	2604820102
	left	2 pieces	2604939846	2604830102
500 mm	right	2 pieces	2604949846	2604840102
	left	2 pieces	2604959846	2604850102
600 mm	right	2 pieces	2604969846	2604860102
	left	2 pieces	2604979846	2604870102



	Door width			
mm	400	450	500	600
A	≥764	≥800	≥910	≥960
B	≥500	≥500	≥500	≥500
C	361-368	411-418	461-468	561-568
D	16-19	16-19	16-19	16-19
F	≤400	≤450	≤500	≤600

	Door width			
mm	400	450	500	600
G	≤65	≤65	≤65	≤65
H	≥1265	≥1265	≥1265	≥1265
J	≤25	≤25	≤25	≤25
K	≤70	≤70	≤70	≤70

ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Silver	Anthracite	Chrome	Chrome	Chrome	Silver	Silver
Grey	Anthracite	Ice white	Ice white	Grey	Ice white	Grey
						

2603700102	235008 9846	235083 0005	235010 0005	047918 0005	235010 0102	047918 0102
2603710102	235009 9846	235084 0005	235011 0005	047919 0005	235011 0102	047919 0102
2603720102	234621 9846	233045 0005	235012 0005	047920 0005	235012 0102	047920 0102
2603730102	234622 9846	233046 0005	235013 0005	047921 0005	235013 0102	047921 0102
2603740102	234623 9846	233047 0005	235014 0005	047922 0005	235014 0102	047922 0102
2603750102	234624 9846	233048 0005	235015 0005	047923 0005	235015 0102	047923 0102
2603760102	234625 9846	233049 0005	235016 0005	047924 0005	235016 0102	047924 0102
2603770102	234626 9846	233050 0005	235017 0005	047925 0005	235017 0102	047925 0102


2604700102	260360 9846	260320 0005	260350 0005	260340 0005	260350 0102	260340 0102
2604710102	260361 9846	260321 0005	260351 0005	260341 0005	260351 0102	260341 0102
2604720102	260362 9846	260322 0005	260352 0005	260342 0005	260352 0102	260342 0102
2604730102	260363 9846	260323 0005	260353 0005	260343 0005	260353 0102	260343 0102
2604740102	260364 9846	260324 0005	260354 0005	260344 0005	260354 0102	260344 0102
2604750102	260365 9846	260325 0005	260355 0005	260345 0005	260355 0102	260345 0102
2604760102	260366 9846	260326 0005	260356 0005	260346 0005	260356 0102	260346 0102
2604770102	260367 9846	260327 0005	260357 0005	260347 0005	260357 0102	260347 0102

Axle, 1250 mm

with 4 premounted bearing sleeves
 2 cabinet-side M profile
 2 bearing brackets
 1 locking clip
 1 connecting clip
 1 bottom bearing

For clear

inside height	Ice white	Silver	Anthracite
min. 1.265 mm	007943 9966	007943 0102	007943 9846



SoftSTOPplus damping (set of 2)

2 sets required per axle/cabinet!

	White	Grey	Anthracite
right swing out	234641 9010	234641 7930	234641 7500
left swing out	234642 9010	234642 7930	234642 7500







MagicCorner

THE "MAGIC" SOLUTION FOR CORNER SPACE

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/mgce>




Adjustable frame for 90 and 100 cm
cabinet widths

Precisely defined
movement sequences


STANDARD WITH:



ARENAplus
Anti-slip coating



As the front pull-out opens ...




... and swings aside.

The follower draws the rear element to the front of the cabinet.



Swings out left



MagicCorner

B = Clear inside width:	860-971 mm
T = Clear inside depth:	≥ 485 mm
H = Clear inside height:	≥ 525 mm
Door width	≥ 450 mm
Max. load	Front pull-out: 14 kg
	Corner element: 18 kg
P = Post depth	T = 485-500 mm P ≤ 65
	T = 500-510 mm P ≤ 80




Item no.	Dimensions (mm)	
260401 0102	right	MagicCorner for 90 and 100 cm corner units
260401 9966	swing out	
260401 9846		
260402 0102	left	Standard with
260402 9966	swing out	Standard with
260402 9846		
Colour code:		 damping
Silver	0102	 ClickFixx
Ice white	9966	
Anthracite	9846	


Hook-on tray MagicCorner

1 set = 4 trays


ARENA^{plus}
Anti-slip coating

	ARENA pure Anthracite	ARENA pure Silver	ARENA pure Silver	ARENA style Chrome	ARENA style Anthracite	ARENA classic Chrome
Railing	Anthracite	Ice white	Grey	Ice white	Anthracite	Ice white
Base panel colour	Anthracite	Ice white	Grey	Ice white	Anthracite	Ice white
Cabinet width						
900/1000 mm	236641 9846	236642 0102	236643 0102	260400 0005	231258 9846	260403 0005

	ARENA classic Chrome	ARENA classic Silver	ARENA classic Silver	Metal basket Chrome	Metal basket Silver
Railing	Grey	Ice white	Grey	Chrome	Silver
Base panel colour	Grey	Ice white	Grey	Chrome	Silver
Cabinet width					
900/1000 mm	046207 0005	260403 0102	046207 0102	006207 0005	006207 0102



Item no.	Dimensions (mm)	push-to-open (PTO) Typ III Drill-in ejector
272074 7035		● 26-48 N
272074 7500		
272074 9966		
		Can also be used with PTO housing (272075 7035)
		Grey 7035
		Anthracite 7500
		White 9966



Corner unit fittings

Item no.	Dimensions (mm)	PTO housing for screw fixing
272075 7035	W x D x H	
272075 7500	15 x 107 x 18	
272075 9966		
		Grey 7035
		Anthracite 7500
		White 9966



REVO 90°

THE USER-FRIENDLY CORNER SOLUTION WITH FRONTS THAT TURN WITH THE CAROUSEL

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/rvoe>



REVO 90°

INNOVATIVE ENGINEERING IN A CLASSIC FITTING

KESSEBÖHMER

THE CONTROL MECHANISMS ENSURE A TOTALLY CONTROLLED MOVEMENT SEQUENCE – THE DOORS FOLD GENTLY AWAY, THE CAROUSEL ROTATES SMOOTHLY, THE DOORS CLOSE AUTOMATICALLY.

With rotational damping and REVOfit, it's a pleasure to watch the carousel in action. With REVOfit, the closing speed can be adjusted quickly and toollessly. Steplessly adjustable trays let users use the storage space the way they want to. Adding a third tray and/or a pan tray – even as a retrofit – lets users create even more storage area.



**Fast, reliable, toolless assembly.
The clip-on front connection...**



... saves time and guarantees perfect functioning.

Toolless axle
height adjustment

Variable for use in 80 and 90 cm
cabinet widths

Height of trays and baskets
can be changed as required

STANDARD WITH:





ARENAplus
Anti-slip coating

REVOfit lets users set the closing
speed quickly and toollessly



Fig.: Dimensions in mm



Hook-on tray REVO 90°

		ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style
Railing		Anthracite	Silver	Silver	Anthracite	Chrome
Base panel colour		Anthracite	Ice white	Grey	Anthracite	Ice white
ARENA plus						
<i>Anti-slip coating</i>						
Cabinet width	PU 1 set					
800 mm	2 trays	260564 9846	260562 0102	260560 0102	260557 9846	260503 0005
900 mm	2 trays	260565 9846	260563 0102	260561 0102	260556 9846	260506 0005

		ARENA classic	ARENA classic	ARENA classic	ARENA classic
Railing		Chrome	Chrome	Silver	Silver
Base panel colour		Ice white	Grey	Ice white	Grey
ARENA plus					
<i>Anti-slip coating</i>					
Cabinet width	PU 1 set				
800 mm	2 trays	260554 0005	260532 0005	260554 0102	260532 0102
900 mm	2 trays	260555 0005	260533 0005	260555 0102	260533 0102

REVO 90° set

incl. 4 front panel connectors, 1 cam disc, 1 rotating tray bearing and 1 top panel bracket

Cabinet width	Ice white	Silver	Anthracite
800 and 900 mm	260500 9966	260500 0102	260500 9846





CAROUSEL 270

ROTATING TRAY AXLE-MOUNTED

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/270e>




Height-adjustable axle

270° carousel as corner carousel
behind hinged doors

Variable for use in 80 and 90 cm
cabinet widths

80 cm corner base unit



90 cm corner base unit




Fig.: Dimensions in mm

Hook-on tray for Carousel 270

PU 1 set = 2 trays

ARENA^{plus}
Anti-slip coating

	ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Railing	Anthracite	Silver	Silver	Anthracite	Chrome	Chrome	Chrome	Silver	Silver
Base panel colour	Anthracite	Ice white	Grey	Anthracite	Ice white	Ice white	Grey	Ice white	Grey
Cabinet width									
800 mm	238451 9846	238453 0102	238455 0102	260558 9846	260546 0005	260548 0005	260550 0005	260548 0102	260550 0102
900 mm	238452 9846	238454 0102	238456 0102	260559 9846	260547 0005	260549 0005	260551 0005	260549 0102	260551 0102

Axle

Height adjustable

Height	Chrome
655-745 mm	250052 0005
742-832 mm	260359 0005







CAROUSEL 180

AXLE-MOUNTED

—  KESSEBÖHMER —



Height-adjustable axle to suit
different cabinet heights

180° trays make good use
of corner space

90 cm corner unit




Fig.: Dimensions in mm

Hook-on tray semi-circular carousel

Axle-mounted
1 set = 2 trays

ARENA^{plus}
Anti-slip coating

	ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Railing	Anthracite	Silver	Silver	Anthracite	Chrome	Chrome	Chrome	Chrome	Silver
Base panel colour	Anthracite	Ice white	Grey	Anthracite	Ice white	Ice white	Grey	Grey	Ice white
Cabinet width									
900 mm	238457 9846	238458 0102	238459 0102	231984 9846	260542 0005	260543 0005	260544 0005	260543 0102	260544 0102

Axle

with top connector
for semi-circular carousel trays

Height	Chrome
655-745 mm	250052 0005
742-832 mm	260359 0005





WALL UNIT FITTINGS

CONTENTS

 KESSEBÖHMER

DUO, DUO forte

Classic solution for
lift-up fronts



4-2




4-7

MAXI

Fast installation –
and a soft lift

FREEfold & FREEfold short

Elegant performance for
tall wall units



4-9



4-15

FREEswing

Ideal for medium
and large fronts

FREEslide

Solution-oriented
multitalent



4-19



4-23

FREEflap mini/FREEflap forte


Compact lifters, maxi benefits

FREEspace mini & forte

Beautifully small - simply strong.
The small but mighty fitting
for unit fronts.



4-29



4-41

FREElight

Simply good

eTouch for FREElift

Simply press



4-51



4-61

iMove

The intelligent pull-down system
for wall units



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/04e>

12.10.2023





DUO/DUO forte

CLASSIC LIFTER SOLUTIONS

 KESSEBÖHMER




Technical Support

Short-URL:
<https://kbgo.to/supe>




Product Information


Short-URL:
<https://kbgo.to/ddfe>



Lifting force diagrams for DUO



Lifting force diagrams for DUO forte



Item no.

DUO

271692 0006

For opening angle 75°, 90° and 110°
Fixing bracket for the front
for wood screws (nickel-plated)

Fixing bracket for the carcass:
37 mm hole spacing

- Set consists of:
- 1 fitting
 - 1 fixing bracket for the carcass
 - 1 fixing bracket for the front

Stopping force steplessly adjustable

Install right or left – simplifies logistics and assembly

Applications: for lift-up flaps and drop-down flaps for bar cabinets



DUO forte

271702 0006

For opening angle 75°, 90° und 110°
Fixing bracket for the front
for pan-head screws (nickel-plated)

Fixing bracket for the carcass:
37 mm hole distance

- Set consists of:
- 1 fitting
 - 1 fixing bracket for the carcass
 - 1 fixing bracket for the front

Stopping force steplessly adjustable

Install right or left – simplifies logistics and assembly

Applications: for lift-up flaps and drop-down flaps for bar cabinets



STANDARD WITH:







MAXI

FAST INSTALLATION – AND A SOFT LIFT

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/maxe>

Opening angle	Carcase height (mm)	Fixing bracket for the front	Model A	Model B	Model C	Model D
			Item no.	Item no.	Item no.	Item no.
		for wood screws PU: 25 sets	271710 0006 nickel-plated	271713 0006 nickel-plated	271721 0006 nickel-plated	271720 0006 nickel-plated
		for euro screws PU: 25 sets	271707 0006 nickel-plated	271711 0006 nickel-plated	271714 0006 nickel-plated	271722 0006 nickel-plated
 75°	300		3,8–7,1 kg	6,7–13,7 kg	11,9–21,0 kg	15,4–27,3 kg
	400		2,8–5,3 kg	5,0–10,3 kg	8,9–15,8 kg	11,6–20,5 kg
	500		2,3–4,3 kg	4,1–8,3 kg	7,2–12,5 kg	9,4–16,2 kg
	600		1,9–3,5 kg	3,3–7,0 kg	5,9–10,6 kg	7,6–13,7 kg
	700		1,6–3,0 kg	2,8–5,7 kg	5,0–8,8 kg	6,5–11,4 kg
	800		1,4–2,7 kg	2,5–5,1 kg	4,4–7,9 kg	5,7–10,4 kg
	900		1,3–2,4 kg	2,2–4,6 kg	4,0–7,0 kg	5,2–9,1 kg
	1.000		1,1–2,1 kg	2,0–4,1 kg	3,6–6,3 kg	4,6–8,2 kg

Front weights per 1x fitting; for carcasses wider than 600 mm 2x fitting

 90°	300		3,0–5,3 kg	5,1–10,2 kg	9,1–15,8 kg	11,9–20,8 kg
	400		2,3–4,0 kg	3,8–7,6 kg	6,9–11,9 kg	8,9–15,6 kg
	500		1,8–3,2 kg	3,1–6,1 kg	5,5–9,6 kg	7,2–12,5 kg
	600		1,5–2,7 kg	2,6–5,1 kg	4,6–7,9 kg	6,0–10,4 kg
	700		1,3–2,2 kg	2,1–4,2 kg	3,8–6,6 kg	4,9–8,7 kg
	800		1,1–2,0 kg	1,9–3,9 kg	3,4–5,9 kg	4,4–7,8 kg
	900		1,0–1,8 kg	1,7–3,4 kg	3,0–5,2 kg	3,9–6,9 kg
	1.000		0,9–1,6 kg	1,5–3,0 kg	2,7–4,7 kg	3,6–6,2 kg

Front weights per 1x fitting; for carcasses wider than 600 mm 2x fitting

 110°	300		2,4–4,0 kg	3,9–7,5 kg	6,8–11,6 kg	9,2–15,0 kg
	400		1,8–3,0 kg	2,9–5,6 kg	5,1–8,7 kg	6,9–11,2 kg
	500		1,4–2,4 kg	2,4–4,5 kg	4,0–7,1 kg	5,7–9,0 kg
	600		1,2–2,0 kg	1,9–3,8 kg	3,3–5,9 kg	4,5–7,6 kg
	700		1,0–1,7 kg	1,7–3,1 kg	2,9–4,8 kg	3,8–6,2 kg
	800		0,9–1,4 kg	1,4–2,8 kg	2,6–4,3 kg	3,4–5,6 kg
	900		0,8–1,3 kg	1,3–2,5 kg	2,3–3,8 kg	3,0–5,0 kg
	1.000		0,7–1,2kg	1,1–2,2 kg	2,0–3,5 kg	2,7–4,5 kg

Front weights per 1x fitting;
for carcasses wider than 600 mm 2x fitting



Grey



Beige



White




Black

Fixing bracket for the carcase: 37 mm hole distance

Set consists of:

- 1 fitting
- 1 fixing bracket for the carcase
- 1 fixing bracket for the front

Fig.: 90° Opening angle
(Dimensions in mm)



View left carcass side
(lifter installed right)

Front view



FREEfold

ELEGANT PERFORMANCE FOR TALL WALL UNITS

 KESSEBÖHMER



Technical Support




Short-URL:
<https://kbgo.to/supe>




Product Information

Short-URL:
<https://kbgo.to/frde>

Fig.: Dimensions in mm



	Q	R	S
450-480	1,0	349	313
480-530	1,1	426	328
520-590	1,1	466	347
580-650	1,2	589	377
650-730	1,2	664	409
710-790	1,2	736	439
770-840	1,0	644	467
840-910	1,2	882	501
910-970	1,1	865	533
960-1010	1,1	915	557
1000-1040	1,1	954	576

$$Y = (Q \times KH) - R - K$$

$$X = KH - Y - S - (2 \times K) + A1$$



FREEfold fitting set
nickel-plated

A set consists of:
2 FREEfold fittings (right and left)
2 front connecting plates
Drilling template (paper)

Carcase height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.	Carcase height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.
450-480	2,8 - 5,7	B1fo 271857		710-790	3,5 - 7,2	G3fo 271878	
	5,6 - 11,3	B3fo 271858			5,2 - 10,3	G4fo 271879	
	8,3 - 16,3	B4fo 271859			8,7 - 17,2	G5fo 271880	
480-530	2,6 - 5,2	C1fo 271861		770-840	3,2 - 6,7	H3fo 271882	
	5,2 - 10,6	C3fo 271862			4,9 - 9,8	H4fo 271883	
	7,8 - 15,1	C4fo 271863			8,0 - 15,5	H5fo 271884	
520-590	2,4 - 4,9	D1fo 271865		840-910	12,5 - 20,9	H6fo 272076	
	4,8 - 9,8	D3fo 271866			4,5 - 9,0	I4fo 271887	
	7,2 - 14,1	D4fo 271867			7,3 - 14,6	I5fo 271888	
	11,8 - 23,3	D5fo 271868			10,0 - 20,0	I6fo 272077	
580-650	2,2 - 4,4	E1fo 271869		910-970	4,2 - 8,0	J4fo 271891	
	4,3 - 8,8	E3fo 271870			6,8 - 13,5	J5fo 271892	
	6,0 - 12,2	E4fo 271871			9,5 - 17,9	J6fo 272078	
	10,6 - 20,9	E5fo 271872			960-1010	3,9 - 7,6	K4fo 271895
650-730	1,9 - 4,0	F1fo 271873		6,5 - 12,8		K5fo 271896	
	3,9 - 7,9	F3fo 271874		8,6 - 17,3		K6fo 272079	
	5,8 - 11,6	F4fo 271875		1000-1040	3,7 - 7,3	L4fo 271899	
9,5 - 18,7	F5fo 271876		6,2 - 12,3		L5fo 271900		
					8,1 - 16,0	L6fo 272080	

*Front weight incl. handle

***on request

Set of dress covers
(right and left)

Grey
Ice white
Anthrazite

Item no.

271786 7035
271786 9966
271786 7500




Centre hinge
nickel-plated

for euro screws
for wood screws

271558 0006
271559 0006



Opening angle limiter
Grey



271958 7040



Adapter
for 20 mm aluminium frame fronts
nickel-plated

271851 0006







Drilling template FREEfold
Grey

271987 9016




Fig.: Dimensions in mm



	Q	R	S
450-480	1,0	349	313
480-530	1,1	426	328
520-590	1,1	466	347
580-650	1,2	589	377
650-730	1,2	664	409
710-790	1,2	736	439
770-840	1,0	644	467
840-910	1,2	882	501
910-970	1,1	865	533
960-1010	1,1	915	557
1000-1040	1,1	954	576

$$Y = (Q \times KH) - R - K$$

$$X = KH - Y - S - (2 \times K) + A1$$



FREEfold short fitting set
nickel-plated

A set consists of:
2 FREEfold fittings (right and left)
2 front connecting plates
Drilling template (paper)

Carcase height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.
450-480	2,8 - 5,0	B1fs 271999	
	5,3 - 10,3	B3fs 272000	
	9,8 - 16,9	B4fs 272001	
480-530	2,6 - 4,8	C1fs 272002	
	5,0 - 10,3	C3fs 272003	
	9,3 - 16,0	C4fs 272004	
520-590	2,4 - 4,7	D1fs 272005	
	5,1 - 9,0	D3fs 272006	
	7,9 - 15,2	D4fs 272007	
	9,8 - 20,3	D5fs 272008	
580-650	2,1 - 3,9	E1fs 272009	
	4,1 - 8,6	E3fs 272010	
	6,8 - 12,5	E4fs 272011	
	10,5 - 17,3	E5fs 272012	
650-730	2,0 - 3,5	F1fs 272013	
	4,0 - 7,4	F3fs 272014	
	7,0 - 11,9	F4fs 272015	
	10,2 - 17,2	F5fs 272016	

*Front weight incl. handle

***on request

Carcase height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.
710-790	3,7 - 6,3	G3fs 272017	
	6,2 - 10,8	G4fs 272018	
	8,5 - 14,5	G5fs 272019	
770-840	3,6 - 6,1	H3fs 272020	
	5,0 - 9,9	H4fs 272021	
	7,6 - 14,6	H5fs 272022	
	10,5 - 20,9	H6fs 272103	
840-910	4,7 - 8,9	I4fs 272023	
	7,0 - 12,3	I5fs 272024	
	10,0 - 20,0	I6fs 272104	
910-970	4,8 - 8,1	J4fs 272025	
	6,5 - 11,5	J5fs 272026	
	8,9 - 16,8	J6fs 272105	
960-1010	4,6 - 8,3	K4fs 272027	
	6,5 - 10,7	K5fs 272028	
	8,4 - 16,6	K6fs 272106	
1000-1040	4,1 - 7,4	L4fs 272029	
	5,8 - 10,2	L5fs 272030	
	9,1 - 16,5	L6fs 272107	

Set of dress covers
(right and left)

Grey
Ice white
Anthrazite

Item no.

272031 7035
272031 9966
272031 7500




Centre hinge
nickel-plated

for euro screws
for wood screws

271558 0006
271559 0006



Opening angle limiter
Grey



271958 7040



Adapter
for 20 mm aluminium frame fronts
nickel-plated

271851 0006



Drilling template FREEfold short
Grey

272057 9016







FREEswing

IDEAL FOR MEDIUM AND LARGE FRONTS

 KESSEBÖHMER



Technical Support


Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/frge>

Fig.: Dimensions in mm





FREEswing fitting set
nickel-plated

- A set consists of:**
 2 FREEswing fittings (right and left)
 2 front connecting plates
 2 sleeves
 Drilling template (paper)
 (PTO: 1 PTO ejector 272072 included)

Carcase height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.
370	1,8 - 4,0	S1sw 271923	S1sw pto 272126
	3,4 - 6,5	S4sw 271926	S4sw pto 272129
	5,2 - 10,3	S7sw 271929	S7sw pto 272132
400	1,8 - 3,9	S1sw 271923	S1sw pto 272126
	3,3 - 6,3	S4sw 271926	S4sw pto 272129
	5,0 - 10,0	S7sw 271929	S7sw pto 272132
450	1,8 - 3,7	S1sw 271923	S1sw pto 272126
	3,2 - 6,1	S4sw 271926	S4sw pto 272129
	4,8 - 9,4	S7sw 271929	S7sw pto 272132
500	1,9 - 3,5	S1sw 271923	S1sw pto 272126
	3,0 - 5,8	S4sw 271926	S4sw pto 272129
	4,5 - 8,9	S7sw 271929	S7sw pto 272132
500	2,5 - 5,9	S2sw 271924	S2sw pto 272127
	5,0 - 10,0	S5sw 271927	S5sw pto 272130
	8,2 - 15,9	S8sw 271930	S8sw pto 272133
550	2,5 - 5,6	S2sw 271924	S2sw pto 272127
	4,8 - 9,6	S5sw 271927	S5sw pto 272130
	7,8 - 15,2	S8sw 271930	S8sw pto 272133

*Front weight incl. handle

***on request

Carcase height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.
600	2,5 - 5,3	S2sw 271924	S2sw pto 272127
	4,7 - 9,3	S5sw 271927	S5sw pto 272130
	7,5 - 14,5	S8sw 271930	S8sw pto 272133
670	2,5 - 4,8	S2sw 271924	S2sw pto 272127
	4,5 - 8,8	S5sw 271927	S5sw pto 272130
	7,0 - 13,5	S8sw 271930	S8sw pto 272133
670	3,2 - 6,5	S3sw 271925	S3sw pto 272128
	5,7 - 11,3	S6sw 271928	S6sw pto 272131
	8,5 - 17,1	S9sw 271931	S9sw pto 272134
700	3,1 - 6,3	S3sw 271925	S3sw pto 272128
	5,6 - 11,1	S6sw 271928	S6sw pto 272131
	8,4 - 16,7	S9sw 271931	S9sw pto 272134
750	3,0 - 6,0	S3sw 271925	S3sw pto 272128
	5,4 - 10,7	S6sw 271928	S6sw pto 272131
	8,2 - 16,0	S9sw 271931	S9sw pto 272134
800	2,9 - 5,7	S3sw 271925	S3sw pto 272128
	5,3 - 10,3	S6sw 271928	S6sw pto 272131
	8,0 - 15,3	S9sw 271931	S9sw pto 272134

Set of dress covers
(right and left)

- Grey
- Ice white
- Anthrazite

Item no.

- 271820 7035**
- 271820 9966**
- 271820 7500**



Adapter

for 20 mm aluminium frame fronts
nickel-plated

271687 0006



Connecting rod anodised aluminium

Carcase width mm	Carcase wall mm	Length mm	Item no.	Carcase width mm	Carcase wall mm	Length mm	Item no.
450	16/19	324	271916 0038	1.000	16/19	874	271921 0038
500	16/19	374	271917 0038	1.200	16/19	1.074	271922 0038
600	16/19	474	271918 0038	1.600	16/19	1.470	271854 0038
800	16/19	674	271919 0038	1.800	16/19	1.674	271941 0038
900	16/19	774	271920 0038	KB	16/19	KB-(2 x K)-88	



Drilling template FREEswing
Grey

271988 9016







FREEslide

SOLUTION-ORIENTED
MULTITALENT

 KESSEBÖHMER



Technical Support





Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/frse>

Fig.: Dimensions in mm





FREEslide fitting set

nickel-plated

A set consists of:

- 2 FREEslide fittings (right and left)
- 2 front connecting plates
- 2 sleeves
- Drilling template (paper)
- (PTO: 1 PTO ejector 272072 included)

Carcase height mm	Clear inside height mm	Front weight* kg	Standard typologies Item no.	PTO typologies Item no.	 PTO Item no.	Usable inside height (NH)	Usable inside width (NB)
320-360	≥280	3,0 - 5,7	O1us 271901	O1us pto	***	ca. 240-280 mm	KB - 2xK - 2x36
		4,8 - 9,3	O2us 271902	O2us pto	***		
		8,7 - 16,5	O3us 271903	O3us pto	***		
345-420	≥308	2,4 - 4,8	P1us 271904	P1us pto	272135	ca. 265-340 mm	KB - 2xK - 2x36
		4,1 - 8,0	P2us 271905	P2us pto	272136		
		7,4 - 14,0	P3us 271906	P3us pto	272137		
		11,0 - 19,6	P4us 271907	P4us pto	272138		
380-500	≥343	2,0 - 3,8	Q1us 271908	Q1us pto	272139	ca. 300-420 mm	KB - 2xK - 2x36
		3,4 - 6,7	Q2us 271909	Q2us pto	272140		
		6,3 - 11,8	Q3us 271910	Q3us pto	272141		
		9,3 - 17,4	Q4us 271911	Q4us pto	272142		
430-600	≥388	1,6 - 3,3	R1us 271912	R1us pto	272143	ca. 350-520 mm	KB - 2xK - 2x36
		2,6 - 5,5	R2us 271913	R2us pto	272144		
		5,0 - 9,7	R3us 271914	R3us pto	272145		
		7,4 - 14,6	R4us 271915	R4us pto	272146		

*Front weight incl. handle

***on request

Set of dress covers (right and left)

Item no.

- Grey
- Ice white
- Anthrazite

- 271810 7035**
- 271810 9966**
- 271810 7500**



Adapter

for 20 mm aluminium frame fronts
nickel-plated

271687 0006



Connecting rod anodised aluminium

Carcase width mm	Carcase wall mm	Length mm	Item no.
450	16/19	324	271916 0038
500	16/19	374	271917 0038
600	16/19	474	271918 0038
800	16/19	674	271919 0038
900	16/19	774	271920 0038

Carcase width mm	Carcase wall mm	Length mm	Item no.
1.000	16/19	874	271921 0038
1.200	16/19	1.074	271922 0038
1.600	16/19	1.470	271854 0038
1.800	16/19	1.674	271941 0038
KB	16/19	KB-(2 x K)-88	



Drilling template FREEslide

Grey

271989 9016







FREEflap mini/FREEflap forte

SMALL LIFTER, GREAT PERFORMANCE

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>




Product Information


Short-URL:
<https://kbgo.to/frpe>

FREEflap mini

Fig.: Dimensions in mm



View from right (left fitting)




Left fitting with dress cover




Front view


FREEflap forte



View from right (left fitting)




Left fitting with dress cover




Front view

FREEflap forte



Front connectors for wooden front panels and wide aluminium frames



Front connectors for 20 mm aluminium frames

FREEflap mini

Item no.	FREEflap mini - A	FREEflap mini - B	FREEflap mini - C
Grey	271661 7035	271662 7035	271663 7035
Ice white	271661 9966	271662 9966	271663 9966
Anthracite	271661 7500	271662 7500	271663 7500
Carcase height mm	Front weight* kg	Front weight* kg	Front weight* kg
≥200	1,7 - 4,6	3,7 - 7,9	6,8 - 14,7
≤225	1,5 - 4,1	3,1 - 7,1	6,0 - 13,1
≤250	1,3 - 3,8	2,9 - 6,4	5,4 - 11,8
≤275	1,2 - 3,3	2,5 - 5,7	4,8 - 10,6
≤300	1,1 - 3,1	2,4 - 5,1	4,4 - 9,6
≤325	1,0 - 2,8	2,1 - 4,6	4,0 - 8,8
≤350	0,9 - 2,6	2,0 - 4,2	3,7 - 8,1
≤375	0,9 - 2,3	1,9 - 3,8	3,5 - 7,5
≤400	0,8 - 2,1	1,7 - 3,6	3,2 - 7,0
≤425	0,7 - 1,9	1,5 - 3,4	2,9 - 6,5
≤450	0,6 - 1,7	1,4 - 3,2	2,7 - 6,1

*Front weight incl. 2 x handle weights



A set consists of:

- 2 FREEflap mini fitting (right and left)
- 2 dress covers for the fittings (right and left)
- 2 front connecting plates
- Drilling template (paper)

Total opening angle: 107°

FREEflap forte

Product code	FREEflap forte - D	FREEflap forte - E	FREEflap forte - F	FREEflap forte - G
Grey	271664 7035	271665 7035	271666 7035	271667 7035
Ice white	271664 9966	271665 9966	271666 9966	271667 9966
Anthracite	271664 7500	271665 7500	271666 7500	271667 9966
Carcase height mm	Front weight* kg	Front weight* kg	Front weight* kg	Front weight* kg
≥350	5,2 - 11,0	6,7 - 14,3	10,1 - 21,4	13,5 - 27,3
≤375	4,9 - 10,2	6,3 - 13,1	9,4 - 19,8	12,5 - 25,2
≤400	4,7 - 9,6	5,9 - 12,4	8,9 - 18,6	11,8 - 23,3
≤425	4,4 - 9,0	5,6 - 11,6	8,3 - 17,4	11,0 - 21,8
≤450	4,1 - 8,4	5,2 - 10,9	7,8 - 16,3	10,4 - 20,5
≤475	3,9 - 8,0	4,9 - 10,3	7,4 - 15,4	9,8 - 19,3
≤500	3,7 - 7,5	4,7 - 9,7	7,0 - 14,6	9,2 - 18,3
≤525	3,5 - 7,1	4,4 - 9,2	6,6 - 13,9	8,8 - 17,3
≤550	3,3 - 6,8	4,2 - 8,8	6,3 - 13,2	8,3 - 16,5
≤575	3,2 - 6,5	4,0 - 8,4	6,0 - 12,5	8,0 - 15,6
≤600	3,0 - 6,2	3,8 - 8,0	5,7 - 12,0	7,6 - 15,0
≤625	2,8 - 5,9	3,6 - 7,6	5,4 - 11,5	7,2 - 14,4
≤650	2,6 - 5,6	3,4 - 7,3	5,3 - 11,0	6,9 - 14,0

*Front weight incl. 2 x handle weights



A set consists of:

- 2 FREEflap forte fittings (right and left)
- 2 dress covers for the fittings (right and left)
- 2 front connecting plates
- Drilling template (paper)

Total opening angle: 107°

90° opening angle limiter integrated in fitting

Adapter

for 20 mm aluminium frame fronts
nickel-plated

Item no.
271687 0006



Opening angle limiter 90°

for FREEflap mini
Grey

271688 7035




Drilling template FREEflap

Grey

271990 9016





FREEflap push-to-open

MORE COMFORT, MORE VERSATILITY,
IDEAL FOR NO-HANDLE FRONTS

— KESSEBÖHMER —

FREEflap PTO - ejector type assignment

Typology and front dimensions:

FREEflap mini		Carcase height		Front weight		
mm		kg	kg	kg	kg	kg
250	A	1,3 - 3,1	3,1 - 3,8	-	-	-
	B	-	2,9 - 5,1	5,1 - 6,4	-	-
	C	-	-	5,4 - 6,9	6,9 - 10,5	10,5 - 11,8
275	A	1,2 - 3,0	3,0 - 3,3	-	-	-
	B	2,5 - 3,3	3,3 - 5,0	5,0 - 5,7	-	-
	C	-	-	4,8 - 6,8	6,8 - 10,0	10,0 - 10,6
300	A	1,1 - 2,7	2,7 - 3,1	-	-	-
	B	2,4 - 3,0	3,0 - 4,6	4,6 - 5,1	-	-
	C	-	-	4,4 - 6,6	6,6 - 9,6	-
325	A	1,0 - 2,6	2,6 - 2,8	-	-	-
	B	2,1 - 3,0	3,0 - 4,2	4,2 - 4,6	-	-
	C	-	-	4,0 - 6,0	6,0 - 8,8	-
350	A	0,9 - 2,4	2,4 - 2,6	-	-	-
	B	2,0 - 2,9	2,9 - 4,2	-	-	-
	C	-	3,7 - 3,9	3,9 - 5,9	5,9 - 8,1	-
375	A	0,9 - 2,3	-	-	-	-
	B	1,9 - 2,7	2,7 - 3,8	-	-	-
	C	-	3,5 - 3,9	3,9 - 5,7	5,7 - 7,5	-
400	A	0,8 - 2,1	-	-	-	-
	B	1,7 - 2,7	2,7 - 3,6	-	-	-
	C	-	3,2 - 3,8	3,8 - 5,6	5,6 - 7,0	-

FREEflap forte		Carcase height		Front weight		
mm		kg	kg	kg	kg	kg
400	D	-	4,7 - 9,0	9,0 - 9,6	-	-
	E	-	5,9 - 7,9	7,9 - 11,6	11,6 - 12,4	-
	F	-	-	8,9 - 10,7	10,7 - 17,2	17,2 - 18,6
	G	-	-	11,8 - 12,3	12,3 - 17,9	17,9 - 23,3
450	D	4,1 - 5,0	5,0 - 8,4	-	-	-
	E	-	5,2 - 7,9	7,9 - 10,9	-	-
	F	-	-	7,8 - 10,2	10,2 - 16,3	-
	G	-	-	10,4 - 10,8	10,8 - 16,7	16,7 - 20,5
500	D	3,7 - 4,9	4,9 - 7,5	-	-	-
	E	-	4,7 - 7,8	7,8 - 9,7	-	-
	F	-	-	7,0 - 10,0	10,0 - 14,6	-
	G	-	-	9,2 - 10,7	10,7 - 16,0	16,0 - 18,3
550	D	3,3 - 4,9	4,9 - 6,8	-	-	-
	E	4,2 - 4,5	4,5 - 7,5	7,5 - 8,8	-	-
	F	-	6,3 - 6,8	6,8 - 9,7	9,7 - 13,2	-
	G	-	-	8,3 - 10,4	10,4 - 15,3	15,3 - 16,5
600	D	3,0 - 4,7	4,7 - 6,2	-	-	-
	E	3,8 - 4,2	4,2 - 7,2	7,2 - 8,0	-	-
	F	-	5,7 - 6,7	6,7 - 9,2	9,2 - 12,0	-
	G	-	-	7,6 - 10,2	10,2 - 15,0	-

Accompanying ejector

| Item no. |
|---------------|---------------|---------------|---------------|---------------|
| 1x | 1x | 1x | 2x | 2x |
| 272072 | 272073 | 272074 | 272073 | 272074 |

PTO housing




for screwing into place

Grey	7035
Anthracite	7500
White	9966

272075 7035


272075 7500

272075 9966



Type	Color	Length (N)	Item no.
Type I	Green	17-23 N	272072
Type II	Yellow	22-34 N	272073
Type III	Blue	26-48 N	272074

Grey	7035
Anthracite	7500
White	9966







reddot design award
winner 2019

interzum

Award

2019

FREEspace mini & forte

BEAUTIFULLY SMALL - SIMPLY STRONG.
THE SMALL BUT MIGHTY FITTING FOR UNIT FRONTS.

KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/fspe>

FREEspace mini & forte

EXTREMELY EASY INSTALLATION
INSIDE THE CARCASE:
JUST ONE SCREW.

Guaranteed to be perfectly positioned:
thanks to the positioning pins, the fitting is attached
accurately to the side panel and is self-retaining.


Just tighten the pre-installed euro screw - done!




EXTREMELY EASY ASSEMBLY OF THE FRONT PANEL TOOL-FREE WITH CLICKFIXX.



ADJUSTMENT – INTUITIVE AND CLEAR.



OPENING ANGLE LIMITER INCLUDED.






FREEspace mini

SMALL BUT MIGHTY

From 225 mm flap height.

Reference: With a flap height of 600 mm, a maximum flap weight of 7.1 kg is possible.



MINI & FORTE

- Identical drilling template for front
- Identical drilling template for body
- Integrated opening angle limiter
- Also available as a push-to-open version




FREEspace forte

FOR HEAVY UNIT FRONTS

From 350 mm flap height.

Reference: With a flap height of 600 mm, a maximum flap weight of 15 kg is possible.





Item no.

FREEspace set

1 fitting, left

1 fitting, right

2 front connectors with 2 screws each

272234

Type B

272235

Type C

272236

Type D

272237

Type E

272238

Type F

Colour code:

Ice white 9966

Grey 7035

Anthracite 7500

Black 9005



FREEspace set

1 fitting, left

1 fitting, right

2 front connectors with 2 screws each

272239

Type G

272240

Type H

Colour code:

Ice white 9966

Grey 7035

Anthracite 7500

Black 9005

FREEspace mini	Type B	Type C	Type D	Type E	Type F
Ice white	272234 9966	272235 9966	272236 9966	272237 9966	272238 9966
Grey	272234 7035	272235 7035	272236 7035	272237 7035	272238 7035
Anthracite	272234 7500	272235 7500	272236 7500	272237 7500	272238 7500
Black	272234 9005	272235 9005	272236 9005	272237 9005	272238 9005
Front height mm	Front weight* kg				
225	2,3 - 4,3	3,8 - 7,1	6,4 - 9,3	9,2 - 13,4	13,4 - 19,1
250	1,9 - 3,9	3,4 - 6,4	5,8 - 9,1	8,3 - 12,6	12,1 - 17,2
275	1,9 - 3,5	3,1 - 5,8	5,3 - 8,2	7,5 - 12,0	11,0 - 15,6
300	1,7 - 3,2	2,8 - 5,3	4,8 - 7,5	6,9 - 11,0	10,1 - 14,3
325	1,6 - 3,0	2,6 - 4,9	4,4 - 7,0	6,4 - 10,2	9,3 - 13,2
350	1,5 - 2,8	2,4 - 4,6	4,1 - 6,5	5,9 - 9,5	8,6 - 12,3
375	1,3 - 2,6	2,2 - 4,3	3,8 - 6,0	5,5 - 8,8	8,1 - 11,4
400	1,2 - 2,4	2,1 - 4,0	3,6 - 5,6	5,2 - 8,3	7,6 - 10,7
425	1,1 - 2,3	2,0 - 3,8	3,4 - 5,3	4,9 - 7,8	7,1 - 10,1
450	1,0 - 2,1	1,9 - 3,5	3,2 - 5,0	4,6 - 7,3	6,7 - 9,5
475	1,0 - 2,0	1,8 - 3,4	3,0 - 4,7	4,3 - 7,0	6,4 - 9,0
500	0,9 - 1,9	1,7 - 3,2	2,9 - 4,5	4,1 - 6,6	6,0 - 8,6
525	0,9 - 1,8	1,6 - 3,0	2,7 - 4,3	3,9 - 6,3	5,7 - 8,2
550	0,8 - 1,7	1,5 - 2,9	2,6 - 4,1	3,7 - 6,0	5,5 - 7,8
575	0,8 - 1,7	1,4 - 2,8	2,5 - 3,9	3,6 - 5,7	5,2 - 7,4
600	0,8 - 1,6	1,4 - 2,7	2,4 - 3,7	3,4 - 5,5	5,0 - 7,1
625	0,7 - 1,5	1,3 - 2,5	2,3 - 3,6	3,3 - 5,3	4,8 - 6,8
650	0,7 - 1,5	1,3 - 2,4	2,2 - 3,5	3,2 - 5,1	4,6 - 6,6

FREEspace forte	Type G	Type H
Ice white	272239 9966	272240 9966
Grey	272239 7035	272240 7035
Anthracite	272239 7500	272240 7500
Black	272239 9005	272240 9005
Front height mm	Front weight* kg	Front weight* kg
225	-	-
250	-	-
275	-	-
300	-	-
325	-	-
350	11,7 - 18,9	18,0 - 25,7
375	10,9 - 17,6	16,8 - 24,0
400	10,2 - 16,5	15,8 - 22,5
425	9,6 - 15,5	14,8 - 21,2
450	9,1 - 14,7	14,0 - 20,0
475	8,6 - 13,9	13,3 - 18,9
500	8,2 - 13,2	12,6 - 18,0
525	7,8 - 12,6	12,0 - 17,1
550	7,4 - 12,0	11,5 - 16,4
575	7,1 - 11,5	11,0 - 15,7
600	6,8 - 11,0	10,5 - 15,0
625	6,5 - 10,6	10,1 - 14,4
650	6,3 - 10,2	9,7 - 13,8

*Front weight incl. 2x handle weight



Item no.



FREEspace mini pto set

- 1 fitting, left
- 1 fitting, right
- 2 front connectors with 2 screws each
- 1 pto ejector (colour like fitting)

- 272243**
- 272244**
- 272245**
- 272246**

Type B pto	Colour code:	
Type C pto	Ice white	9966
Type D pto	Grey	7035
Type E pto	Anthracite	7500
	Black	9005



FREEspace forte pto set

- 1 fitting, left
- 1 fitting, right
- 2 front connectors with 2 screws each
- 1 pto ejector (colour like fitting)

- 272247**
- 272248**
- 272249**

Type F pto	Colour code:	
Type G pto	Ice white	9966
Type H pto	Grey	7035
	Anthracite	7500
	Black	9005

FREEspace mini	 Type B pto	 Type C pto	 Type D pto	 Type E pto
Ice white	272243 9966	272244 9966	272245 9966	272246 9966
Grey	272243 7035	272244 7035	272245 7035	272246 7035
Anthracite	272243 7500	272244 7500	272245 7500	272246 7500
Black	272243 9005	272244 9005	272245 9005	272246 9005
Front height mm	Front weight* kg	Front weight* kg	Front weight* kg	Front weight* kg
225	2,3 - 4,3	3,8 - 7,1	6,4 - 9,3	9,2 - 13,4
250	1,9 - 3,9	3,4 - 6,4	5,8 - 9,1	8,3 - 12,6
275	1,9 - 3,5	3,1 - 5,8	5,3 - 8,2	7,5 - 12,0
300	1,7 - 3,2	2,8 - 5,3	4,8 - 7,5	6,9 - 11,0
325	1,6 - 3,0	2,6 - 4,9	4,4 - 7,0	6,4 - 10,2
350	1,5 - 2,8	2,4 - 4,6	4,1 - 6,5	5,9 - 9,5
375	1,3 - 2,6	2,2 - 4,3	3,8 - 6,0	5,5 - 8,8
400	1,2 - 2,4	2,1 - 4,0	3,6 - 5,6	5,2 - 8,3
425	1,1 - 2,3	2,0 - 3,8	3,4 - 5,3	4,9 - 7,8
450	1,0 - 2,1	1,9 - 3,5	3,2 - 5,0	4,6 - 7,3
475	1,0 - 2,0	1,8 - 3,4	3,0 - 4,7	4,3 - 7,0
500	0,9 - 1,9	1,7 - 3,2	2,9 - 4,5	4,1 - 6,6
525	0,9 - 1,8	1,6 - 3,0	2,7 - 4,3	3,9 - 6,3
550	0,8 - 1,7	1,5 - 2,9	2,6 - 4,1	3,7 - 6,0
575	0,8 - 1,7	1,4 - 2,8	2,5 - 3,9	3,6 - 5,7
600	0,8 - 1,6	1,4 - 2,7	2,4 - 3,7	3,4 - 5,5
625	0,7 - 1,5	1,3 - 2,5	2,3 - 3,6	3,3 - 5,3
650	0,7 - 1,5	1,3 - 2,4	2,2 - 3,5	3,2 - 5,1

FREEspace forte	 Type F pto	 Type G pto	 Type H pto
Ice white	272247 9966	272248 9966	272249 9966
Grey	272247 7035	272248 7035	272249 7035
Anthracite	272247 7500	272248 7500	272249 7500
Black	272247 9005	272248 9005	272249 9005
Front height mm	Front weight* kg	Front weight* kg	Front weight* kg
225	-	-	-
250	-	-	-
275	-	-	-
300	-	-	-
325	-	-	-
350	8,7 - 12,3	11,7 - 18,9	18,0 - 25,7
375	8,1 - 11,5	10,9 - 17,6	16,8 - 24,0
400	7,6 - 10,8	10,2 - 16,5	15,8 - 22,5
425	7,2 - 10,1	9,6 - 15,5	14,8 - 21,2
450	6,8 - 9,6	9,1 - 14,7	14,0 - 20,0
475	6,4 - 9,1	8,6 - 13,9	13,3 - 18,9
500	6,1 - 8,6	8,2 - 13,2	12,6 - 18,0
525	5,8 - 8,2	7,8 - 12,6	12,0 - 17,1
550	5,5 - 7,8	7,4 - 12,0	11,5 - 16,4
575	5,3 - 7,5	7,1 - 11,5	11,0 - 15,7
600	5,1 - 7,2	6,8 - 11,0	10,5 - 15,0
625	4,9 - 6,9	6,5 - 10,6	10,1 - 14,4
650	4,7 - 6,6	6,3 - 10,2	9,7 - 13,8


*Front weight incl. 2x handle weight

COLOR VARIANTS AT A GLANCE



Image shows
FREEspace mini.
Color scheme for
FREEspace forte
is identical.


OPTIONAL ACCESSORIES



272254

2-in-1 drilling template
for side and front panels

Suitable for MINI & FORTE




272075

pto housing
for screw fixing, PU 10
Suitable for MINI & FORTE

Colour code:

Ice white	9966
Grey	7035
Anthracite	7500
Black	9005



272251 0007
272375 0007

Front panel screws for wide aluminum frames
(≥ 45 mm)


PU 25
4 self-tapping screws
4 special washers

FREEspace mini
FREEspace forte




272252 0006
272253 0006




Adapter for aluminum frames
FREEspace mini
FREEspace forte



FREESPACE MINI



FREESPACE FORTE







FREElight

SIMPLY GOOD

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/frte>



FREElight

MINIMAL ASSEMBLY EFFORT

KESSEBÖHMER




With the FREElight lifter
the front panel...




is connected with
cup hinges, ...



the number depends on the
width of the front.



**Fitting can be installed left or right.
Use either of the enclosed dress covers as required
for a smooth finish.**



Set lift force in steps using an Allen key.



FOR FRONTS WITH HANDLES:

- The front is opened manually using the handle. The user-friendly MPS function ensures that the front can be stopped and will hold at any angle.
- Use in combination with cup hinges with or without automatic closing.
- Damped cup hinges are recommended for quiet, controlled closing.



Item no.

FREElight set

- 1x fitting
- 1x dress cover left
- 1x dress cover right
- 1x front connector (for wood and euro screws)
- 1x carcass connector (for wood and euro screws)
- 1x Allen key

- | | |
|--------------------|--------|
| 272032 7035 | Type A |
| 272032 9966 | |
| 272033 7035 | Type B |
| 272033 9966 | |
| 272034 7035 | Type C |
| 272034 9966 | |
| 272035 7035 | Type D |
| 272035 9966 | |

Colour code:
 Grey 7035
 Ice white 9966




- | | |
|--------------------|---|
| 271851 0006 | Adapter
for 20 mm aluminium frame fronts
nickel-plated |
|--------------------|---|


Front height mm	Front weight incl. handle at opening angle			Type	Grey Item no.	Ice white Item no.
	75°	90°	110°			
275	-	2,8 - 3,8	1,9 - 2,8	A	272032 7035	272032 9966
	-	3,5 - 6,0	2,6 - 4,3	B	272033 7035	272033 9966
	-	5,8 - 10,5	4,2 - 7,1	D	272035 7035	272035 9966
300	2,7 - 4,6	2,2 - 3,4	1,1 - 2,4	A	272032 7035	272032 9966
	4,1 - 8,1	3,3 - 5,7	2,4 - 4,1	B	272033 7035	272033 9966
	6,7 - 12,5	5,2 - 9,0	4,0 - 7,0	D	272035 7035	272035 9966
350	2,6 - 4,2	2,1 - 2,9	1,1 - 2,1	A	272032 7035	272032 9966
	3,8 - 6,5	2,7 - 4,9	2,1 - 3,7	B	272033 7035	272033 9966
	6,2 - 10,9	4,8 - 8,0	3,6 - 6,4	D	272035 7035	272035 9966
400	2,3 - 3,3	1,6 - 2,3	1,1 - 1,7	A	272032 7035	272032 9966
	3,0 - 5,8	2,3 - 4,6	1,7 - 3,2	B	272033 7035	272033 9966
	5,6 - 10,2	4,3 - 7,9	3,2 - 5,5	D	272035 7035	272035 9966
450	2,2 - 3,1	1,3 - 2,2	1,0 - 1,6	A	272032 7035	272032 9966
	2,7 - 4,6	2,0 - 3,8	1,6 - 2,8	B	272033 7035	272033 9966
	5,5 - 9,7	3,8 - 6,3	2,8 - 5,5	D	272035 7035	272035 9966
500	1,7 - 2,8	1,2 - 2,0	1,0 - 1,4	A	272032 7035	272032 9966
	2,3 - 4,6	1,7 - 3,4	1,3 - 2,5	B	272033 7035	272033 9966
	4,6 - 8,5	3,4 - 6,0	2,5 - 4,5	D	272035 7035	272035 9966
550	1,6 - 2,6	1,2 - 1,9	0,8 - 1,3	A	272032 7035	272032 9966
	2,2 - 4,2	1,7 - 3,0	1,3 - 2,2	B	272033 7035	272033 9966
	4,1 - 6,6	3,0 - 5,1	2,2 - 3,9	D	272035 7035	272035 9966
600	1,2 - 2,3	0,9 - 1,6	0,7 - 1,2	A	272032 7035	272032 9966
	2,1 - 3,9	1,6 - 3,0	1,2 - 2,2	B	272033 7035	272033 9966
	3,9 - 6,0	3,0 - 4,7	2,2 - 4,3	D	272035 7035	272035 9966

Front weights per 1x fitting; for front widths > 600 mm 2x fitting


Assembly dimensions for opening angle 75°:



Assembly dimensions for opening angle 90°:



Assembly dimensions for opening angle 110°:



F1 ≥ 2 mm



PUSH-TO-OPEN APPLICATIONS:

- Pressing on the front causes the front to open almost to the end position, allowing easy access to the inside of the wall unit.
- Use in combination with Push cup hinges (e.g. Häfele Duomatic).
- Fronts are held shut by magnetic catches, which are pressed into predrilled holes or screwed on, with a counterplate on the front panel.



Item no.

FREElight set

- 1x fitting
- 1x dress cover left
- 1x dress cover right
- 1x front connector (for wood and euro screws)
- 1x carcass connector (for wood and euro screws)
- 1x Allen key

272032 7035

Type A

272032 9966

272033 7035

Type B

272033 9966

272034 7035

Type C

272034 9966

272035 7035

Type D

272035 9966

Colour code:

Grey 7035


Ice white 9966



271851 0006

Adapter

for 20 mm aluminium frame fronts
nickel-plated



272038 0000

Push magnetic with counterplate

Required in specified cases:

272039 0000

Additional magnet with counterplate

Colour code:

Other 0000



272040 0000

Adapter plate

Ejector housing
(Screw-on using positioning aid)

Colour code:


Other 0000

Front height mm	Front weight incl. handle at opening angle			Type	Grey Item no.	Ice white Item no.
	75°	90°	110°			
300	-	-	1,5 - 2,1	B	272033 7035	272033 9966
	-	-	2,1 - 3,0	C	272034 7035	272034 9966
	-	-	2,7 - 4,1	D	272035 7035	272035 9966
350	2,6 - 3,6	1,7 - 2,5	1,5 - 2,1	B	272033 7035	272033 9966
	3,1 - 5,3*	2,1 - 3,2	1,9 - 2,7	C	272034 7035	272034 9966
	4,7 - 6,6*	3,0 - 4,0	2,6 - 3,7	D	272035 7035	272035 9966
400	2,3 - 3,1	1,3 - 1,9	1,1 - 1,5	B	272033 7035	272033 9966
	3,1 - 5,1	1,9 - 3,0	1,5 - 2,5	C	272034 7035	272034 9966
	4,3 - 6,6	2,8 - 4,0	2,2 - 3,5	D	272035 7035	272035 9966
450	1,8 - 2,6	1,1 - 1,5	1,0 - 1,3	B	272033 7035	272033 9966
	2,6 - 4,0*	1,5 - 2,6	1,3 - 2,3	C	272034 7035	272034 9966
	3,6 - 5,6*	2,2 - 3,2	2,0 - 2,9	D	272035 7035	272035 9966
500	1,6 - 2,3	-	-	B	272033 7035	272033 9966
	2,3 - 3,6	1,4 - 2,4	1,2 - 1,7	C	272034 7035	272034 9966
	3,3 - 4,9	2,0 - 2,9	1,6 - 2,7	D	272035 7035	272035 9966
550	1,5 - 2,1	-	-	B	272033 7035	272033 9966
	2,1 - 3,6	1,3 - 2,2	1,2 - 1,7	C	272034 7035	272034 9966
	3,1 - 4,6	1,8 - 2,8	1,5 - 2,3	D	272035 7035	272035 9966
600	1,4 - 2,0	-	-	B	272033 7035	272033 9966
	2,0 - 3,2	1,3 - 1,7	1,2 - 1,5	C	272034 7035	272034 9966
	2,7 - 4,2	1,5 - 2,5	1,3 - 2,1	D	272035 7035	272035 9966


Front weights per 1x fitting; for front widths > 600 mm 2x fitting

*Extra magnet (272039 0000) required


Assembly dimensions for opening angle 75°:



Assembly dimensions for opening angle 90°:



Assembly dimensions for opening angle 110°:



F1 ≥ 2 mm



TOUCH OPENING APPLICATIONS:

- Press on the front and an easy gap opens, wide enough for the user to complete opening manually and effortlessly as usual. The user-friendly MPS function means the front can be stopped and will hold in any position.
- Use in combination with Push cup hinges (e.g. Häfele Duomatic).
- Fronts are held shut by magnetic catches, which are pressed into predrilled holes or screwed on, with a counterplate on the front panel.



Item no.

FREElight set

- 1x fitting
- 1x dress cover left
- 1x dress cover right
- 1x front connector (for wood and euro screws)
- 1x carcass connector (for wood and euro screws)
- 1x Allen key

- 272032 7035**
- 272032 9966**
- 272033 7035**
- 272033 9966**
- 272034 7035**
- 272034 9966**
- 272035 7035**
- 272035 9966**


- Type A
- Type B
- Type C
- Type D

Colour code:
 Grey 7035
 Ice white 9966



271851 0006

Adapter
 for 20 mm aluminium frame fronts
 nickel-plated



272038 0000

Push magnetic with counterplate

Required in specified cases:

272039 0000

Additional magnet with counterplate

Colour code:
 Other 0000



272040 0000

Adapter plate
 Ejector housing
 (Screw-on using positioning aid)


Colour code:
 Other 0000

Front height mm	Front weight incl. handle at opening angle			Type	Grey Item no.	Ice white Item no.
	75°	90°	110°			
300	-	2,4 - 4,3	2,0 - 3,6	B	272033 7035	272033 9966
	-	3,6 - 5,7	2,8 - 5,3	C	272034 7035	272034 9966
	-	4,7 - 7,3	-	D	272035 7035	272035 9966
350	4,6 - 5,3	2,4 - 4,2	2,0 - 3,4	B	272033 7035	272033 9966
	-	3,4 - 5,2*	2,7 - 4,6	C	272034 7035	272034 9966
	-	4,7 - 6,9*	3,6 - 5,6	D	272035 7035	272035 9966
400	3,2 - 4,8	1,5 - 3,2	1,8 - 2,9	B	272033 7035	272033 9966
	4,3 - 7,0*	3,1 - 4,9*	2,6 - 3,9	C	272034 7035	272034 9966
	5,5 - 8,0*	3,9 - 5,6*	3,5 - 5,0	D	272035 7035	272035 9966
450	2,5 - 4,0	1,5 - 2,6	1,4 - 2,2	B	272033 7035	272033 9966
	4,0 - 6,3*	2,6 - 4,2*	2,2 - 3,7	C	272034 7035	272034 9966
	5,0 - 7,6*	3,6 - 5,4*	2,9 - 4,4	D	272035 7035	272035 9966
500	2,2 - 3,5	1,4 - 2,4	1,3 - 2,2	B	272033 7035	272033 9966
	3,5 - 5,4*	2,4 - 3,6	2,0 - 3,4	C	272034 7035	272034 9966
	4,7 - 7,3*	3,4 - 5,0	2,6 - 3,7	D	272035 7035	272035 9966
550	2,0 - 3,3	1,3 - 2,1	1,0 - 1,8	B	272033 7035	272033 9966
	2,6 - 5,1	1,9 - 3,2	1,6 - 3,2	C	272034 7035	272034 9966
	4,0 - 6,9	2,6 - 4,6	2,3 - 3,9	D	272035 7035	272035 9966
600	-	1,3 - 1,9	-	B	272033 7035	272033 9966
	2,6 - 4,7	1,8 - 3,1	1,5 - 2,7	C	272034 7035	272034 9966
	3,6 - 6,3	-	2,2 - 3,4	D	272035 7035	272035 9966


Front weights per 1x fitting; for front widths > 600 mm 2x fitting

*Extra magnet (272039 0000) required


Assembly dimensions for opening angle 75°:




Assembly dimensions for opening angle 90°:



Assembly dimensions for opening angle 110°:



F1 ≥ 2 mm





eTouch for FREElift

SIMPLY PRESS

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/fete>

FREElift eTouch

COMFORT IS TOP PRIORITY

 KESSEBÖHMER















THE ENTIRE FREElift FAMILY HAS BEEN UPGRADED TO ETOUCH ELECTRONIC OPENING. IT'S ONE UP FOR USER CONVENIENCE. THE STRIKING HALLMARKS OF ALL KESSEBÖHMER LIFTERS ARE EASY ACTION, LIGHT WEIGHT AND A COMPACT DESIGN. As of now, eTouch electronic opening and closing assistance immediately makes life far easier for users. Gently pressing the front panel triggers the fluid movement sequence. Even very heavy front panels are lifted – automatically and elegantly – without any further effort by the user. And they are closed again – just as smoothly and effortlessly – by touching the inside sensor.


The electric motor replaces the effort usually exerted by the user, but imposes no limitations on manual opening and closing. For example, if there is a power outage, the wall unit can be opened and closed by hand. The new eTouch for wall units is the latest expansion of Kesseböhmer's proven electronic opening system.



Fig.: Dimensions in mm







Operation remains smooth and fluid in manual operation (power outage, etc.)

The electronic drive simply replaces the manual effort you would otherwise make

Easy to retrofit



WE THINK OF EVERYTHING

INTEGRATED LIGHT CONTROL

 KESSEBÖHMER



Connection point for 24 V lighting system.



Plug in cable for the lighting system and it will switch on/off automatically when the cabinet is opened/shut.

Set eTouch drive unit**FREEfold/FREEswing/FREEslide Grey**

1x drive unit (with 2 premounted screws (wood) 4x 10 mm)

1x M4x 8 mm

1x wood screw 4x 35mm

1x power cable

2x radio sensor

1x drilling template KS for sensors

1x strain relief clip

1x ferrite

Item no.

271962 7035**Set eTouch swing arm****FREEslide (replacement lever arm LEFT)**

nickel-plated

Lever length type::

O

271964 0006

P

271965 0006

Q

271966 0006

R

271967 0006**Set eTouch swing arm****FREEswing (replacement lever arm LEFT)**

nickel-plated

271968 0006**Power cable eTouch****FREEfold/FREEswing/FREEslide/FREEflap**

Black

Country variants::

EU

271973 9005

US/JPN

271974 9005

AUS

271975 9005

UK

271976 9005**Connecting rod anodised aluminium**

Carcase width mm	Carcase wall mm	Length mm	Item no.
450	16/19	299	271977 0038
500	16/19	349	271978 0038
600	16/19	449	271979 0038
800	16/19	649	271980 0038

Carcase width mm	Carcase wall mm	Length mm	Item no.
900	16/19	749	271981 0038
1.000	16/19	849	271982 0038
1.200	16/19	1.049	271983 0038
KB	16/19	KB-(2 x K)-88 -25	

**Set of eTouch dress covers****FREEfold**

Grey

FREEfold**271969 7035****FREEfold short****272041 7035**

Ice white

271969 9966**272041 9966**

Anthracite

271969 7500**272041 7500****Set of eTouch dress covers****FREEswing**

Grey

271971 7035

Ice white

271971 9966

Anthracite

271971 7500**Set of eTouch dress covers****FREEslide**

Grey

271970 7035

Ice white


271970 9966

Anthracite

271970 7500



Easy to retrofit



Operation remains smooth and fluid
in manual operation
(power outage, etc.)

The electronic drive simply
replaces the manual effort
you would otherwise make

Set eTouch drive unit

FREEflap Grey

- 1x drive unit
- 1x eTouch front connector (as replacement)
- 1x M4x 8 mm
- 1x wood screw 4x 50 mm
- 1x wood screw 4x 60 mm
- 1x power cable
- 2x radio sensors
- 1x drilling template KS for sensors
- 1x strain relief clip
- 1x ferrite

Item no.

271963 7035



Set of eTouch dress covers

FREEflap

- Grey
- Ice white
- Anthracite

271972 7035
271972 9966
271972 7500



Power cable eTouch

FREEfold/FREEswing/FREEslide/FREEflap
Black

Country variants::

- EU **271973 9005**
- US/JPN **271974 9005**
- AUS **271975 9005**
- UK **271976 9005**







iMove

INTELLIGENT PULL-DOWN SYSTEM FOR WALL UNITS

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/imoe>



iMove

INTELLIGENT MOVEMENT

 KESSEBÖHMER




iMove SETS NEW STANDARDS FOR WALL UNITS. THE PRODUCT COMBINES BEAUTY AND PRACTICALITY IN EFFORTLESS MOVEMENT. IT'S TRULY CLEVER!

There's easy operation, more reachable storage, a clearer view, fast access. The innovative iMove pull-down transforms a conventional wall unit into an ergonomic storage system with big user benefits. The iMove and its contents are pulled downwards and outwards in one easy movement. And the iMove combines practical benefits with a brilliantly stylish design.






Fig.: Dimensions in mm



$Y \geq 295 \Rightarrow X=82$

Drilling pattern for positioning tabs



iMove Single Tray

POTENTIAL APPLICATIONS



Dimensions (mm)	Hinged door	Hinged door	FREEfold
Hinge protrusion	< 25	> 25	-
Installation height hinge	65	65	-
Installation depth iMove	57	57	82
Installation height iMove	25	80	25
Clear inside carcass depth	270	270	295
Minimum carcass height*	470	580	650

** Carcass heights vary with the specific installation situation

iMove set single tray

incl. dress covers and fixing materials:

8 x wood screws 4.5 x 50 mm

1 x drilling template

Carcass width (mm) Clear inside width (mm)
500 462-468

600 562-568

800 762-768

900 862-868

Colour code:

Silver 0102
Ice white 9966
Anthracite 9846



021700 0102
021700 9966
021700 9846


021702 0102
021702 9966
021702 9846

021704 0102
021704 9966
021704 9846


021706 0102
021706 9966
021706 9846



Fig.: Dimensions in mm



Drilling pattern for positioning tabs



iMove Double Tray

POTENTIAL APPLICATIONS



Dimensions (mm)	Hinged door	Hinged door	FREEfold
Hinge protrusion	< 25	> 25	-
Installation height hinge	65	65	-
Installation depth iMove	57	57	82
Installation height iMove	25	80	25
Clear inside carcass depth	270	270	295
Minimum carcass height*	710	770	710

** Carcass heights vary with the specific installation situation

iMove set double tray

incl. dress covers and fixing materials:

8 x wood screws 4.5 x 50 mm

1 x drilling template

Carcass width (mm)	Clear inside width (mm)
500	462-468

600	562-568
-----	---------

Colour code:	
Silver	0102
Ice white	9966
Anthracite	9846



021710 0102
021710 9966
021710 9846

021712 0102
021712 9966
021712 9846





TABLES AND WORKTOP EXTENSIONS

CONTENTS

 KESSEBÖHMER

TopFlex

Worktop extension



5·8



TopSwing

Additional table -
space-saving stowed on the wall



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/05e>

12.10.2023



TopFlex

TABLE IN WAITING

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/tfxe>



Tucked neatly away behind a drawer front, this stable, cantilevered pull-out table is ready to use whenever you need the extra working space.



As you pull it out, the "front panel" drops down automatically.



The entire movement sequence is smooth and virtually effortless. Even partially pulled out it can be used as a practical work area.



Pulled fully out, the two halves of the tabletop are completely level and create a highly practical working area.

Table in waiting:

The width of a TopFlex pull-out table fitting can be freely selected within the constraints of weight and cabinet width.

It can be built into a 45 to 90-cm base unit.



TopFlex is available either with a drop-down or with a fixed front panel (see above).





Item no. Dimensions (mm)

005231 0102 For side wall
15 + 16 mm

005241 0102 18 + 19 mm

Pull-out table fitting

TopFlex

with drop-down front, cantilevered,
complete, with White worktop,

Carcase depth: ≥ 500 mm

Carcase width: 600 mm

Extended length: 810 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102



005234 0102 For side wall
15 + 16 mm

005244 0102 18 + 19 mm

Pull-out table fitting

TopFlex

with fixed front, cantilevered,
complete, with White worktop,

Carcase depth: ≥ 500 mm

Carcase width: 600 mm

Extended length: 810 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102



005236 0102 For worktop
thicknesses
15-19 mm

Pull-out table fitting

TopFlex

with drop-down front, cantilevered,
complete, **without** worktop

Carcase depth: ≥ 500 mm

Extended length: 810 mm

Any width between 450 and 900 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102



005238 0102 For worktop
thicknesses
15-19 mm

Pull-out table fitting

TopFlex

with fixed front, cantilevered,
complete, **without** worktop

Carcase depth: ≥ 500 mm

Extended length: 810 mm

Any width between 450 and 900 mm

Load capacity: max. 30 kg

Colour code:

Silver 0102

TOPFLEX PUSH-TO-OPEN

push-to-open from Kesseböhmer is the handleless option of mechanical opening for the **TopFlex**.



push-to-open (PTO) Typ II TopFlex

Drill-in ejector
● 22-34 N

Dimensions (mm)

Item no.

272073 7035

Can only be used for TopFlex with a **rigid** front panel!
PTO housing **cannot** be used.

Grey 7035







TopSwing

SPACE FOR MORE

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/tswe>



Space-saving design:

Additional table stowed on the wall.

One-hand operation:

Release the lock with one hand and the TopSwing glides down smoothly.

Childproof:

Safe cushioned opening and release point inaccessible to children.

Unsupported:

Legroom, as no interfering feet are necessary for function.







Item no.

239489 9873

Folding table fitting TopSwing
without tops
for tabletop width 600-800 mm

Load capacity: max. 30 kg
For top thickness: 25 mm

Colour number:
Deep black 9873






SPLASHBACK FITTINGS

CONTENTS



LINERO MosaiQ

Versatile, variable and eye-catching design



6-18



LINERO pure

Entry-level niche systems

LINERO style

Design, which organizes



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/06e>





LINERO MosaiQ

VERSATILE, VARIABLE AND EYE-CATCHING DESIGN

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/msqe>



LINERO MosaiQ

HUGE USER CHOICE, FINE DESIGN

THE NAME SUMS IT UP – the new midway elements are yours to mix and match, like mosaic stones, along the elegant rail. The multi-functional, anodised aluminium rail is the basic element in this variable system. The many practical optional elements are hooked in above or below the rail and can be moved or rearranged whenever you want to.

LINERO MosaiQ – RACTICAL AND ATTRACTIVE! The colours –jet black, graphite black and titanium grey – for the matt, tactile coating were chosen in consultation with experts at a well-known design institute. Décor inserts for the metal shelves come in a choice of wood finish or smoked glass.



Jet black with smoked glass décor insert



Jet black with oak finish décor insert




Titanium grey with smoked glass décor insert



Titanium grey with oak finish décor insert



Graphite black with smoked glass décor insert




Graphite black with oak finish décor insert

PROFILE VARIANTS


LINERO TopLine

Can be fixed to the wall with screws or adhesive.



LINERO EasyLine

Fixing to the wall only possible with screws



LINERO MosaiQ, LINERO style and LINERO pure elements can be hooked into both profile versions



Item no. **Dimensions (mm)**

		Set aluminium rail LINERO TopLine
		B x D x H
008900 9845	600* x 32,9 x 42,5	1 aluminium rail
008900 0034		2 end caps
008901 9845	900* x 32,9 x 42,5	1 connector
008901 0034		Fixing material to screw in placen
008902 9845	1.200* x 32,9 x 42,5	
008902 0034		Colour code:
008903 9845	1.500* x 32,9 x 42,5	Stainless steel finish 9845
008903 0034		Jet black 0034
234951 9845	1.800* x 32,9 x 42,5	
234951 0034		

*plus. 2 mm per end cap

Suitable for shelves for hanging from below, attaching from above and LED profiles.



		Set aluminium rail LINERO EasyLine
		B x D x H
239040 9845	600* x 24 x 30	1 aluminium rail
239040 0034		2 end caps
239041 9845	900* x 24 x 30	Fixing material to screw in placen
239041 0034		
239042 9845	1.200* x 24 x 30	Colour code:
239042 0034		Stainless steel finish 9845
239043 9845	1.500* x 24 x 30	Jet black 0034
239043 0034		
239044 9845	1.800* x 24 x 30	
239044 0034		

*plus. 2 mm per end cap

Suitable for shelves for hanging from below.

Universal shelf 140
LINERO MosaiQ

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873

Dimensions (mm)

B x D x H
350 x 110 x 140

Storage area:
350 x 107

Item no.

008912 9843
008912 9844
008912 9873



Universal shelf 200
LINERO MosaiQ

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873

B x D x H
350 x 110 x 200

Storage area:
350 x 107

008913 9843
008913 9844
008913 9873



Universal shelf 300
LINERO MosaiQ

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873

B x D x H
350 x 110 x 300

Storage area:
350 x 107

008914 9843
008914 9844
008914 9873



Universal shelf 200 with railing
LINERO MosaiQ

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873

B x D x H
350 x 110 x 200

Storage area:
350 x 107

008918 9843
008918 9844
008918 9873



Universal shelf 300 with railing
LINERO MosaiQ

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873

B x D x H
350 x 110 x 300

Storage area:
350 x 107

008919 9843
008919 9844
008919 9873





Item no. Dimensions (mm)

008927 9843 B x D x H
008927 9844 350 x 110 x 300
008927 9873 Storage area:
350 x 107

Memoboard 300

LINERO MosaiQ

Magnetic board and memo board
(Universal shelf with write-on and wipe-clean
glass back panel; use with magnets)

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873



008908 9843 B x D x H
008908 9844 350 x 155 x 120
008908 9873

Paper roll holder

LINERO MosaiQ

for paper towel rolls up to 295 mm wide

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873



008909 9843 B x D x H
008909 9844 350 x 110 x 300
008909 9873

ROLLINERO foil dispenser

LINERO MosaiQ

for rolls up to 330 mm wide

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873



008905 9843 B x D x H
008905 9844 350 x 45 x 200
008905 9873

Magnetic knifeholder

LINERO MosaiQ

Finish: oak

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873



008906 9843 B x D x H
008906 9844 350 x 45 x 200
008906 9873

Magnetic knifeholder

LINERO MosaiQ

Finish: plastic, grey black

Colour code:
Titanium grey 9843
Graphite black 9844
Jet black 9873



008910 9003 B x D x H
008910 7981 135 x 135 x 156

Container/herb pot LINERO MosaiQ

incl. removable dividers

Material: plastic, UV-resistant, food safe
and dishwasher proof

Farbnummer:
White 9003
Anthracite black 7981



008911 9003 B x D x H
116 x 115 x 56

Dish LINERO MosaiQ

Material: plastic, UV-resistant, food safe
and dishwasher proof

Farbnummer:
White 9003

		Dimensions (mm)	Item no.
Top-mounted towel rail LINERO MosaiQ			
insert from above			
Colour code:		B x D x H	
Titanium grey	9843	350 x 77 x 10	008920 9843
Graphite black	9844		008920 9844
Jet black	9873		008920 9873
	Only for profile LINERO TopLine!		



Towel rail LINERO MosaiQ			
insert from below			
Colour code:		B x D x H	
Titanium grey	9843	350 x 77 x 46	008921 9843
Graphite black	9844		008921 9844
Jet black	9873		008921 9873



Double hook LINERO MosaiQ			
Colour code:		B x D x H	
Titanium grey	9843	85 x 44 x 38	008922 9843
Graphite black	9844		008922 9844
Jet black	9873		008922 9873



Hook strip LINERO MosaiQ			
Colour code:		B x D x H	
Titanium grey	9843	250 x 44 x 38	008923 9843
Graphite black	9844		008923 9844
Jet black	9873		008923 9873



Top-mounted shelf 235 LINERO MosaiQ			
insert from above			
Colour code:		B x D x H	
Titanium grey	9843	235 x 107 x 8	008924 9843
Graphite black	9844		008924 9844
Jet black	9873		008924 9873
	Only for profile LINERO TopLine!		



Top-mounted shelf 350 LINERO MosaiQ			
insert from above			
Colour code:		B x D x H	
Titanium grey	9843	350 x 107 x 8	008925 9843
Graphite black	9844		008925 9844
Jet black	9873		008925 9873
	Only for profile LINERO TopLine!		



Top-mounted shelf 585 LINERO MosaiQ			
insert from above			
Colour code:		B x D x H	
Titanium grey	9843	585 x 107 x 8	008926 9843
Graphite black	9844		008926 9844
Jet black	9873		008926 9873
	Only for profile LINERO TopLine!		



Decor insert oak LINERO MosaiQ			
For all shelves of the relevant width			
Colour code:		B x D x H	
Oak	0358	235 x 106,5 x 4	008928 0358
		350 x 106,5 x 4	008929 0358
		585 x 106,5 x 4	008930 0358



Decor insert smoked glass LINERO MosaiQ			
For all shelves of the relevant width			
Colour code:		B x D x H	
Other	0000	235 x 106,5 x 4	008931 0000
		350 x 106,5 x 4	008932 0000
		585 x 106,5 x 4	008933 0000





TABLET HOLDER

VIEW DIGITAL COOKERY TIPS
WITH PERFECT EASE

 KESSEBÖHMER



TABLETS ARE THE NEW COOKERY BOOKS.

It is always possible to have a perfect view and access to the tablet and the recipes or cookery videos on it when using the new tablet holder for the LINERO MosaiQ range.

The new tablet holder is available in every LINERO MosaiQ catalogue colour and blends wonderfully into the familiar LINERO design language.



Not only do mobile devices get a permanent place in the home thanks to the tablet holder but they are also easy to use thanks to adjustable positioning.

Infinitely variable thanks to intelligent swivel mount. Perhaps ...



tilted to the left ...

tilted to the right ...



swivelled straight to the left ...

or just straight.

**TABLET HOLDER
LINERO MosaiQ**

Colour codes:
Titanium grey 9843
Graphite black 9844
Jet black 9873

Dimensions (mm)	Item no.
BxDxH	008986 9843
255 x 160 x 260	008986 9844
	008986 9873





eBoxx

ONE BOX – MULTIPLE FUNCTIONS

 KESSEBÖHMER

TODAY'S KITCHENS HAVE TO MEET HIGH EXPECTATIONS. QUITE APART FROM THEIR CENTRAL FUNCTION – COOKING – INTELLIGENT AND UP-TO-DATE ENERGY AND SOCKET MANAGEMENT IS MORE AND MORE IMPORTANT. It's the only way to cope with the escalating number of electrical appliances. In addition, digital media are moving into the kitchen in a big way. More and more people look up recipes on their tablets or smartphones.

The eBoxx is a practical response to all these demands. It provides extra sockets – that are easy to reach – and a secure place to stand a tablet or smartphone.





- PRODUCT FEATURES**
- Extra sockets: “you can never have too many sockets in your kitchen”
 - Flexibility: the eBoxx can be positioned anywhere along the rail
 - Retrofittable: saves the bother of laying cables under plaster
 - A lot of technology integrated in one box: sockets and cables neatly integrated in the rail and eBoxx
 - Convenient sockets to charge tablets, smartphones, etc. The metal shelf provides secure storage.





Fig: Dimensions in mm

eBoxx set sockets only
LINERO MosaiQ
 with 2 integrated sockets

Consists of:
 2x socket, earthed
 1x power-in cable, twin + earth, 2 metres

WARNING: Open cable end of the power supply cable must be installed by a qualified electrician. (Observe DIN VDE 0100.)

Colour codes metal shelf:
 Titanium grey 9843
 Graphite black 9844

Plastic housing:
 Titanium grey

Only for profile
LINERO TopLine!

Dimensions (mm)	Item no.
B x D x H	
165 x 92 x 139	
Country:	
DE/ES/IT	008954 9843
	008954 9844
FR/BE/PL/CZ	008958 9843
	008958 9844
GB	008960 9843
	008960 9844
AUS	008962 9843
	008962 9844





LED LIGHT STRIP


LIGHT UP YOUR LINERO TopLine

 KESSEBÖHMER



WITH INTEGRATED LED LIGHT STICKS, THE TOPLINE MULTIFUNCTIONAL RAIL CASTS A NEUTRAL WHITE, INDIRECT LIGHT OVER THE MOSAIQ ELEMENTS. With a LINERO TopLine system in your kitchen (or bathroom) you can store stuff exactly where you want it. You can have cappuccino cups, a sugar shaker (or aftershave and a toothbrush) exactly where you need them and where they look good too. There's a place for your tablet, or your smartphone, or anything else you want to keep handy.

Installation options



LED profile

LINERO TopLine

Colour temperature: 2700-6400 Kelvin

Simple to integrate by clipping onto the LINERO TopLine profile

Length fits aluminium profile

- Easy assembly
- Suitable for stepless control of light colour
- Dimmable

To operate the LED profiles, you absolutely need the LED light control set (see below)!

Dimensions (mm)

Item no.

LxDxH

400 x 12.5 x 10.25

008971 0000

600 x 12.5 x 10.25

008972 0000

900 x 12.5 x 10.25

008973 0000

1200 x 12.5 x 10.25


008974 0000

1500 x 12.5 x 10.25

008975 0000

1800 x 12.5 x 10.25

008976 0000



Connecting cable for distributor 1800 mm

LED light control set

LINERO TopLine

consisting of

- Mains adaptor/driver
- 6-way distributor
- Receiver
- Remote control

Suitable for stepless control of the light colour and for dimming

max. 75 Watt,

primary: 220-240 Volt, 50/60 Hz

secondary: 12 Volt

incl. 2900 mm mains cable

None of the LED light control set components can be accommodated in the aluminium profile!

LxDxH

184 x 61 x 33

90 x 35 x 17

178 x 46 x 22

137 x 39 x 11

EU plug

008982 0000

GB/UK plug

008983 0000

AUS plug

008985 0000



Remote control

LED extension cable

LINERO TopLine

Optional component for flexible extension of connecting cable from LED profile to distributor

Length

3000 mm

008978 0000





NO-DRILL FIXING: PowerMaxx

IDEAL FOR LINERO TopLine



PowerMaxx is the ideal no-drilling solution for attaching the LINERO TopLine rail to any smooth interior surface. The substrate must be smooth and even and capable of bearing the load – tiles, glass, wood, laminates, metals and many plastics.

PowerMaxx can be removed from almost any substrate without leaving any residues. Gluing instead of drilling makes installation far easier, but the connection is just as strong.

Product features:

- PowerMaxx for no-drill fixing – especially on glass splashbacks
- Simple, errorproof installation
- Ideal for retrofitting
- Removable with no residues
- Product MADE IN GERMANY

Product description	Tube contents	Atomiser contents
Product typ	Glue	Activator and cleaning agent
Components	2-component	
Amount	One set is enough to glue on 1500 mm profile	
Load capacity	15 kg per metre	
Application temperature (short – up to 1 hour)	-40°C to 100°C (120°C)	

PU

Item no.

PowerMaxx set
(for 1500 mm profile)

1 set

008904 0000

Consists of:

- 1x consumer package with euro slot hanger
- 4x positioning aids
- 1x 6-gram glue pouch
- 1x atomiser (cleaning agent/activator)
- 1x toothed spatula

Colour code:
Other 0000

**Suitable for profile
LINERO TopLine!**





LINERO pure

ENTRY-LEVEL NICHE SYSTEMS

KESSEBÖHMER

THE NEW LINERO PURE NICHE SYSTEM IMPRESSES THANKS TO ITS SIMPLICITY.

With its minimalist shape and small profile size, the LINERO pure system is a trendy and more affordable range of entry-level niche fittings - especially for small kitchens.

EFFORTLESS ELEGANCE. The two-part aluminium profile in a black anodised look can be fixed to the wall effortlessly with screws. This mounting concept has been impressing customers for years in the LINERO Mosaik system. Each set includes a profile measuring 800 x 24 x 30 mm. (The LINERO TopLine LED bar cannot be integrated!)

Three different sets are on offer as the ideal basic fittings for kitchen niches.



Set 1



Set 2



Set 3



Technical Support

Short-URL:
<https://kbgo.to/supe>

THE INDIVIDUAL ELEMENTS OF THE DIFFERENT LINERO PURE SETS CAN BE ARRANGED IN ANY ORDER.



Set of fittings 1

LINERO pure

consisting of

1 aluminium profile LINERO EasyLine, 800 mm

2 end caps

1 hook strip with 6 hooks

1 universal rack, 200 mm height,
shelf space 350 x 107 mm

Dimensions (mm)

W x D x H

800* x 160 x 230

(*plus 2 mm
per end cap)

Item no.

238266 9873



Colour code:

Jet black 9873

Set of fittings 2

LINERO pure

consisting of

1 aluminium profile LINERO EasyLine, 800 mm

2 end caps

1 universal rack, 200 mm height,
shelf space 350 x 107 mm

1 paper roll holder for kitchen roll
up to 295 mm width

W x D x H

800* x 160 x 230

(*plus 2 mm
per end cap)

238267 9873



Colour code:

Jet black 9873

Set of fittings 3

LINERO pure

consisting of

1 aluminium profile LINERO EasyLine, 800 mm

2 end caps

1 hook strip with 6 hooks

1 paper roll holder for kitchen roll
up to 295 mm width

W x D x H

800* x 160 x 150

(*plus 2 mm
per end cap)

238268 9873



Colour code:

Jet black 9873



LINERO style

LONG-TIME POPULAR CLASSIC

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/line>




MORE IDEAS PER CENTIMETRE. This is a typical Kesseböhmer product in its emphasis on form and function, manufacturing quality and fine design. This versatile system lets users personalise their choice of elements and add to them as required. One highlight is the 3-level roll holder/dispenser. A patented device lets users tear off cling film smoothly. This is just one example of a wealth of practical, patented inventions.

PROFILE VARIANTS

LINERO TopLine


Can be fixed to the wall with screws or adhesive.



LINERO MosaiQ, LINERO style and LINERO pure elements can be hooked into both profile versions

LINERO EasyLine

Fixing to the wall only possible with screws



Item no. **Dimensions (mm)**

Item no.	Dimensions (mm)
008900 9845	600* x 32,9 x 42,5
008900 0034	600* x 32,9 x 42,5
008901 9845	900* x 32,9 x 42,5
008901 0034	900* x 32,9 x 42,5
008902 9845	1.200* x 32,9 x 42,5
008902 0034	1.200* x 32,9 x 42,5
008903 9845	1.500* x 32,9 x 42,5
008903 0034	1.500* x 32,9 x 42,5
234951 9845	1.800* x 32,9 x 42,5
234951 0034	1.800* x 32,9 x 42,5

*plus. 2 mm per end cap

Set aluminium rail LINERO TopLine

B x D x H

1 aluminium rail
2 end caps
1 connector
Fixing material to screw in placen

Colour code:
Stainless steel finish 9845
Jet black 0034

Suitable for shelves for hanging from below, attaching from above and LED profiles.



Item no.	Dimensions (mm)
239040 9845	600* x 24 x 30
239040 0034	600* x 24 x 30
239041 9845	900* x 24 x 30
239041 0034	900* x 24 x 30
239042 9845	1.200* x 24 x 30
239042 0034	1.200* x 24 x 30
239043 9845	1.500* x 24 x 30
239043 0034	1.500* x 24 x 30
239044 9845	1.800* x 24 x 30
239044 0034	1.800* x 24 x 30

*plus. 2 mm per end cap

Set aluminium rail LINERO EasyLine

B x D x H

1 aluminium rail
2 end caps
Fixing material to screw in placen

Colour code:
Stainless steel finish 9845
Jet black 0034

Suitable for shelves for hanging from below.



Use both hands to pull out the length of film you want.



The pulling action automatically lifts the tear-off edge.



Tear the film off diagonally – the tear-off edge drops back automatically into its start position.



Item no. Dimensions (mm)

008170 0019 B x D x H
380 x 80 x 275
008170 9873 For bottles and jars
up to Ø 66 mm
and height up to
approx. 110 mm

Spice rack
LINERO style
2 levels

Colour code:
Stainless steel finish 0019
Deep black 9873

New: deeper shelf!
Suitable for larger
tins and glasses.



008177 0019 B x D x H
352 x 150 x 256
008177 9873

Knife holder
LINERO style

Colour code:
Stainless steel finish 0019
Deep black 9873

Knives can be
removed from
the right or left.

Plastic blade insert
(black/grey; RAL 7021)
with magnetic attachment
on metal frame.
No screws necessary.



008172 0019
008172 9873

Cloth rail
LINERO style

Colour code:
Stainless steel finish 0019
Deep black 9873



008171 0019 B x D x H
008171 9873 501 x 150 x 275

Washing-up utensil holder
LINERO style
Sponge tray stainless steel

Colour code:
Stainless steel finish 0019
Deep black 9873

Roll dispenser
ROLLINERO style
3-tier, with automatic cutter
for aluminium foil and clingfilm

Colour code:
Stainless steel finish 0019
Deep black 9873

Dimensions (mm)

B x D x H
352 x 150 x 310

Item no.

008176 0019
008176 9873



Paper roll holder
LINERO style
For paper towels

Colour code:
Stainless steel finish 0019
Deep black 9873

B x D x H
352 x 150 x 260

008174 0019
008174 9873



Universal shelf
LINERO style

Colour code:
Stainless steel finish 0019
Deep black 9873

B x D x H
440 x 150 x 271

008175 0019
008175 9873



Hook strip
LINERO style

Colour code:
Stainless steel finish 0019
Deep black 9873

B x D x H Prof. x Alt.
84 x 51 x 37

008178 0019
008178 9873



Hook strip
LINERO style

Colour code:
Stainless steel finish 0019
Deep black 9873

B x D x H Prof. x Alt.
380 x 51 x 37

008173 0019
008173 9873





LED LIGHT STRIP


LIGHT UP YOUR LINERO TopLine

 KESSEBÖHMER



WITH INTEGRATED LED LIGHT STICKS, THE TOPLINE MULTIFUNCTIONAL RAIL CASTS A NEUTRAL WHITE, INDIRECT LIGHT OVER THE MOSAIQ ELEMENTS. With a LINERO TopLine system in your kitchen (or bathroom) you can store stuff exactly where you want it. You can have cappuccino cups, a sugar shaker (or aftershave and a toothbrush) exactly where you need them and where they look good too. There's a place for your tablet, or your smartphone, or anything else you want to keep handy.

Installation options



LED profile

LINERO TopLine

Colour temperature: 2700-6400 Kelvin

Simple to integrate by clipping onto the LINERO TopLine profile

Length fits aluminium profile

- Easy assembly
- Suitable for stepless control of light colour
- Dimmable

To operate the LED profiles, you absolutely need the LED light control set (see below)!

Dimensions (mm)

Item no.

LxDxH

400 x 12.5 x 10.25

008971 0000

600 x 12.5 x 10.25

008972 0000

900 x 12.5 x 10.25

008973 0000

1200 x 12.5 x 10.25


008974 0000

1500 x 12.5 x 10.25

008975 0000

1800 x 12.5 x 10.25

008976 0000



LED light control set

LINERO TopLine

consisting of

- Mains adaptor/driver
- 6-way distributor
- Receiver
- Remote control

Suitable for stepless control of the light colour and for dimming

max. 75 Watt,

primary: 220-240 Volt, 50/60 Hz

secondary: 12 Volt

incl. 2900 mm mains cable

None of the LED light control set components can be accommodated in the aluminium profile!

LxDxH

184 x 61 x 33

90 x 35 x 17

178 x 46 x 22

137 x 39 x 11

EU plug

008982 0000

GB/UK plug

008983 0000

AUS plug

008985 0000



LED extension cable

LINERO TopLine

Optional component for flexible extension of connecting cable from LED profile to distributor

Length

3000 mm

008978 0000





NO-DRILL FIXING: PowerMaxx

IDEAL FOR LINERO TopLine



PowerMaxx is the ideal no-drilling solution for attaching the LINERO TopLine rail to any smooth interior surface. The substrate must be smooth and even and capable of bearing the load – tiles, glass, wood, laminates, metals and many plastics.

PowerMaxx can be removed from almost any substrate without leaving any residues. Gluing instead of drilling makes installation far easier, but the connection is just as strong.

Product features:

- PowerMaxx for no-drill fixing – especially on glass splashbacks
- Simple, errorproof installation
- Ideal for retrofitting
- Removable with no residues
- Product MADE IN GERMANY

Product description	Tube contents	Atomiser contents
Product typ	Glue	Activator and cleaning agent
Components	2-component	
Amount	One set is enough to glue on 1500 mm profile	
Load capacity	15 kg per metre	
Application temperature (short – up to 1 hour)	-40°C to 100°C (120°C)	

PU

Item no.

PowerMaxx set
(for 1500 mm profile)

1 set

008904 0000

Consists of:

- 1x consumer package with euro slot hanger
- 4x positioning aids
- 1x 6-gram glue pouch
- 1x atomiser (cleaning agent/activator)
- 1x toothed spatula

Colour code:
Other 0000

**Suitable for profile
LINERO TopLine!**





ACCESSOIRES

CONTENT

 KESSEBÖHMER

FineLine LiniQ

Perfection is in the detail



7·2



7·5

Drawers and Pull-Outs

Extremely Versatile

ARENA select for CONVOY

Create your own style



7·10



7·21

Space Flexx


The Flexible Organisation System
For Storage Containers And More

YouBoxx Sets

DISPENSA Family
DISPENSA Junior Iii
COMFORT Ii



7·24




7·32

DepotLine

Storage Container Set
& Food Dish Set

Dividers & Hook-On Baskets

Divide in style



7·34




7·36

Bottle Racks & Spice Racks

Infinite storage space for bottles
and spices

Push-To-Open

Possible Applications



7·39



7·40

K2X MultiTool

Processing aid



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/07e>

12.10.2023



FineLine LiniQ

PERFECTION IS IN THE DETAIL

 KESSEBÖHMER



Product Information

Short-URL:
<https://kbgo.to/hane>




Natural oak 0369



Ash nordic 0378



Ash black 0368



OrganiQ Grey 0407



Practical and sophisticated

FLEXIBLE DIVIDING

KESSEBÖHMER

THE NEW „FINELINE LINIQ“ FITTING SYSTEM WAS DEVELOPED WITH THE AIM OF REDUCING COMPLEXITY AS MUCH AS POSSIBLE.

Drawer inserts make life easier and Kesseböhmer turns them into aesthetic elements, which take the high standard of furniture design further into the interior.

The minimalist FineLine LiniQ finish system impresses with a double-protected surface that makes the wooden products durable and robust. An intermediate sanding ensures a particularly smooth feel. In addition to three trendy elegant wood versions, the modular system is now also available in the sustainable OrganiQ material.

OrganiQ

NACHHALTIG DURCH NATURFASERN


— KESSEBÖHMER —



ORGANIQ – UNOUR INNOVATIVE COMPOSITE MATERIAL, that is a real alternative to solid wood, both aesthetically and in terms of price.

The elegant FineLine LiniQ drawer insert now also offers a sustainable version made of the OrganiQ material in the colour „Grey“.

The raw material used grows back much faster than wood and can be processed excellently. The material, which is also attractively priced, was awarded the German Sustainability Award Design 2023 – making it the perfect alternative for anyone who wants to combine style with sustainability.



HEMP

Hemp is one of the world's oldest and most versatile cultivated plants. Its strong, deep taproots with many branches ensure intensive soil penetration. The advantage of the fibres is their very high resistance to wear and tear.

Products have a longer lifespan, while reuse through recycling is also possible.

KENAF

Hibiscus cannabinus, or kenaf, is known for its wire-haired stems and lobed leaves. The fibre plant from the mallow family is similar to jute, but contains less lignin than jute. This makes it less sensitive to light. Kenaf has good tensile and bending properties at low density. The light fibres improve the stiffness and dimensional stability of products.

ORGANIQ

OrganiQ consists of 78% natural fibres (hemp and kenaf in equal parts) and 22% thermoset binder, which is produced in a patented water-based process free of formaldehyde and phenolic resin. This has been verifiably confirmed in a food test by DEKRA.



CUTLERY INSERTS




For 300 mm cabinet width

Item no. Dimensions (mm)

009200 0369 WxDxH
009200 0378 150 x 472 x 42
009200 0368
009200 0407

FineLine LiniQ
multifunctional insert
 For 300 mm cabinet width

Colour code:
 Natural oak 0369
 Ash nordic 0378
 Ash black 0368
 OrganiQ Grey 0407



For 400-450 mm cabinet width

009201 0369 WxDxH
009201 0378 260-460* x 472 x 42
009201 0368
009201 0407 *min. max. clear
 inside drawer width

Cutlery insert
FineLine LiniQ
 For 400-450 mm cabinet width

Colour code:
 Natural oak 0369
 Ash nordic 0378
 Ash black 0368
 OrganiQ Grey 0407




For 500-600 mm cabinet width

009202 0369 WxDxH
009202 0378 385-610* x 472 x 42
009202 0368
009202 0407 *min. max. clear
 inside drawer width

Cutlery insert
incl. multifunctional insert
FineLine LiniQ
 For 500-600 mm cabinet width

Colour code:
 Natural oak 0369
 Ash nordic 0378
 Ash black 0368
 OrganiQ Grey 0407




For 800-900 mm cabinet width

009203 0369 WxDxH
009203 0378 580-935* x 472 x 42
009203 0368
009203 0407 *min. max. clear
 inside drawer width

Cutlery insert
incl. multifunctional inserts
FineLine LiniQ
 For 800-900 mm cabinet width

Colour code:
 Natural oak 0369
 Ash nordic 0378
 Ash black 0368
 OrganiQ Grey 0407



For 1000-1200 mm cabinet width

009204 0369 WxDxH
009204 0378 900-1250* x 472 x 42
009204 0368
009204 0407 *min. max. clear
 inside drawer width


Cutlery insert
incl. multifunctional inserts
FineLine LiniQ
 For 1000-1200 mm cabinet width

Colour code:
 Natural oak 0369
 Ash nordic 0378
 Ash black 0368
 OrganiQ Grey 0407

F = options for inserting functional elements

FineLine LiniQ is suitable for all conventional drawer systems with an internal depth of at least 472 mm. For the Grass Nova pro an additional depth extension of 7 mm is required.

MULTIFUNCTIONAL INSERTS



F = options for inserting functional elements

Example: 009204 0378 (cutlery insert 1000-1200 mm width)

	Dimensions (mm)	Item no.	
<p>Cross-shaped divider FineLine LiniQ suitable for the multifunctional insert</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407</p>	<p>WxDxH 137 x 472 x 37.5</p>	<p>009205 0369 009205 0378 009205 0368 009205 0407</p>	
<p>Spice insert, slanted FineLine LiniQ 3-level, suitable for the multifunctional insert</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407</p>	<p>WxDxH 137 x 472 x 26</p>	<p>009168 0369 009168 0378 009168 0368 009168 0407</p>	
<p>Knife block FineLine LiniQ suitable for the multifunctional insert</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407</p>	<p>WxDxH 137 x 472 x 26</p>	<p>009169 0369 009169 0378 009169 0368 009169 0407</p>	
<p>Foil dispenser FineLine LiniQ with two aluminium lids suitable for the multifunctional insert</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407</p>	<p>WxDxH 137 x 472 x 49</p>	<p>009210 0369 009210 0378 009210 0368 009210 0407</p>	

DEPTH EXTENDERS



Item no.	Dimensions (mm)	Filler piece (depth extender) for GRASS Nova pro	
009208 0369	600 x 7 x 49	up to cabinet width 600 mm	
009208 0378			
009208 0368			
009208 0407			
009209 0369	1200 x 7 x 49	up to cabinet width 1200 mm	
009209 0378			
009209 0368			
009209 0407			
		Colour code:	
		Natural oak	0369
		Ash nordic	0378
		Ash black	0368
		OrganiQ Grey	0407



Item no.	Dimensions (mm)	Depth extension FineLine LiniQ	
009206 0369	600 x 150 x 49	For drawer depths > 500 mm for drawer widths up to 600 mm	
009206 0378			
009206 0368			
009206 0407			
009207 0369	1200 x 150 x 49	for drawer widths up to 1200 mm	
009207 0378			
009207 0368			
009207 0407			
		Colour code:	
		Natural oak	0369
		Ash nordic	0378
		Ash black	0368
		OrganiQ Grey	0407

PULL-OUT DIVIDERS

	Dimensions (mm)	Item no.	
<p>Wooden box with grip holes FineLine LiniQ</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407 OrganiQ Grey 0407</p>	<p>WxDxH 236 x 472 x 120</p>	<p>009171 0369 009171 0378 009171 0368 009171 0407</p>	
<p>Wooden box, square, with grip holes FineLine LiniQ</p> <p>(Note: 2 square wooden boxes equal the depth of a normal wooden box)</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407</p>	<p>WxDxH 236 x 236 x 120</p>	<p>009172 0369 009172 0378 009172 0368 009172 0407</p>	
<p>Metal divider with grip holes FineLine LiniQ</p> <p>For wooden box</p> <p>Colour code: Graphite black 9844</p>	<p>WxDxH 218 x 99 x 114</p>	<p>009195 9844</p>	 <p>Not available in OrganiQ Grey!</p>
<p>Plate rack adjustable</p> <p>Colour code: Natural oak 0369 Ash nordic 0378 Ash black 0368 OrganiQ Grey 0407</p>	<p>WxDxH 340 x 180 x 191</p>	<p>009197 0369 009197 0378 009197 0368</p>	 <p>Not available in OrganiQ Grey!</p>



This range is suitable for front pull-outs!
Because of their partially reduced inside depth,
inside pull-outs must be considered separately.



ARENA select for CONVOY

DEFINE YOUR OWN STYLE

 KESSEBÖHMER







No connectors
for high railings



ARENA select

A CLEAR VIEW AT EVERY LEVEL




 KESSEBÖHMER

THIS IS WHAT THE ARENA select TRAYS FOR CONVOY Premio AND Lavidò DELIVER. In line with contemporary trends, the base trays are offered in a choice of up-to-date colours – bright Chrome and Anthracite – without a high railing. The individual oak organizer module simply fits onto the tray, creating the most attractive frame for your personal enjoyment.

Ready, steady, beautiful! A well-planned system with almost endless organizer options. Users choose the options they want; the elements are quickly installed and can be changed just as fast whenever the user feels like it. We set great store by individual choice. And our products are simply beautiful.

Combining the Rockenhausen product range with a CONVOY Premio or Lavidò requires ARENA select trays! Unlike standard trays, these trays do not have high railings.





Item no.

002373 9846

Standard with



CONVOY Lavidò pull-outs

With premounted cover, integrated damping for closing and opening (SoftSTOPPro).
Runner with forced synchronisation for 100% reliable function (Synchronomatic).

Pull-out travel: 470 mm
Clear inside depth: ≥ 500 mm
Permissible load on the pull-out fitting:
System weight + contents = max. 130 kg
(depends on cabinet design)

Colour code:
Anthracite 9846



Clear inside
height (mm)

002368 9846	1.800-1.899
002369 9846	1.900-1.999
002370 9846	2.000-2.099
002371 9846	2.100-2.199


Standard with



Support post

CONVOY Lavidò

Colour code:
Anthracite 9846



For cabinet
width:
600 mm

280618 9846
280618 0005

ARENAplus

Anti-slip coating

ARENA select tray set CONVOY Lavidò

Set of 5 – consisting of:

- 1 tray with integrated top runner
- 4 trays, height-adjustable
- 1 support bracket
- 1 fixing brace
- 1 handle

Additional items required for a complete installation (order separately):

- 1 pull-out fitting
- 1 support post height as calculated

ARENAplus

Anti-slip coating

For cabinet
width:
600 mm

280619 9846
280619 0005

Replacement tray CONVOY Lavidò

Colour code:
Anthracite 9846
Chromee 0005

Tray with grip holes
 For top ARENA select tray

Dimensions (mm) **Item no.**

WxDxH
 550 x 470 x 70 **009175 0369**


Colour code:
 Oak natural 0369



Open frame without base panel
 (Your choice of inserts)

WxDxH
 550 x 470 x 66 **850077 0369**

Colour code:
 Oak natural 0369



Perforated panel insert

WxDxH
 525 x 324 x 9 **009178 0369**


Colour code:
 Oak natural 0369



Cross divider set for perforated panel
 (Order the perforated panel separately)

WxDxH
 2 St. 324 x 8 x 90 **009180 0369**
 1 St. 190 x 8 x 90
 2 St. 126 x 8 x 90

Colour code:
 Oak natural 0369



Bottle rack for perforated panel
 Holds 5 bottles
 (Order the perforated panel separately)

WxDxH
 525 x 8 x 50 **009182 0369**


Colour code:
 Oak natural 0369



Cross divider set
 Compartment size: 100 x 104 mm

WxDxH
 525 x 324 x 42 **009184 0369**

Colour code:
 Oak natural 0369






Item no. Dimensions (mm)

850088 9885 WxDxH
525 x 324 x 3

Felt mat

Colour code:
Black 9885



850079 0369 WxDxH
174.5 x 324 x 45

Plate rack 1/3

Colour code:
Oak natural 0369



009189 0369 WxDxH
174.5 x 324 x 90

Box 1/3 with grip holes

Colour code:
Oak natural 0369



009191 0369 WxDxH
174.5 x 324 x 45

Cross divider 1/3

for 6 compartments
Compartment size: 104 x 84 mm

Colour code:
Oak natural 0369



850087 9885 WxDxH
174.5 x 324 x 3

Felt mat 1/3

Colour code:
Black 9885



Item no.

002410 9846

Standard with



CONVOY Premio pull-outs

With premounted cover, integrated damping for closing and opening (SoftSTOPPro). Runner with forced synchronisation for 100% reliable function (Synchronomatic).

Pull-out travel: 470 mm
Clear inside depth: ≥ 500 mm
Permissible load on the pull-out fitting:
System weight + contents = max. 130 kg
(depends on cabinet design)

Colour code:
Anthracite 9846

Clear inside
height (mm)

002368 9846

1.800-1.899

002369 9846

1.900-1.999

002370 9846

2.000-2.099

002371 9846

2.100-2.199

Standard with



Support post

CONVOY Premio

Colour code:
Anthracite 9846



For cabinet
width:
600 mm

280622 9846

Door catch
right

280622 0005

280623 9846

left

280623 0005

ARENAplus

Anti-slip coating

ARENAplus

Anti-slip coating

For cabinet
width:
600 mm

280624 9846

280624 0005

ARENA select tray set CONVOY Premio

Set of 5 – consisting of:

- 1 tray with integrated top runner and control lever
- 4 trays, height-adjustable
- 1 support bracket
- 1 fixing brace
- 2 front connectors
- 1 control lever bottom

Additional items required for a complete installation (order separately):

- 1 pull-out fitting
- 1 support post height as calculated

Replacement tray CONVOY Premio

Colour code:
Anthracite 9846
Chromee 0005

Tray with grip holes
 For top ARENA select tray

Dimensions (mm) **Item no.**

WxDxH
 480 x 470 x 70 **009176 0369**


Colour code:
 Oak natural 0369



Open frame without base panel
 (Your choice of inserts)

WxDxH
 480 x 470 x 66 **009177 0369**

Colour code:
 Oak natural 0369



Perforated panel insert

WxDxH
 455 x 324 x 9 **009179 0369**


Colour code:
 Oak natural 0369



Cross divider set for perforated panel
 (Order the perforated panel separately)

WxDxH
 2 St. 324 x 8 x 90 **009181 0369**
 3 St. 126 x 8 x 90

Colour code:
 Oak natural 0369



Bottle rack for perforated panel
 Holds 5 bottles
 (Order the perforated panel separately)

WxDxH
 455 x 8 x 50 **009183 0369**


Colour code:
 Oak natural 0369



Cross divider set
 Compartment size: 100 x 104 mm

WxDxH
 455 x 324 x 42 **009185 0369**

Colour code:
 Oak natural 0369






Item no. Dimensions (mm)

009186 9885 WxDxH
455 x 324 x 3

Felt mat

Colour code:
Black 9885



009188 0369 WxDxH
151 x 324 x 45

Plate rack 1/3

Colour code:
Oak natural 0369



009190 0369 WxDxH
151 x 324 x 90

Box 1/3 with grip holes

Colour code:
Oak natural 0369



009192 0369 WxDxH
151 x 324 x 45

Cross divider 1/3

for 6 compartments
Compartment size: 104 x 84 mm

Colour code:
Oak natural 0369



009187 9885 WxDxH
151 x 324 x 3

Felt mat 1/3

Colour code:
Black 9885



SPACE FLEXX

THE FLEXIBLE ORGANISATION SYSTEM
FOR STORAGE CONTAINERS AND MORE

— KESSEBÖHMER —



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information


Short-URL:
<https://kbgo.to/spfe>

without SpaceFlexx®



GOODBYE CHAOS! Made possible by the new flexible and elastic divider, nesttex®: chaos in the drawer is a thing of the past!
Never again disorganised storage containers and lots more!

- nesttex®, the flexible divider adjusts itself to the stored goods.
- No more tipping over or falling out.
- Find and reach whatever you need, straight away.
- Optimum overview thanks to transparent viewing zones in the nesttex®.



**nesttex®
inside**

Only original with nesttex® inside!
The nesttex® divider is based on a special high-tech textile and is made in Germany. nesttex® dividers are, of course, machine washable.



with SpaceFlexx®



FLEXIBLE. It doesn't matter if the drawer is 90 cm wide or more (see picture above): SpaceFlexx fits in any drawer with at least 60 cm front panel width (see picture on the right).

SpaceFlexx is impressive with its optimum use of storage space, adjusting itself perfectly to the stored goods and the drawer.



Set SpaceFlexx

consisting of:

1 frame

5 flexible nestex® dividers

Delivery in attractive PoS packaging.

Languages on the packaging:

	WxDxH	Item no.
DE, EN, FR, ES, TR	472/520 x 422 x 130	005361 0005
	472/520 x 452 x 130	005364 0005
	472/520 x 472 x 130	005360 0005
	472/520 x 522 x 130	005362 0005
DE, EN, PL, CZ, RU	472/520 x 452 x 130	005365 0005

*Space Flexx has a width setting of 472 or 520 mm for optimum adjustment to the drawer.



YOUBOXX

DISPENSA FAMILY · DISPENSA junior III COMFORT II

KESSEBÖHMER

	Set 1	Set 2	Set 3	Set 4	Set 5	Set 6	Set 7
COMFORT II	≥200		≥200			≥200	
DISPENSA junior III	≥300	300	≥300	300	≥300	≥300	≥300
Supply cabinet pull-out	≥200		≥200			≥200	
DISPENSA 90°	≥300		≥300			≥300	
DISPENSA swing	≥300		≥300			≥300	



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/vrbe>

YouBoxx Set 1

Consisting of:
 2 boxes (1.0 l)
 1 box (2.1 l)
 2 boxes (2.0 l)
 1 slotted knife block
 2 lids
 2 traverse rails

Dimensions (mm)

Item no.

00 5273

WxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

Colour code: (Support rail/YouBoxx)
 Silver 0102 (Silver/White)
 Ice white 9966 (White/White)
 Anthracite 9846 (Anthracite/Anthracite)

**YouBoxx Set 2**

Consisting of:
 1 box (3.2 l)
 1 dish (1.1 l) with bottle railing
 3 dividers, small
 3 dividers, large
 2 holders

WxDxH

115 x 450 x 95

115 x 450 x 95

Colour code: (Support rail/YouBoxx)
 Chromee 0005 (Chromee/White)
 Silver 0102 (Silver/White)
 Anthracite 9846 (Anthracite/Anthracite)

00 5274**YouBoxx Set 3**

Consisting of:
 2 boxes (1.0 l)
 2 boxes (2.1 l)
 2 lids
 1 divider, large
 2 traverse rails

WxDxH

115 x 150 x 95

115 x 300 x 95

Colour code: (Support rail/YouBoxx)
 Silver 0102 (Silver/White)
 Ice white 9966 (White/White)
 Anthracite 9846 (Anthracite/Anthracite)

00 5275**YouBoxx Set 4**

Consisting of:
 2 boxes (3.2 l)
 3 dividers, large
 2 holders

WxDxH

115 x 450 x 95

Colour code: (Support rail/YouBoxx)
 Porcelain white 9856 (White/White)
 Anthracite 7500 (Anthracite/Anthracite)

00 5276**YouBoxx Set 5**

Consisting of:
 2 boxes (1,0 L)
 1 box (2,1 L)
 2 boxes (2,0 L)
 1 compartment for knives
 2 lids
 3 support rails
 3 functional hooks (cutting board holder)

WxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

Colour code: (Support rail/YouBoxx)
 Silver 0102 (Silver/White)
 Ice white 9966 (White/White)
 Anthracite 9846 (Anthracite/Anthracite)

00 5277**YouBoxx-Set 6**

consisting of:
 1 box (1.0 L)
 2 boxes (2.0 L)
 1 box (2.0 L)
 2 Dividers, large
 2 Support rails

WxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

Colour code: (Support rail/YouBoxx)
 Ice white 9966 (White/White)


23 4710**Extra set, chopping board holder (Set 7)**

consisting of:
 1 Support rail
 3 Functional hooks (chopping board holder)

WxDxH

115 x 450 x 95

Colour code: (Support rail/YouBoxx)
 Silver 0102 (Silver/White)
 Anthracite 9846 (Anthracite/Anthracite)

23 4831

Can only be used
 with Set 1 or 3!



Item no. For cabinet width:

00 5275 300 mm

Youboxx-Set 3 in DISPENSA 90°

consisting of:

2 Boxes (1.0 L)

2 Boxes (2.1 L)

2 Lids

1 Divider, large

2 Support rails

Colour code: (Support rail/Youboxx)
Silver 0102 (Silver/White)



00 5274 300 mm

**Youboxx-Set 2 and Set 5
in DISPENSA junior III**

consisting of:

1 Box (3.2 L)

1 Dish (1.1 L) with steel railing

3 Dividers, small

3 Dividers, large

2 Brackets

Colour code: (Support rail/Youboxx)
Chrome 0005 (Chrome/White)

00 5277

2 Boxes (1.0 L)

1 Box (2.1 L)

2 Boxes (2.0 L)

1 Einteilung für Messer

2 Lids

3 Support rails

3 Functional hooks (chopping board holder)

Colour code: (Support rail/Youboxx)
Silver 0102 (Silver/White)



00 5275 200 mm

Youboxx-Set 3 in COMFORT II

consisting of:

2 Boxes (1.0 L)

2 Boxes (2.1 L)

2 Lids

1 Divider, large

2 Support rails

Colour code: (Support rail/Youboxx)
Silver 0102 (Silver/White)

YOUBOXX


TANDEM side

KESSEBÖHMER

Schrankbreite
450 mm

Cabinet width
500 mm

Cabinet width
600 mm





	For cabinet width:	Item no.
TANDEM side Youbox_x set 1		
consisting of:	450 mm	261109 0102
1 box (2.1 L)		261109 9966
1 divider		261109 9846
1 support rail		
Farbnummer:		
Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



TANDEM side Youbox_x set 2		
consisting of:	500 mm	261110 0102
1 box (2.1 L)		261110 9966
1 divider		261110 9846
1 support rail		
Colour code:		
Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



TANDEM side Youbox_x set 3		
consisting of:	600 mm	261111 0102
1 box (3.2 L)		261111 9966
2 divider		261111 9846
1 support rail		
Colour code:		
Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



TANDEM side Youbox_x set 4		
consisting of:	450 mm	261112 0102
2 boxes (1.0 L)		261112 9966
2 lids		261112 9846
1 support rail		
Colour code:		
Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



TANDEM side Youbox_x set 5		
consisting of:	500 mm	261113 0102
2 box (1.0 L)		261113 9966
2 lids		261113 9846
1 support rail		
Colour code:		
Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)





Item no. For cabinet width:

261114 0102 600 mm
261114 9966
261114 9846

TANDEM side Youbox_x set 6

consisting of:
3 boxes (1.0 L)
3 lids
1 support rail

Colour code:

Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



261115 0102 600 mm
261115 9966
261115 9846

TANDEM side Youbox_x set 7

consisting of:
1 box (2.1 L)
1 box (1.0 L)
1 lid
1 divider
1 support rail

Colour code:

Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



261116 0102 450 mm
261116 9966
261116 9846

TANDEM side Youbox_x set 8

consisting of:
3 hooks
1 support rail

Colour code:

Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



261117 0102 500 mm
261117 9966
261117 9846

TANDEM side Youbox_x set 9

consisting of:
3 hooks
1 support rail

Colour code:

Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)



261118 0102 600 mm
261118 9966
261118 9846

TANDEM side Youbox_x set 10

consisting of:
4 hooks
1 support rail

Colour code:

Silver	0102	(support rail Silver/Youbox _x white)
Ice white	9966	(support rail white/Youbox _x white)
Anthracite	9846	(support rail Anthracite/Youbox _x Anthracite)

	For cabinet width:	Item no.
TANDEM side Youbox_x set 11		
consisting of:	600 mm	261119 0102
1 box (2.1 L)		261119 9966
1 box (2.0 L)		261119 9846
1 lid		
1 divider		
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/Youbox _x white)	
Ice white	9966 (support rail white/Youbox _x white)	
Anthracite	9846 (support rail Anthracite/Youbox _x Anthracite)	



TANDEM side Youbox_x set 12		
consisting of:	600 mm	261120 0102
1 box (2.0 L)		261120 9966
2 boxes (1.0 L)		261120 9846
3 lids		
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/Youbox _x white)	
Ice white	9966 (support rail white/Youbox _x white)	
Anthracite	9846 (support rail Anthracite/Youbox _x Anthracite)	



TANDEM side Youbox_x set 13		
consisting of:	450 mm	261121 0102
2 boxes (2.0 L)		261121 9966
2 lids		261121 9846
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/Youbox _x white)	
Ice white	9966 (support rail white/Youbox _x white)	
Anthracite	9846 (support rail Anthracite/Youbox _x Anthracite)	



TANDEM side Youbox_x set 14		
consisting of:	500 mm	261122 0102
2 boxes (2.0 L)		261122 9966
2 lids		261122 9846
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/Youbox _x white)	
Ice white	9966 (support rail white/Youbox _x white)	
Anthracite	9846 (support rail Anthracite/Youbox _x Anthracite)	



TANDEM side Youbox_x set 15		
consisting of:	600 mm	235493 0102
1 box (2.0 L)		235493 9966
1 box (2.1 L)		235493 9846
3 lids		
1 divider		
1 support rail		
Colour code:		
Silver	0102 (support rail Silver/Youbox _x white)	
Ice white	9966 (support rail white/Youbox _x white)	
Anthracite	9846 (support rail Anthracite/Youbox _x Anthracite)	



DEPOTLINE

Storage container set & food dish set

KESSEBÖHMER



Storage container set

consisting of:

1 Support element

4 transparent storage containers (1.2 L)

with grey lids

Colour code:
Silver 0102

Item no.

00 4391



Storage dish set

consisting of:

1 Support element

2 transparent, open food dishes

1 transparent insertable divider

Colour code:
Silver 0102

00 4392



Cabinet width:

300 mm

Depotline in DISPENSA 90°

1 Storage container set

1 Storage dish set

Colour code:
Silver 0102

00 4391

00 4392



Depotline in DISPENSA junior III

300 mm

1 Storage container set

1 Storage dish set

Colour code:
Silver 0102

00 4391


00 4392



COMPARTMENT DIVIDERS & CLIP-IN BASKETS

Divide in great style

KESSEBÖHMER



Item no.

ARENA Style divider (see left)
for 15 mm base unit pull-out

Colour code:
Chrom 0005
Anthrazit 9846

26 0601



ARENA Classic divider (see right)

Colour code:
Chrom 0005
Silver 0102

26 0600

Divider for ARENA Style
for cabinet width 300 mm

Colour code:
Chrom 0005
Anthrazit 9846

05 4355



Divider for ARENA Classic
for cabinet width:

300 mm
400 mm

Colour code:
Chrome 0005
Silver 0102

00 4355 00 4356



Metal hook-on basket with bread bag
for cabinet width

300 mm

250 x 462 x 106

00 1968

Colour code:
Chrome 0005



Plastic dish

to insert in metal hook-on basket

for cabinet width:

300 mm

238 x 450 x 12

00 4361

400 mm

338 x 450 x 12

00 4362

Colour code:
White 9010
Anthracite 7500



Metal hook-on basket with bread bag
in DISPENSA junior III

For cabinet width:
300 mm

00 1968


Colour code:
Chrome 0005



BOTTLE RACKS & SPICE RACKS

Infinite storage space for bottles and spices

 KESSEBÖHMER



2 Spice racks in DISPENZA junior III

Colour code:
Silver 0102

For cabinet
width

300 mm

Item no.

01 5277



**2 Spice racks in
DISPENSA 90°**

Colour code:
Silver 0102

300 mm

01 5277





Item no. Dimension (mm)
W x D x H

01 5277 479 x 133 x 76 **Spice rack for COMFORT II**
with GRASS Nova Pro Rail
(cannot be used with Hettich Actro)

Storage area:
476 x 103

Colour code:
Silver 0102
Anthracite 9846
Ice white 9966



23 5227 466 x 85 x 34 **Spice rack for DISPENSA junior III**

Storage area:
462 x 79

Colour code:
Silver 0102
Anthracite 9846
Ice white 9966



For cabinet
width:

01 5277 200 mm **1 Spice rack im COMFORT II**

Colour code:
Silver 0102

PUSH-TO-OPEN

Possible applications



	 Type I 272072	 Type II 272073	 Type III 272074	 Magnet 272038
Grey 7035				
Anthracite 7500				
White 9966				
FREEflap	●	●	●	
FREEfold pto	●			
FREEswing pto	●			
FREEslide pto	●			
FREELight				○
Maxi				○
No.15		●		
DISPENSA junior			●	
cookingAGENT			●	
COMFORT II		●		
TopFlex		●		
MagicCorner			●	
TANDEM			●	
TANDEM solo	●			
TANDEM side	●			
CONVOY Premio		●		

Please note special instructions on the respective product page!




K2X MultiTool


PROCESSING AID



THE MOST IMPORTANT FUNCTIONS:



Finding the center in the carcase



Finding the center on the front panel



Finding the center on the top panel




Marking 90° angle and depth measurement



Marking a spacing of 32 mm



Marking measurements for pull-out runners



Measuring the front panel overlap



Marking measurements for handles



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/k2xe>

K2X MultiTool

SIMPLE · FAST · ERROR-FREE



THESE TOOLS ARE IN THE K2X MULTITOOL:

Multidimensional measuring instrument - Measuring tape - Folding rule - Angle stop - Centre finder - Gauge - Clamp - Positioning aid
... and much more!


THE K2X MULTITOOL IS VERY HELPFUL FOR THIS:




Tall cupboard fittings



Base unit fittings




Hardware rails



Drawer runners



Lift fittings



Handles and front connections



Hinges



Insert mats (positioning aid for cutting)

K2X MultiTool Measuring Ruler

238055 0050

Measuring unit CM

Set contains:

1 ruler, length 440 mm

1 ruler, length 600 mm



K2X MultiTool Measuring Ruler

238087 0050

Measuring unit INCH

Set contains:

1 ruler, length 15.75 inch

1 ruler, length 23.62 inch





SHELVING UNITS

CONTENTS

 KESSEBÖHMER

YouK

Contemporary design
with fresh transparency



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/08e>

12.10.2023





YouK

NEW PERSPECTIVES

 KESSEBÖHMER



Technical Support

Short-URL:
<https://kbgo.to/supe>



Product Information

Short-URL:
<https://kbgo.to/yoke>



YouK

CONTEMPORARY DESIGN WITH FRESH TRANSPARENCY

 KESSEBÖHMER

CONTEMPORARY LADDER FRAME DESIGN

YouK reflects on the bare essentials with its simplicity.

SIMPLY COHERENT GRIDS

For more assured planning and installation

SOLID AND RESISTANT

Due to the surface with Teflon content, the solid steel construction always retains as-new appearance.

EXTREMELY EASY ASSEMBLY

YouK is quickly assembled in just a few steps without any complicated technology.

CAN BE USED IN ANY LIVING SPACE

Ideal due to the variety of additional options.

SUSTAINABLE AND DURABLE

An existing YouK easily expandable over time.



COSINESS IN EVERY LIVING SPACE.

Rooms merge into a modern living space without borders. The industrial style of the flexible but compelling YouK shelving unit suits this well as it adds functional highlights to any area.


In the kitchen or office, as a wall unit, in the bathroom or as a wardrobe.



YouK ladder depth 200/320 mm

Depth: 200 mm

Depth: 320 mm




Simple fixture to the wall



Simple screw fixture of the shelves




Abrasion-resistant surface



THE VARIOUS GRIDS PROVIDE DIFFERENT HEIGHTS TO PLAY AROUND WITH IN COMBINATION WITH THE CUSTOMER'S CHOICE OF SHELVES (NOT INCLUDED) AND SHELF THICKNESSES.

YouK ladders can be placed on the floor or hung on the wall with screws and various different heights can be combined with each other.

YouK ladder depth 200 mm



YouK ladders

Ladder height (mm)	Depth (mm)	PU piece	Item no. Jet black
668	200	1	236746 9873
905	200	1	236748 9873

YouK functional add-ons for ladder depth 200 mm



Item no.

008536 9873 For ladder depth 200 mm

Hook strip


Colour code:
Jet black 9873



008538 9873 For clear inside width (between two ladders) 450 mm
008539 9873 600 mm
008540 9873 900 mm
008541 9873 1200 mm

Hook strip


Colour code:
Jet black 9873



008542 9873 For ladder depth 200 mm

Rack

Colour code:
Jet black 9873



008544 9873 For ladder depth 200 mm

Youboxx Set 1

consisting of:
 1 support rail
 1 box (1,0 L), colour anthracite
 1 lid, colour anthracite

Colour code:
Jet black 9873


YouK functional add-ons for ladder depth 200 mm

Youboxx Set 2
 consisting of:
 1 support rail
 1 box (2,0 L), colour anthracite
 1 lid, colour anthracite

For ladder depth
 200 mm

Item no.
008545 9873

Colour code:
 Jet black 9873




Newspaper/Towel rack set
 consisting of:
 1 rack
 1 divider, removable

For ladder depth
 200 mm

Item no.
008549 9873

Colour code:
 Jet black 9873




Cabinet bracket
 consisting of:
 2 brackets (external)
 incl. mounting material

For ladder depth
 200 mm

Item no.
008557 9873

Colour code:
 Jet black 9873

i The cabinet must also be attached to the wall.




Cabinet bracket-extension
 consisting of:
 1 bracket (central)
 incl. mounting material

For ladder depth
 200 mm

Item no.
008559 9873

Colour code:
 Jet black 9873

i The cabinets must also be attached to the wall.




YouK functional add-ons for any depth

Top panel bracket
 consisting of:
 2 brackets

For YouK frame
 profile
 30 x 15 mm

Item no.
008552 9873

Colour code:
 Jet black 9873




Shoe rack


For clear inside
 width (between
 two ladders)
 450 mm / 2*
 600 mm / 3*
 900 mm / 4*
 1200 mm / 5*
 * = pairs of shoes

Item no.
008553 9873
008554 9873
008555 9873
008556 9873

Colour code:
 Jet black 9873




YouK ladder depth 320 mm



YouK ladders

Ladder height (mm)	Depth (mm)	PU piece	Item no. Jet black
550	320	1	236750 9873
905		1	236754 9873
1500		1	236758 9873
2210		1	236762 9873




Adjustable foot



Foot height (mm)	PU piece	Item no. Jet black
100	1	237023 9873
150	1	237333 9873

For ladder depth 320 mm

YouK functional add-ons for ladder 320 mm



YouK functional add-ons for ladder 320 mm

	<p>Item no.</p> <p>For clear inside width (between two ladders)</p> <p>008530 9873 600 mm 008531 9873 900 mm 008532 9873 1200 mm</p> <p>Clothes rail set, pre-assembled consisting of: 1 Clothes rail 2 outer connections</p> <p>Colour code: Jet black 9873</p>
	<p>For clear inside width (between two ladders)</p> <p>008533 9873 600 mm 008534 9873 900 mm 008535 9873 1200 mm</p> <p>Clothes rail extension set, pre-assembled consisting of: 1 Clothes rail 1 central connections</p> <p>Colour code: Jet black 9873</p>
	<p>For ladder depth 320 mm</p> <p>008537 9873</p> <p>Hook strip</p> <p>Colour code: Jet black 9873</p>
	<p>For clear inside width (between two ladders)</p> <p>008538 9873 450 mm 008539 9873 600 mm 008540 9873 900 mm 008541 9873 1200 mm</p> <p>Hook strip</p> <p>Colour code: Jet black 9873</p>
	<p>For ladder depth 320 mm</p> <p>008543 9873</p> <p>Rack</p> <p>Colour code: Jet black 9873</p>
	<p>For ladder depth 320 mm</p> <p>008546 9873</p> <p>Youboxx Set 3 consisting of: 1 support rail 1 box (2,1 L), colour anthracite 2 lid, colour anthracite 1 divider, colour anthracite</p> <p>Colour code: Jet black 9873</p>


YouK functional add-ons for ladder 320 mm

Youboxx Set 4
 consisting of:
 1 support rail
 2 boxes (1,0 L), colour anthracite
 2 lid, colour anthracite

For ladder depth
 320 mm

Item no.
008547 9873

Colour code:
 Jet black 9873



Youboxx Set 5
 consisting of:
 1 support rail
 1 box (2,0 L), colour anthracite
 1 box (1,0 L), colour anthracite
 2 lid, colour anthracite

For ladder depth
 320 mm

Item no.
008548 9873

Colour code:
 Jet black 9873




Newspaper/towel rack set
 consisting of:
 1 rack
 1 divider, removable

For ladder depth
 320 mm

Item no.
008550 9873

Colour code:
 Jet black 9873




Cabinet bracket
 consisting of:
 2 brackets (external)
 incl. mounting material

For ladder depth
 320 mm

Item no.
008558 9873

Colour code:
 Jet black 9873

i The cabinet must also be attached to the wall.




Cabinet bracket-extension
 consisting of:
 1 bracket (central)
 incl. mounting material

For ladder depth
 320 mm


Item no.
008560 9873

Colour code:
 Jet black 9873

i The cabinets must also be attached to the wall.



YouK functional add-ons for ladder 320 mm






Item no.

008551 9873 For ladder depth 320 mm


Office solution
consisting of:
2 base brackets
2 shelf supports
2 clamping angles

Colour code:
Jet black 9873

i With this application, it is recommended to mount the ladders standing on the floor, or to equip them with an adjustable foot.



Body height	Seat height	Table height	
1430	380	650	mm
1730	460	750	mm




For clear inside width (between two ladders)

008561 9873 450 mm
008562 9873 600 mm
008563 9873 900 mm
008564 9873 1200 mm

Shelf
incl. mounting material

Colour code:
Jet black 9873



008565 9873 For ladder depth 320 mm

Umbrella stand
consisting of:
1 upper bracket
1 tray below
(supplied without umbrella)

Colour code:
Jet black 9873

YouK functional add-ons for any depth

Top panel bracket

consisting of:
2 brackets

Colour code:
Jet black 9873

For YouK frame
profile
30 x 15 mm

008552 9873



Shoe rack

Colour code:
Jet black 9873


For clear inside
width (between
two ladders)
450 mm / 2*
600 mm / 3*
900 mm / 4*
1200 mm / 5*
* = pairs of shoes

008553 9873

008554 9873

008555 9873

008556 9873



DRESSING ROOM

CONTENTS

 KESSEBÖHMER

CONERO

Everything perfectly stored
and at your fingertips



Technical Support

Short-URL:
<https://kbgo.to/supe>




Product Information

Short-URL:
<https://kbgo.to/09e>

12.10.2023

CONERO

Stylish Clothes Storage.



KESSEBÖHMER
DAS ORIGINAL





**The dressing room of your dreams.
Everything perfectly stored and at your fingertips.**

The CONERO range from Kesseböhmer is its first comprehensive range of fittings for private dressing rooms. From elegant inside pull-outs to the brand new TOP wardrobe lift, CONERO covers all bases.



Whether planning an open style or for interior fittings to disappear behind revolving or sliding doors, design and function are the key elements in Kesseböhmer's CONERO range.

Storage space and visibility, accessibility and ease of use demonstrate this as well as a high-quality design vocabulary with a coordinated colour concept.



Powder Black



Powder Gold

THE CONCEPT

The ultimate goal of the fittings is maximum adaptability to suit any custom design.

CONERO is therefore available in two different clear installation depths of 475 and 345 mm.

Thanks to the variability in width of the functional and design-oriented equipment elements CONERO covers clear cabinet width to the millimeter.

CONERO is available in two pull-out heights of 72 and 168 mm.

Images show latest concept state and may differ slightly from series.



THE INSIDE PULL-OUTS ARE BASED ON

... the narrow frames in the Soft Edge design which have slightly rounded corners. Full-extension pull-outs with cushioned self-closing mechanisms and tinted front panels put convenience front and centre.

Versatile and unique designs at your fingertips. Installers can add their own front or back panel materials to the wooden base or simply make use of the glass elements available from Kesseböhmer.

Create unique dressing rooms with flocked mats and versatile inserts for organising drawers.

Pull-outs with high side panels are the ideal solution for loose clothing and the practical convenience tray provides easy access to clothing which is usually stored flat such as T-shirts or pullovers.



OPTIONS

The shoe rack option, which is also available as a fixed accessory, converts inside pull-outs to a stylish shoe storage unit.

The classic low inside pull-out is complemented by a range of elements for organising rings, necklaces, sunglasses and much more.





FUNCTIONAL PULL-OUTS

Double your trouser hanging space by adding a storage level. The hangers can be removed one at a time to allow easy access to the second hanging space.

Everything works perfectly, despite a clear installation depth of only 345 mm.



The open design allows long trousers and laundry sacks to be brought to the front extremely easily, emphasising how exceptionally easy it is to use this functional pull-out.



MOUNTING & FITTINGS

The CONERO inside and functional pull-outs are perfectly designed for use with a 32 mm hole pattern. Two low pull-outs are exactly the same height as a high inside pull-out.



The inside and functional insert pull-outs have adjustable widths which means they can form a clear width from 334 to 1020 mm. With the inside pull-outs, the fitter only has to customize the wooden shelf.

Kesseböhmer spacer strips allow obtrusive elements such as hinges or sliding doors to disappear easily.

The Kesseböhmer CX concealed runner in nominal lengths of 320 or 450 mm is used for the pull-out system.



SHOE FENCE AND CLOTHES RAILS

The CONERO shoe fence allow shoes to be displayed perfectly in units without taking up space.

Kesseböhmer also offers clothes rails matched to the CONERO colour palette.

In addition to the classic clothes rail, the CONERO range also includes clothes rails with in-unit illumination.

The key feature: installers can easily install their own lighting and do not have to match different lighting technologies to each other.





BELT AND TIE PULL-OUT

The CONERO side pull-outs afford additional storage space under the clothes rails.

The universal hooks are perfect for storing belts, ties or even scarves and shawls. Their soft, non-slip material prevents marks, even on delicate silk ties.

The bowl provides a storage space in the wardrobe for small items such as cuff links or tiepins and has additional hooks for belts.





MOUNTING & FITTINGS

Belt and tie pull-outs have grease-free sliding guides as partial pull-outs so there is no danger of clothing hung in the unit being soiled.

As the system has a 100% symmetrical design, pull-outs can be fitted on either the left or right side of the unit. CONERO spacer strips allow the door closers to be easily concealed.

The belt and tie organiser is also available without a pull-out runner in exactly the same look for fitting to the inside of the door.

The pull-outs are available for 345 and 475 mm clear installation depths and can be easily fitted in the 32 mm hole pattern.





SIDE TROUSER PULL-OUT

The single-sided trouser pull-out for fitting under the clothes rail has seven double hangers with space for 14 pairs of trousers. As with other CONERO trouser pull-outs, the hangers can be easily removed.

It has a fully enclosed ball bearing runner to prevent any danger of clothing being soiled by the rail.

This set can also be installed on the left or right of the unit, thus avoiding the need for any additional components, hinges or door closers.



It is suitable for units with a clear width of 457 mm or more and a clear depth of 475 mm.

The single-sided trouser pull-out is therefore the ideal solution for changing the configuration of an existing wardrobe.



CONERO WARDROBE LIFT

Inconspicuous but effective: the only system on the market to have a handle with a fixed stop on the clothes rail.

The wardrobe lift uses the leverage this creates to ensure minimum force is required to raise the lift, even when fully loaded.

This energy storage system is designed to provide the maximum force when needed, i. e. immediately after releasing the lock. Unbelievably easy due to the lever effect!

This self-regulating system also prevents the fitting swivelling downwards in an uncontrolled manner. The wardrobe lift is braked throughout its movement which not only protects the unit but it also keeps the user safe.



CONERO TOP WARDROBE LIFT

Unique performance!

Time to throw out that step-stool to reach the top shelf hidden away in your dressing room! The Kesseböhmer CONERO TOP wardrobe lift brings the storage space to you.

Sophisticated technology combines force, stability and aesthetics to deliver the performance you want. Based on the classic CONERO wardrobe lift, this solution is one of the best wardrobe lifts on the market.

The clothes rail is securely located in the lever arms, generating outstanding torsional rigidity which allows both levers to move in tandem. And, unlike other wardrobe lifts, even if the load is distributed unevenly.

The power packs are designed to ensure the hinges and door closers are concealed as usual. Kesseböhmer also offers spacer strips for other obtrusive elements such as protruding sliding doors.



MOUNTING & FITTINGS

The CONERO wardrobe lift and CONERO TOP wardrobe lift are available in widths of 445-1168 mm for loads of 12 kg. Although both systems will function perfectly when empty, a **minimum load of 0.5 kg** is recommended.

The classic wardrobe lift is also available for loads up to 15 kg and widths from 805-1168 mm. A **minimum load of 4 kg** is required for daily use.









The width of both fittings can be adjusted by 183 mm.

A clear installation depth of at least 475 mm is required for the CONERO TOP wardrobe lift. The CONERO wardrobe lift without a tray can be installed in shorter units.

CONERO Inside pull-out 72 H



- Soft-Edge-Design with millimeter frame
- Overview and elegance through tinted safety glass
- Perfect access due to modern full-extension runner
- Full use of width even for custom-made cabinets due to 60 mm width adjustability



CONERO Inside pull-out 72 H

CONERO Side Set Inside pull-out 72 H

consisting of:

- 1x Set Frame left + right
- 1x Set runner cover cap left + right
- 1x Set front mounts
- 1x Set rear mounts
- 1x Installation material


Compatible with KB-CX



Nominal Length	Clear installation depth (CD)	Color	PU 1
320 mm	345	Powder Gold	238390 9853
		Powder Black	238390 7021
450 mm	475	Powder Gold	238388 9853
		Powder Black	238388 7021

CONERO Tempered safety glass for Inside pull-out 72 H

Clear Cabinet Width (CW)*	Dimension front glass W x D x H (mm)	Dimension rear glass W x D x H (mm)	PU 5 Sets
334-394	263 x 6 x 61	217 x 6 x 61	238475 0008
384-444	313 x 6 x 61	263 x 6 x 61	238476 0008
410-470	339 x 6 x 61	293 x 6 x 61	238477 0008
434-494	363 x 6 x 61	313 x 6 x 61	238478 0008
484-544	413 x 6 x 61	363 x 6 x 61	238479 0008
534-594	463 x 6 x 61	413 x 6 x 61	238480 0008
552-612	481 x 6 x 61	435 x 6 x 61	238481 0008
610-670	539 x 6 x 61	493 x 6 x 61	238482 0008
660-720	589 x 6 x 61	539 x 6 x 61	238483 0008
710-770	639 x 6 x 61	589 x 6 x 61	238484 0008
760-820	689 x 6 x 61	639 x 6 x 61	238485 0008
810-870	739 x 6 x 61	689 x 6 x 61	238486 0008
860-920	789 x 6 x 61	739 x 6 x 61	238487 0008
910-970	839 x 6 x 61	789 x 6 x 61	238488 0008
960-1020	889 x 6 x 61	839 x 6 x 61	238489 0008



Color: Floatglass grey

* The clear installation dimension increases by 25 mm per CONERO Shim inserted.
(Glass for other clear widths on request.)

Set Full-extension runner KB-CX NL, right & left



Nominal Length	Clear installation depth (CD)	Color	PU 10
320 mm	345	galvanized	238506 0007
450 mm	475	galvanized	238505 0007



CONERO Shim

Nominal Length	Clear installation depth (CD)	Dimension W x D x H (mm)	PU 10
320 mm	345	25 x 323 x 69	238683 7818
450 mm	475	25 x 453 x 69	238682 7818









Color: black



CONERO Comfort tray 72 H



- Soft-Edge-Design with millimeter frame
- Access from the front to lying storage material allows the convenience of a pull-out even with high installation
- Full use of width even for custom-made cabinets due to 60 mm width adjustability



CONERO Comfort tray 72 H

CONERO Side Set Inside pull-out 72 H

consisting of:

1x Set Side left + right

1x Set runner cover cap left + right

1x Set front mounts

1x Set rear mounts

1x Installation material

Compatible with KB-CX

Nominal Length	Clear installation depth (CD)	Color	PU 1
320 mm	345	Powder Gold	238390 9853
		Powder Black	238390 7021
450 mm	475	Powder Gold	238388 9853
		Powder Black	238388 7021




CONERO Tempered Safety Glass Comfort Shelf 72 H

Clear Cabinet Width (CW)*	Dimension rear glass W x D x H (mm)	PU 5
334-394	217 x 6 x 61	238460 0008
384-444	263 x 6 x 61	238461 0008
410-470	293 x 6 x 61	238462 0008
434-494	313 x 6 x 61	238463 0008
484-544	363 x 6 x 61	238464 0008
534-594	413 x 6 x 61	238465 0008
552-612	435 x 6 x 61	238466 0008
610-670	493 x 6 x 61	238467 0008
660-720	539 x 6 x 61	238468 0008
710-770	589 x 6 x 61	238469 0008
760-820	639 x 6 x 61	238470 0008
810-870	689 x 6 x 61	238471 0008
860-920	739 x 6 x 61	238472 0008
910-970	789 x 6 x 61	238473 0008
960-1020	839 x 6 x 61	238474 0008

Color: Floatglass grey

* The clear installation dimension increases by 25 mm per CONERO Shim inserted.

(Glass for other clear widths on request.)



Set Full-extension runner KB-CX NL, right & left



Nominal Length	Clear installation depth (CD)	Color	PU 10
320 mm	345	galvanized	238506 0007
450 mm	475	galvanized	238505 0007



CONERO Shim

Nominal Length	Clear installation depth (CD)	Dimension W x D x H (mm)	PU 10
320 mm	345	25 x 323 x 69	238683 7818
450 mm	475	25 x 453 x 69	238682 7818


Color: black



CONERO Inside pull-out 168 H



- Soft-Edge-Design with millimeter frame
- Clarity and elegance through tinted safety glass
- Perfect access due to modern full-extension runner
- Full use of width even for custom-made cabinets due to 60 mm width adjustability



CONERO Inside pull-out 168 H

CONERO Side Set Inside pull-out 168 H

consisting of:

1x Set Side left + right

1x Set runner cover cap left + right

1x Set front mounts

1x Set rear mounts

1x Installation material


Compatible with KB-CX



Nominal Length	Clear installation depth (CD)	Color	PU 1
320 mm	345	Powder Gold	238391 9853
		Powder Black	238391 7021
450 mm	475	Powder Gold	238389 9853
		Powder Black	238389 7021

CONERO Tempered safety glass for Inside pull-out 168 H

Clear Cabinet Width (CW)*	Dimension front glass W x D x H (mm)	Dimension rear glass W x D x H (mm)	PU 5 sets
334-394	263 x 6 x 157	217 x 6 x 157	238490 0008
384-444	313 x 6 x 157	263 x 6 x 157	238491 0008
410-470	339 x 6 x 157	293 x 6 x 157	238492 0008
434-494	363 x 6 x 157	313 x 6 x 157	238493 0008
484-544	413 x 6 x 157	363 x 6 x 157	238494 0008
534-594	463 x 6 x 157	413 x 6 x 157	238495 0008
552-612	481 x 6 x 157	435 x 6 x 157	238496 0008
610-670	539 x 6 x 157	493 x 6 x 157	238497 0008
660-720	589 x 6 x 157	539 x 6 x 157	238498 0008
710-770	639 x 6 x 157	589 x 6 x 157	238499 0008
760-820	689 x 6 x 157	639 x 6 x 157	238500 0008
810-870	739 x 6 x 157	689 x 6 x 157	238501 0008
860-920	789 x 6 x 157	739 x 6 x 157	238502 0008
910-970	839 x 6 x 157	789 x 6 x 157	238503 0008
960-1020	889 x 6 x 157	839 x 6 x 157	238504 0008



Color: Floatglass grey

* The clear installation dimension increases by 25 mm per CONERO Shim inserted.

(Glass for other clear widths on request.)

Set Full-extension runner KB-CX NL, right & left



Nominal Length	Clear installation depth (CD)	Color	PU 10
320 mm	345	galvanized	238506 0007
450 mm	475	galvanized	238505 0007



CONERO Shim

Nominal Length	Clear installation depth (CD)	Dimension W x D x H (mm)	PU 10
320 mm	345	25 x 323 x 69	238683 7818
450 mm	475	25 x 453 x 69	238682 7818

Color: black



CONERO Interior flock



The insert mats can be easily cut to the desired inner dimension (cut-to-size).

- Velvety surface due to soft flock
- Gentle storage for delicate clothing
- Safe and steady storage due to anti-slip and noise dampening effect



The flock trays should always be combined with insert mats.

- Gentle/Safe and functional storage of rings, earrings and small items
- Gentle organization of ties and belts
- Width-independent drawer equipment as if from a single mold

Recommended number of flock bowls:



IW: Pull-out inner width

CW: Clear cabinet width (without spacer)

CONERO Interior flock

CONERO Interior flock

Dimension W x D x H (mm)	Max. Clear Cabine Width	Clear Installation Depth (CD)	PU 5
715 x 425 x 20	762	475	238584 7817
973 x 425 x 20	1020	475	238585 7817
715 x 295 x 20	762	345	238586 7817
973 x 295 x 20	1020	345	238587 7817

Cut-to-size

Flock: black-grey 7817




CONERO Jewelry and ring bowl

Dimension W x D x H (mm)	Clear Cabine Depth	PU 6
223 x 425 x 14	475	238593 7817

For the required number, please refer to the internal dimensions on page 22.

Flock: black-grey 7817



CONERO Jewelry and ring bowl

Dimension W x D x H (mm)	Clear Cabine Depth	PU 6
223 x 295 x 14	345	238595 7817

For the required number, please refer to the internal dimensions on page 22.

Flock: black-grey 7817



CONERO Belt and tie bowl

Dimension W x D x H (mm)	Clear Cabine Depth	PU 6
223 x 425 x 14	475	238594 7817

For the required number, please refer to the internal dimensions on page 22.

Flock: black-grey 7817



CONERO Belt and tie bowl

Dimension W x D x H (mm)	Clear Cabine Depth	PU 6
223 x 295 x 14	345	238596 7817

For the required number, please refer to the internal dimensions on page 22.

Flock: black-grey 7817



CONERO Shoe storage



The shoe rack can be easily shortened to the needed internal dimension (Cut-to-size).

- Perfect shoe organization for the inside pull-out
- Suitable for any shoe
- Can also be used free-standing without a pull-out



The CONERO shoe railing perfectly showcases shoes in cabinets with shallow depths.

- Simple shoe organization for the closet
- Ideal for cabinets with shallow depth
- Suitable for any shoe


CONERO Shoe storage

CONERO Shoe rack

Dimension W x D x H (mm)	Max. Clear Cabine Width	Color	PU 2
715 x 211 x 142	762	Powder Black	239584 7021
715 x 211 x 142	762	Powder Gold	239584 9853
973 x 211 x 142	1020	Powder Black	239585 7021
973 x 211 x 142	1020	Powder Gold	239585 9853

Cut-to-size

2 shoe rack are needed to equip a pull-out with CD 475 mm..



CONERO Shoe fence

consisting of:

2 x mounts

1 x Profile

Max. Dimension W x D x H (mm)	Max. Clear Cabine Width	Color	PU 20
582 x 24 x 38	582	Powder Black	238723 7021
582 x 24 x 38	582	Powder Gold	238723 9853

Cut-to-size

The shoe fence can be extended as desired by stringing several shoe fences together.



CONERO Shoe fence

consisting of:

3 x mounts

2 x Profile

Max. Dimension W x D x H (mm)	Max. Clear Cabine Width	Color	PU 20
1114 x 24 x 38	1114	Powder Black	238438 7021
1114 x 24 x 38	1114	Powder Gold	238438 9853

Cut-to-size

The shoe fence can be extended as desired by stringing several shoe fences together.



CONERO Organizer Set 72 H 345





Trousers pull-out

- Perfect storage for your trousers
- Full function even with low installation depth
- Comfortable access thanks to front-removable hangers
- Double storage space due to hangers with two levels



Laundry pull-out

- Easy organization by integrating the stylish laundry bag directly into the dressing room
- Direct sorting of laundry by using several bags per pull-out
- Comfortable removal of the laundry bag to the front
- Individual composition of laundry bags and hangers possible



CONERO Organizer Set 72 H 345

CONERO Organizer Set 72 H 345 · 1s Set

consisting of:

- 1x Set Side left + right
- 1x Set runner cover cap left + right
- 1x Set front mounts
- 1x Set crossbar mounts
- 1x Installation material
- 1x Crossbar

Compatible with KB-CX



Frame width (FW)*	Clear Installation Depth(CD)	Nominal Length (NL)	Recommended number of hangers	Recommended number of laundry bags		Powder Black	Powder Gold
				Narrow	wide		
410-470	345	320	5	1		238699 7021	238699 9853
434-494	345	320	5	1		238700 7021	238700 9853
484-544	345	320	6	1		238701 7021	238701 9853
534-594	345	320	7		1	238702 7021	238702 9853
552-612	345	320	7	2		238703 7021	238703 9853
610-670	345	320	7	2		238704 7021	238704 9853
660-720	345	320	10	2		238705 7021	238705 9853
710-770	345	320	10	1	1	238706 7021	238706 9853
760-820	345	320	11	1	1	238707 7021	238707 9853
810-870	345	320	11	3		238708 7021	238708 9853
860-920	345	320	12	3		238709 7021	238709 9853
910-970	345	320	13	2	1	238710 7021	238710 9853
960-1020	345	320	14	2	1	238711 7021	238711 9853

*CW = FW (frame width) + number of spacer strips (each 25 mm) / See left.

Hanger, short



Clear Installation Depth (CD)	For Nominal Length	Dimension W x D x H (mm)	PU 5	PU 6	PU 7
			345 mm	320	30 x 310 x 93

CONERO Laundry bag

Version	Dimension W x D x H (mm)	Color	PU 1
Narrow	190 x 280 x 530	Grey-beige	238737 1943
Wide	300 x 280 x 530	Grey-beige	238738 1943



Set Full-extension runner KB-CX NL, right & left



Nominal Length	Clear Installation		PU 10
	Depth (CD)	Color	
320 mm	345	galvanized	238506 0007



CONERO Shim

Nominal Length	Clear Installation		PU 10
	Depth (CD)	Dimension W x D x H (mm)	
320 mm	345	25 x 323 x 69	238683 7818



CONERO Organizer Set 72 H 475





Trousers pull-out

- Perfect storage for your trousers
- Full function even with low installation depth
- Comfortable access thanks to front-removable hangers
- Double storage space due to hangers with two levels



Laundry pull-out

- Easy organization by integrating the stylish laundry bag directly into the dressing room
- Direct sorting of laundry by using several bags per pull-out.
- Comfortable removal of the laundry bag to the front
- Individual composition of laundry bags and hangers possible



CONERO Organizer Set 72 H 475

CONERO Organizer Set 72 H 475 · 1s Set

consisting of:

1x Set Side left + right

1x Set runner cover cap left + right

1 x Set front mounts

1x Set crossbar mounts

1x Crossbar

1x Installation material

Compatible with KB-CX



Frame width (FW)*	Clear Installation Depth(CD)	Nominal Length (NL)	Recommended number of hangers	Recommended number of laundry bags		Powder Black	Powder Gold
				Narrow	wide		
410-470	475	450	5	1		238686 7021	238686 9853
434-494	475	450	5	1		238687 7021	238687 9853
484-544	475	450	6	1		238688 7021	238688 9853
534-594	475	450	7		1	238689 7021	238689 9853
552-612	475	450	7	2		238690 7021	238690 9853
610-670	475	450	7	2		238691 7021	238691 9853
660-720	475	450	10	2		238692 7021	238692 9853
710-770	475	450	10	1	1	238693 7021	238693 9853
760-820	475	450	11	1	1	238694 7021	238694 9853
810-870	475	450	11	3		238695 7021	238695 9853
860-920	475	450	12	3		238696 7021	238696 9853
910-970	475	450	13	2	1	238697 7021	238697 9853
960-1020	475	450	14	2	1	238698 7021	238698 9853

*CW = FW (frame width) + number of spacer strips (each 25 mm) / See left.

Hanger, long

For Clear Installation Depth (CD)	For Nominal length	Dimension W x D x H (mm)	PU 5	PU 6	PU 7
			238712 7818	238713 7818	238714 7818



CONERO Laundry bag

Version	Dimension W x D x H (mm)	Color	PU 1
Narrow	190 x 280 x 530	Grey-beige	238737 1943
Wide	300 x 280 x 530	Grey-beige	238738 1943



Set Full-extension runner KB-CX NL, right & left



Nominal Length	Clear Installation Depth (CD)	Color	PU 10
	450 mm		475



CONERO Shim

Nominal Length	Clear Installation Depth (CD)	Dimension W x D x H (mm)	PU 10
	450 mm		475



CONERO Trouser pull-out Basic



- Perfect storage for your trousers and skirts
- Comfortable access thanks to front-removable hangers
- Double storage space due to hangers with two levels
- Freely positionable in the cabinet and retrofittable
- Easy left/right mounting
- Fits in any cabinet from 457 mm clear width

CONERO Laundry pull-out Basic



- Easy organization by integrating the stylish laundry bag directly into the dressing room
- Comfortable removal of the laundry bag to the front
- Freely positionable in the cabinet and retrofittable
- Easy left/right mounting
- Fits in any cabinet from 457 mm clear width

CONERO Trouser pull-out Basic

CONERO Trouser pull-out Basic

Clear Cabinet Depth (CD)	Clear Cabinet Width (CW)	Number of hangers	Powder Black PU 1	Powder Gold PU 1
475	457	7	238383 7021	238383 9853



CONERO Laundry pull-out Basic

CONERO Laundry pull-out Basic

Clear Cabinet Depth (CD)	Clear Cabinet Width (CW)	Number of laundry bags	Powder Black PU 1	Powder Gold PU 1
475	457	1 x wide	238736 7021	238736 9853





CONERO Belt-/tie pull-out



- Soft-Touch surface for the gentle storage of belts, ties and scarfs
- Utilizes unused storage space under the clothes rail
- Grease-free sliding guide protects clothing hanging next to it
- Freely positionable in the cabinet and retrofittable
- Easy left/right mounting



CONERO Belt-/tie pull-out with shim



CONERO Belt-/tie wearer



CONERO Belt-/tie wearer on inner door

- Soft-Touch surface for the gentle storage of belts, ties and scarfs
- Easy mounting on the inside of the door
- Utilizes unused storage space on the inside of the door or under the clothes rail

CONERO Belt-/tie pull-out

CONERO Belt-/tie pull-out

Clear Cabinet Depth (CD)	Dimension W x D x H (mm)	Powder Black PU 1	Powder Gold PU 1
475 mm	67 x 450 x 72	238379 7021	238379 9853
345 mm	67 x 320 x 72	238380 7021	238380 9853



CONERO Belt-/tie pull-out with bowl

Clear Cabinet Depth (CD)	Dimension W x D x H (mm)	Powder Black PU 1	Powder Gold PU 1
475 mm	67 x 450 x 72	238381 7021	238381 9853
345 mm	67 x 320 x 72	238382 7021	238382 9853



CONERO Shim

Nominal Length	Clear Cabinet Depth (CD)	Dimension W x D x H (mm)	PU 10
320 mm	345	25 x 323 x 69	238683 7818
450 mm	475	25 x 453 x 69	238682 7818

Color: black



CONERO Belt-/tie wearer

CONERO Belt-/tie wearer

Clear Cabinet Depth (CD)	Dimension W x D x H (mm)	Powder Black PU 1	Powder Gold PU 1
475 mm	67 x 450 x 72	238384 7021	238384 9853
345 mm	67 x 320 x 72	238385 7021	238385 9853



CONERO Belt-/tie pull-out with bowl





Clear Cabinet Depth (CD)	Dimension W x D x H (mm)	Powder Black PU 1	Powder Gold PU 1
475 mm	67 x 450 x 72	238386 7021	238386 9853
345 mm	67 x 320 x 72	238387 7021	238387 9853



CONERO Wardrobe lift



- Combines easy access and utilization of the entire cabinet height by swinging down the clothes
- Comfortable operation with both low and full loads
- With a payload of up to 15 kg, even heavy jackets and coats are no problem
- Gentle and safe lowering even when fully loaded thanks to self-regulating power assistance



CONERO Wardrobe lift

CONERO Wardrobe lift

Clear Cabinet Width (CW)*	Payload (kg)	Load capacity** (max.)	System weight (max.)	Powder Black PU 1	Powder Gold PU 1
445-628	0.0-12	14	17.5	238278 7021	238278 9853
625-808	0.0-12	14	17.5	238279 7021	238279 9853
805-988	0.0-12	14	17.5	238280 7021	238280 9853
985-1168	0.0-12	14	17.5	238281 7021	238281 9853
805-988	4.0-15	17	20.5	238720 7021	238720 9853
985-1168	4.0-15	17	20.5	238721 7021	238721 9853

*The use of shims increases the necessary clear cabinet width by 30 mm each.

**Load capacity = payload + 2 kg (max. weight of the control lever and clothes rail).



Set CONERO Wardrobe lift shim

consisting of:

1 x Shim

1 x Installation material





Dimension L x P x H	Color	PU 10
30 x 213 x 229	Black	238722 7818



CONERO Wardrobe lift TOP



- Creates additional storage space for e.g. handbags, hats and accessories above the clothes rail
- Combines easy access and utilization of the entire cabinet height by swinging down the clothes
- Comfortable operation with both low and full loads
- Gentle and safe lowering even when fully loaded thanks to self-regulating power assistance



CONERO Wardrobe lift TOP

CONERO Wardrobe lift TOP

Clear Cabinet Width (CW)*	Pay-load (kg)	Load capacity*** (max.)	System weight (max.)	Powder Black PU 1	Powder Gold PU 1
445-628	**	20	25	238282 7021	238282 9853
625-808	**	20	25	238283 7021	238283 9853
805-988	**	20	25	238284 7021	238284 9853
985-1168	**	20	25	238285 7021	238285 9853

*The use of shims increases the necessary clear cabinet width by 20 mm each.

**Payload = load capacity - 2 kg - weight of wooden shelf.

***Load capacity = payload + 2 kg (max. weight of control lever and clothes rail) + weight of wooden shelf (max. 6 kg).

Scope of delivery without wooden floor.



Set CONERO Wardrobe lift shim

consisting of:


1 x Shim

1 x Installation material

Dimension L x P x H	Color	PU 10
30 x 213 x 229	Black	238722 7818



Construction dimensions wooden floor



*Width dependencies: see left

CONERO Clothes rail



- High quality powdered aluminum
- Variant with lighting
- Easy integration of existing LED strips
- Alternative use of KB LED profile for an even more convenient processing




CONERO Clothes rail

consisting of:
 1 x Clothes rail
 1 x Set clothe rail mounts
 1 x Glide profile

Max. Clear Cabinet Width (CW)	Dimension L x P x H	Powder Black PU 10	Powder Gold PU 10
920	919 x 15 x 30	238901 7021	238901 9853
1220	1219 x 15 x 30	238902 7021	238902 9853

Cut-to-size




CONERO Clothes rail for LED integration


consisting of:
 1 x Clothes rail
 1 x Set clothe rail mounts
 1 x LED mounting plate
 1 x Glide profile
 1 x Diffuser

Max. Clear Cabinet Width (CW)	Dimension L x P x H	Powder Black PU 10	Powder Gold PU 10
920	919 x 15 x 30	238724 7021	238724 9853
1220	1219 x 15 x 30	238725 7021	238725 9853


Cut-to-size



Permissible LED strip dimensions for use with LED adaptation plate



Installation options with Kesseböhmer LED profile (008973/ 008974)



CONERO Lighting


	Dimensions (mm)	Item no.
LED profile		
Colour temperature: 2700-6400 Kelvin		PU 1
For clothes rail 920 mm	900 x 12.5 x 10.25	008973 0000
1220 mm	1200 x 12.5 x 10.25	008974 0000

Cut-to-size

Is pushed into the clothes rail from the side

- Length fits aluminium profile
- Easy assembly
- Suitable for stepless control of light colour
- Dimmable

To operate the LED profiles, you absolutely need the LED light control set (see below)!



LED light control set

consisting of	W x D x H
• Mains adaptor/driver	184 x 61 x 33
• 6-way distributor	90 x 35 x 17
• Receiver	178 x 46 x 22
• Remote control	137 x 39 x 11

Suitable for stepless control of the light colour and for dimming

max. 75 Watt,	EU plug	PU 1	008982 0000
primary 220-240 Volt, 50/60 Hz	GB/UK plug		008983 0000
secondary: 12 Volt	AUS plug		008985 0000
incl. 2900 mm mains cable			

None of the LED light control set components can be accommodated in the aluminium profile!



LED extension cable	Length	PU 1
Optional component for flexible extension of connecting cable from LED profile to distributor	3000 mm	008978 0000



LED Door contact switch	PU 1
consisting of: 1 x Door contact switch	008987 0000



LED Motion sensor	PU 1
consisting of: 1 x Motion sensor	008988 0000



