IMPORTANT! KEEP THIS MANUAL DURING ALL TIME OF USAGE AND FOR FUTURE REFERENCE

INSTRUCTION MANUAL FOR USE OF CAR SEAT "ARCHIE ISO"



This child restraint system is designed and manufactured in compliance with the requirements of Regulation 44 of the United Nations Economic Commission for Europe concerning the safe transportation of children, the provisions of the product safety directive 2001/95/EU of the European Parliament and The Council and Directive 91/671/EEC "Compulsory use of seat belts and child restraints systems for child occupants of power driven vehicles" of the European Parliament and The Council, as well as Consumer protection law from national legislation.

NOTICE

for universal child restraint system group III (22-36 kg)

1. This is a "UNIVERSAL" CHILD RESTRAINT. It is approved to Regulation No 44, 04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.

2. A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a "universal" child restraint for this age group.

3. This child restraint has been classified as "universal" under more stringent conditions than those which applied to earlier designs which do not carry this notice.

4. If in doubt, consult either the child restraint manufacturer or the retailer.

This restraint system is suitable for use only in vehicles fitted with three-point static belt with a retractable mechanism that meets the requirements of Regulation № 16 of the Economic Commission for Europe of the United Nations!

THIS CAR SEAT MUST BE USED ONLY IN VEHICLES FITTED WITH APPROVED LAP/3-POINT/ STATIC CAR SAFETY BELTS WITH RETRACTOR, APPROVED BY REGULATION No. 16 OF EC OF UN!

NOTICE

This child restraint is classified Semi-universal use and is suitable for fixing into the seat positions of the following car:

CAR	<u>FROM</u> Outer <u>C</u>		<u>RE</u> <u>Outer</u>	<u>AR</u> <u>Centre</u>
(Model)	No	No	Yes	No

Seat positions in other cars may also be suitable to accept this child restraint. If in doubt, consult either the child restraint manufacturer or the retailer.




DO NOT FORGET THAT NO RESTRAINT SYSTEM CAN PROVIDE ABSOLUTE PROTECTION IN CASE OF A CRASH OR ROAD ACCIDENT! DRIVE WITH CARE WHEN THERE IS A CHILD IN YOUR VEHICLE!

IN ORDER TO ENSURE THE SAFETY OF YOUR CHILD, FOLLOW EXACTLY THE INSTRUCTIONS AND SAFETY RECOMMENDATIONS IN THIS MANUAL!

IMPROPER USAGE F THIS CAR SEAT WILL REDUCE ITS SAFETY FUNCTIONS! FAILURE TO FOLLOW THE GIVEN INSTRUCTIONS INCREASES THE RISK OF SERIOUS INJURIES AND DEATH.

PLACE OF THE CAR SEAT IN THE VEHICLE

The car seat is suitable for use in vehicles fitted with approved lap belt/ three-point/ static belt with a retractable mechanism that meets the requirements of Regulation № 16 of the Economic Commission for Europe of the United Nations! Never use 2-point safety belt.






- CAUTION! NEVER LEAVE YOUR CHILD UNATTENDED!
- CAUTION! THE CAR SEAT MUST BE INSTALLED ONLY ACCORDING TO THE DESCRIBED INSTRUCTIONS IN THIS MANUAL. IT IS DANGEROUS TO USE ANCHOR POINTS OTHER THAN THE ONES GIVEN IN THIS MANUAL!
- ◆ CAUTION! USE THE LAP VEHICLE BELT IN SUCH WAY THAT IT STAYS LOW AT CHILD'S BODY AND HOLDS HIS PELVIS.
- ◆ CAUTION! THIS CHILD RESTRAINT SHOULD NOT BE MODIFIED OR ADAPTED WITH NEW FITTINGS, WITHOUT PREVIOUS AUTHORIZATION BY THE COMPETENT AUTHORITY.
- ✤ CAUTION! KEEP AWAY FROM FIRE!
- ✤ CAUTION! THIS RESTRAINT SYSTEM IS NOT SUITABLE FOR CHILDREN UNDER 22 KG!
- Installation in the vehicle and securing the child in the car seat to be done only by adult!
- The hard parts and the parts of the child restraint made of plastic should be located and installed so that when the vehicle is in normal use, they can not be trapped by a sliding seat or in a door of the vehicle.
- Always check if the vehicle belt is well attached and secures the child. It is very important that the lap belt is laying low and the child's hips are snug.
- Make sure the safety belts of the car seat and the vehicle are not twisted, frayed or torn, latches and locks (buckles) must be always in good order and firmly fixed.

- If you find defect or damage in the construction, discontinue usage until removal of the damaged parts and replacement with new ones.
- After a violent impact the car seat and belts may be damaged. therefore, it is recommended to replace the car seat with new one.
- Never use a second hand child restraint. It may have suffered structural damage, which may make the child restraint extremely dangerous.
- Do not use this car seat without its seat cover and do not replace it with a new one, unless supplied by the manufacturer. The fabric parts are integral parts of the restraint system and its safety features!
- Always make sure that you are not carrying any unsecured objects, especially on the back shelf, which, in case of an accident, may injure the car's occupants.
- Do not put additional pads except the ones supplied from the manufacturer! Placing additional pads may obscure the safety of your child.
- It is recommended to cover the car seat if the vehicle is parked under strong sun shine extreme sun exposure will make the plastic to deteriorate and the fabric to fade. Please, check that the child restraint has not become too hot before placing your child seat.
- Do not attach objects with long cords or strings on the car seat in order to avoid danger of suffocation!
- Never place a child seat on beds, couches or similar soft surfaces!
- Do not allow children to play with the product!
- Do not remove stickers and warnings they contain important information!
- The packaging of the product must be kept out of the reach of children at the time of and after unpacking in order to avoid the risk of strangulation!

PRODUCT FEATURES

- Child restraint system suitable for children weighing 22-36 kg, Group III 22-36 kg (approx. age 6-12 years);
- Car seat can be installed on the vehicle seat using 3-point vehicle safety belt;
- Car seat can be installed on the vehicle seat using 3-point vehicle safety belt and ISOFIT atachments;
- Child restraint must be installed in FORWARD facing position.

MAIN PARTS



- A Car seat body
- B Fabric cover
- C ISOFIT attachments
- D Button to release the
- **ISOFIT** attachments

IMPORTANT!

- Follow exactly the instructions and safety recommendations in this manual.
- ALWAYS CHECK THE SECURITY OF FIXING OF THE SAFETY BELTS!

GROUP III Installation of car seat onto the vehicle seat		Securing the child in car seat	
(22-36 kg) 3-point car belt + ISOFIT attachments		3-point car belt	
(22-36 kg)	3-point car belt	3-point car belt	

INSTALLATION OF CAR SEAT IN FORWARD FACING POSITION USING THE 3-POIMT SAFETY BELTS OF THE VEHICLE AND ISOFIT ATTACHMENTS

1. Diagonal and lap car belt

Pull the 3-point car belt. Thread the diagonal belt over the child's shoulder and the lap belt under the car seat armrest at one side of car seat.

WARNING! Lap belt must go under the armrest and diagonal belt – over it (fig. 1 and 2). Make sure belts are not twisted.

2. Installation with ISOFIT attachments.

Rotate the ISOFIT attachments at 180° in rear direction (fig. 3). Place the ISOFIT attachments to the corresponding fixing places at vehicle seat (fig. 4) until you hear a click sound (fig. 5).

WARNING! After installation carefully check if car seat is strong and securely fixed to vehicle seat as try to shake it. If needed repeat the above described actions to install the car seat again.

To remove the car seat from vehicle seat, press the buttons for release the ISOFIT attachments (fig. 6). Pull 3-point car belt and thread it as it is described in point 1. and lock the vehicle buckle until you hear a click sound (fig. 7).

WARNING! Make sure that child's hands are over the diagonal and lap belts (fig. 8)!

INSTALLATION OF CAR SEAT IN FORWARD FACING POSITION USING THE 3-POIMT SAFETY BELTS OF THE VEHICLE

Rotate the ISOFIT attachments at 180° in direction bottom of seat (fig. 9) and place the car seat onto the vehicle seat in forward facing direction.


Pull 3-point car belt. Thread the diagonal belt over the child's shoulder and the lap belt under the car seat armrest at one side of car seat.

WARNING! Lap belt and diagonal belt must go under the armrest (fig. 10). Make sure belts are not twisted!

Lock the car buckle until you hear a click sound. Tighten the belt by pulling the diagonal and lap belt.

FABRIC REMOVAL

Lift the fabric cover upwards to remove it from the body of car seat.



CLEANING AND MAINTENANCE INSTRUCTIONS

- Clean the fabrics, plastic parts and metal parts with damp cotton cloth or sponge and mild soap.
- Upholstery may be hand washed at 30°C using mild detergent!
- Do not bleach! Do not tumble dry! Do not machine wash! Do not iron!
- Do not use abrasive, bleach or other aggressive detergents.
- Leave the car seat to fully dry after cleaning and after that use it or store it.
- Do not wet or remove the stickers. They contain important information!
- Always store your car seat indoors on dry and clean place. Do not expose to direct environment influence - sun, rain, moisture and high temperature intervals.
- Please, contact your authorized dealer for problems connected with the use or repair

Fabric: Outer: 100% polyester Filling: 100% polyester



Used materials: plastic, textile.

SDKAI021xxxx

List if vehicles that are suitable for installation in semi-universal child restraint system group III (22-36 kg) (with ISOFIT attachments)

	Name of the vehicle	Model of the vehicle	
1	ALFA ROMEO	156 Cross Wagon Q4, 156 Sportwagon, MiTo	
2	AUDI	A1, A1 Sportsback, A2, A3 (5 doors), A3 (3 doors), A3 Sportsback, A3, A3 (facelift), A4, S4, RS4, A5, A5 Cabrio, S5 Cabrio, A5 Cabrio, A5 Sportback (5 doors), A6, S6, A6 Allroad Quattro, A6 Avant, A7 Sportsback (4 seats), A7 Sportsback (5 seats), A8, S8, Q3, Q5, Q7, TT, TT Roadster	
3	BMW	5 series, 5 GT, 5 Touring, 6 series, 6 Coupe, 6 GranCoupe, 7 series, M5, Mini, Mini 2, Mini Club Man, Mini Countryman, X1, X3, X5, X6, Z4	
4	CADILLAC	CTS	
5	CHEVROLET	Aveo, Aveo Hatchback, Captiva, Cruze SW, Epica, HHR, Lacetti, Matiz, Nubria, Orlando, Spark, Volt	
6	CHRYSLER	Crossfire, 300 C, Grand Voyager, PT Cruser, Sebring, Voyager, Voyager Shown Go	
7	CHRYSLER DODGE	Caliber, Journey, Nitro, Ram (1500/5 doors)	
8	CHRYSLER JEEP	Cherokee, Grand Cherokee, Commander, Wrangler	
9	CITRO ËN	Berlingo I, Berlingo II, Berlingo III, Berlingo Multi Space, C1, C2, C3 Pluriel, C3 Picasso, C3, C4 II, C4 Aircross, C4 Picasso, C4 Picasso, C4 Grand Picasso, C4 Grand Picasso, C5 Break, C5, C6, C8, C-Crosser, DS3, DS4, DS5, Jumpy, Nemo	
10	FIAT	Bravo (Typ 198), Croma, Doblo, Dublo II, Fiorino Qubo, Freemont, Idea, Multipla, Panda, Punto (Typ 188), Punto (Typ 199), Punto EVO, Grande Punto, Stilo, Stilo Multi Wagon, Scudo 2, Ulysse	
11	FORD	C-MAX, Grande C-MAX, Fiesta (MK7/5 doors), Focus, Focus Turnier, Focus Turnier, Galaxy, Kuga, Maverick, Mondeo, Mondeo Turnier, Mondeo Turnier, S-MAX, Tourneo Connect, Transit/Transit Connect, Transit Kombi	
12	HONDA	Accord (4+5 doors), Accord Tourer (5 doors), Accord Tourer, City (4 doors), Civic 9, CR-V, FR-V (6 seats), Jazz (5 doors), Pilot	
13	HYUNDAI	Getz, H-1 Travel, i10, i20, i30+i30cw, i40, i40cw, ix20, ix35, ix55, Matrix, Santa Fe, Sonata,Sonica, Sonata,i40, Terracan, Tucson	
14	JAGUAR	S, XJ	
15	JEEP	Grand Cherokee, Wrangler Unlimited	
16	KIA	Carens, Carnival, Cee'd, Pro Cee'd, Cerato, Magentis, Opirus, Picanto, Picanto, Picanto (3 doors), Rio, Rio (5 seats), Sedona, Sorento, Soul, Sportage, Venga	
17	LANDROVER	Discovery2, Discovery3, Discovery (facelift), Freelander 4, Control Freelander 2, Range Rover, Range Rover Evoque, Range Rover Sport	
18	LEXUS	CT 200h iS GS 450h RX 300 RX 350 RX 400h	
19	MAZDA	2 series, 3 series, 5 series, 6/Atenza Kombi, 6 Sport Kombi, CX5, CX7, MPV, MX5 (Typ NB/2 seats), Premacy	

20	MERCEDES BENZ	A class, B class, C class, C(W204/S204), C Coupé, C (Model T), CL class, CLS class, CLS(C218) class, E class,	
		E(W211/S211), E(C207/W212/S212), E(A207), E Cabrio(A207), G(W463), GL, GLK, M, ML, R(W251/V251), S,	
		Vaneo, Viano, Viano, Viano fun, Vito	
21	MITSUBISHI	Colt(5 doors), Grandis, i-MiEV, Lancer Kombi, Lancer, Outlander, Pajero V80, Shogun	
22	NISSAN	Almera, Cuba(Z12), Juke, Maxima(A33), Micra(K11),	
		Micra(K12), Micra(K13), Micra Cabrio, Murano, Navara, Note Pathfinder, Pathfinder(R51), Pixo, Primera (P11) Traveller, Primera (P12), Qashqai, Qashqai+2, Tiida, X-Trail	
23	OPEL	Agila B, Ampera, Antara, Astra, Astra J, Astra J GTC, Astra J Sport Tourer, Astra Twin Top, Combo C, Corsa C, Corsa D(5 doors), Corsa (4 doors), Insignia, Insignia Sports Tourer,	
	5	Merivá, Meriva B, Signúm, Vectra, Zafira A, Zafira B, Zafira B Zafira C Tourer	
24	PEUGEOT	1007, 206cc, 206SW, 207CC, 208, 307, 307SW, 307 SW (5 doors), 308, 308 CC, 308 SW, 308 SW, 3008 Crossover, 4007, 4008, 508, 508 SW, 5008, 807, Expert, Partner (5 doors), Partner Tepee	
25	PORSCHE	Cayenne, Panamera	
26	RENAULT	Cilo III, Cilo Grandtour III, Espace, Grande Espace, Fluence, Kangoo, Kangoo be bop, Koleos, Laguna III, Laguna Grandtour, Laguna Grandtour III, Megane Cabrio, Megane, Megane II, Megane III, Megane III GrandtourModus, Modus, Grand Modus, Scenic, Scenic II, Scenic III, Grand Scenic,	
		Traffic, Twingo, Twingo II, Vel Satis	
27	SEAT	Alhambra, Allea FR/XL/Freetrack, Arosa, Exeo, Exeo Kombi, Exeo ST, Ibiza(6J), Ibiza(6K), Leon, Mii, Toledo M1, Toledo	
28	SKODA	Citigo, Fabia II, Felicia, Octavia, Octavia II, Octavia II, Octavia II, Octavia II, Octavia Tour, DriveRoomster, Superb, Superb II, Superb Kombi, Yeti	
29	SMART	Forfour, fortwo, fortwo II	
30	SUBARU	Forester, Impreza, Legacy, Outback, Trezia, Tribeca	
31	SUZUKI	Alto, Ignis, Jimmy, Kizashi, Splash, Swift, SX4, Vitara, Wago R	
32	ΤΟΥΟΤΑ	Auris, Auris Hybrid, Avensis, Avensis Verso, Avensis Combi, Aygo, Corolla, Corolla Verso, iQ, Land Cruiser 120, Land Cruiser (J12), Land Cruiser V8, Land Cruiser, Prius+, Prius 3 RAV 4, Urban Cruiser, Verso S, Yaris (5 doors), Yaris III	
33	VOLVO	C70, S40, S60, S80, V50, V60, V70, XC70, XC80, XC90	
34	W	Amarok, Beattle, Bora, Caddy, CC, EOS, EOS, FOX, Golf IV, Golf IV, Variant, Golf V, Golf V (R32), Golf V Variant, Golf Cabrio, Golf V Plus, Golf VI, Golf VI Cabrio, Golf VI R, Golf V Variant/Plus, Lupo, Passat, Passat B7 Altrack, Passat B7 Variant, Phaeton, Polo, Polo V, Cross Polo IV, Cross Polo V, Scirocco III, Sharan, Sharan II, T4 Caravelle CL/GL, T4	
		Multivan II, T5 Multivan, T5 Caravelle, T5 Caravelle (long reversion), T5 Kombi, T5 Kombi (long version), Tiguan, Touareg, Touareg II, Touran, Touran Cross, Up	

35	Tianjin Xiali	TJ7101AE3, TJ7101ALE3, TJ7101AUE3, TJ7101AULE3,
		TJ7101BE3, TJ7101BLE3, TJ7101BUE3, TJ7101BULE3,
		TJ7141AE3, TJ7141ALE3, TJ7141AUE3, TJ7141AULE3,
	-	TJ7141BE3, TJ7141BLE3, TJ7141BUE3
36	BYD	F0, F3, F3R, G3, G3R, ,G5, G6, S6, S7, F3DM, E6, L3, M6,
		F6, S8
37	Great Wall	C20R, M2, C30, C50, M4, C70, M1, H6, H8, H1, H2,
38	Geely	MR7131D, MR7150B4, MR7151B4, MR7151EA4, MR7152D,
		MR7180D, MR7181, MR7181B1
39	Lifan	LF7130F, LF7131B, LF7132B, LF7152, LF7162B, LF7162E
40	Haima	7161, 7162, 7163, 6480, Haima 3, M2, M3, M5, M8, M6, S6,
	2 Contraction of the second	S7
41	Beijing auto	BJ20, BJ80, S2, S3, S6, H3, H2, H6, D20, CC, D50, D60,
		D70, D80, X25, X65, X55, M20, M30, T205-D
42	FODAY	F16, F22, F128
43	GAC	GA3, GA5, GA6, GS4, GS5, , GX5, GX6, GL, GP150, G3, G5
44	LANDWIND	X5, X7, X8, X9, X6
45	CHERY	E3, E5, M7, A3, A5, X1, G2, M1, M5, G3, G5, G6
46	ZOTYE	Z700, SR7, E30, Z100, Z300, Z500, T200, X5, T600, V10,
		E20, E200, T300, M300, Z200

To install the child restraint system there may be suitable sitting places in other vehicles. If you have any doubts, consult with the producer of this car seat or its retailer.



Bulgaria, Plovdiv, Golyamokonarsko shosse Str. № 1

www.chipolino.com